Iowa Research Online
The University of Iowa's Institutional Repository

Health Policy Research

10-1-2006

The 2005 Iowa Child and Family Household Health Survey. Statewide results. First report in a series

Peter C. Damiano
University of Iowa

Jean C. Willard
University of Iowa

Jane Borst
Iowa Department of Public Health

Please see article for additional authors.

Copyright © 2006 the authors

Hosted by Iowa Research Online. For more information please contact: lib-ir@uiowa.edu.

The 2005 Iowa Child and Family Household Health Survey

Statewide results

First report in a series

Peter Damiano, DDS, MPH
Professor and Director

Jean Willard
Senior Research Assistant

Health Policy Research Program
Public Policy Center
The University of Iowa

Jane Borst, MA
Bureau Chief

Lucia Dhooge, BSN, MBA
Nurse Clinician

Gretchen Hageman, MA
Community Health Consultant

Debra Kane, PhD, RN
CDC Assignee

Bureau of Family Health
Iowa Department of Public Health

Andrew Penziner, MD
Program Associate

Child Health Specialty Clinics

October 2006

This study was supported by the Iowa Department of Public Health (IDPH)) and the Maternal and Child Health Bureau (MCHB), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services. The results and views expressed are the independent products of university research in collaboration with the Iowa Department of Public Health and do not necessarily represent the views of the Maternal and Child Health Bureau or the University of Iowa.

TABLE OF CONTENTS

Introduction 3
Methods 4
Demographics 5
Health status 6
Health insurance coverage 10
Health care issues 12
Child care 16
Early childhood family activities 17
Nutrition and exercise 18
Behavioral and emotional health 20
Parent well-being 20
Tobacco, alcohol, and drug use 23
Gambling 21
Conclusions 24
Appendix 1: Result totals 27
Appendix 2: Results by age 89
Appendix 3: Results by Federal Poverty Level (FPL) 147

INTRODUCTION

The 2005 Iowa Child and Family Household Health Survey (IHHS) was the second comprehensive, statewide effort to evaluate the health status, access to health care, and social environment of children in families in Iowa. The first IHHS was conducted in 2000. The 2005 IHHS was a collaboration between the Iowa Department of Public Health (IDPH), the Public Policy Center (PPC), and the Child Health Specialty Clinics (CHSC). Funding for the 2005 was provided primarily by the IDPH, with additional funding from the U.S. Department of Health and Human Services Maternal and Child Health Bureau (MCHB) and the Centers for Disease Control and Prevention (CDC).

The primary goals of the Household Health Survey were to: 1) assess the health and well-being of children and families in Iowa, 2) assess a set of early childhood issues, 3) evaluate the health insurance coverage of children in Iowa and features of the uninsured, and 4) assess the health and well-being of racial and ethnic minority children in Iowa.

Questions were asked from a wide range of topic areas encompassing health, overall well-being, and family environment of children in Iowa. The 2005 survey included a special emphasis on early childhood issues. Topic areas from the 2005 survey included:

- Demographics of Iowa families with children
- Health status
  - Functional health status
  - Children with Special Health Care Needs
  - Additional emphasis on asthma
- Health insurance coverage of children and parents
- Health care issues
  - Medical care
  - Preventive care
  - Dental care
  - Behavioral/emotional health care
  - Prescription medication
  - Emergency room use
- Child care
- Family and social environment
  - Early childhood environment
  - Nutrition and exercise
  - Behavioral/emotional health status
  - Parenting stress
  - Maternal well-being/depression
  - Tobacco, alcohol, and drug use
  - Gambling
  - Marital satisfaction

This report summarizes the findings from the 2005 survey. The statewide results for the individual questions from the survey (organized by total, as well as by age category and Federal Poverty Level (FPL) status of the child) can be found in the appendices of the this report.

METHODS

The 2005 Household Health Survey was a population-based statewide household telephone survey. The University of Northern Iowa Center for Social and Behavioral Research was contracted to complete the data collection for the survey. An oversample of African-American and Latino children was also completed in order to have a sample that included at least 200 children in each of those two racial/ethnic groups.

Phone numbers dialed included a combination of random digit dial and targeted phone numbers obtained from a private vendor. Targeted lists came from a variety of resources including white pages and other lists (e.g., voter registration, magazine subscriptions, warranty cards, census data). Screening questions were asked to determine if the number was connected to a private residence, and if so, if there was at least one child living in the household. The survey questions were answered by the 'adult most knowledgeable about the health and well-being' of one randomly chosen child in the household, and the questions were asked about that child.

The data collection, not counting the oversample, yielded 3674 cases, 78% from the targeted sample and 22% from randomly dialed numbers.

Respondents were primarily mothers (77%) and fathers (18%). The other 5% of respondents included grandmothers (2%), step-parents (2%), and 1% other relatives and guardians. Because 95% of the respondents were either a mother or father, respondents will be referred to as 'parents' throughout this report.

In order to account for biases related to design and data collection factors, the data used in this report were weighted to provide a representative sample of children in Iowa. Weighting first consisted of accounting for biases related to family size (i.e., the sampling design originally biased the sample toward children in smaller families because the chances of being the child chosen for the survey were much higher. A child in a one-child household was twice as likely to be the 'chosen' child as a child in a two-child household, etc.).

Also factored into the weighting were biases related to having a partially targeted sample as opposed to a totally random sample. Results from the targeted calls were compared with random digit dial data, and both were compared to externally collected data sources. The data were then weighted to match the income and age distribution from the 2000 Census.

Finally, a weight related to the design effect was added for the analysis in order to make statistical testing more conservatively accurate. Weights for individual cases range from .51 to 5.09, with a mean weight of .6163.

For these analyses, results were reevaluated for different age categories of children (ages 0-4, 5-9, 10-14, and 15-17) and for three different income categories (lower: <133% FPL, moderate: 133-200% FPL, and higher: >200% FPL.

DEMOGRAPHICS

Reliable estimates of the number and characteristics of Iowa families and children were difficult to find for 2005. The primary resource for demographic information is the U.S. Decennial Census, which was last conducted in 2000, and is not scheduled to take place again until 2010. For the 2000 Iowa Household Health Survey, the Census had just been completed, so there was a relatively precise count of children in Iowa. Current sources of estimates of the number of children in Iowa all show a decline in the population of children from 2000, but there is variation in the estimates concerning the magnitude of the decline. As Table 1 indicates, the U.S. Census Bureau estimates from the Current Population Estimates (CPE) show an 8.6% decline in the number of children ages 0-19 in Iowa. The U.S. Census Bureau estimates from the American Community Survey (ACS) show an 11.2% decline during this time period. Table 2 presents data from the Iowa Department of Education indicating a 4.2% decline in students in grades K-12 between the 1999-2000 school year and the 2005-2006 school year. It is interesting to note that the number of births in Iowa have increased during this time period. Current estimates show the Iowa child population is somewhere between 735,637 (ACS) and 764,860 (CPE).[1]

Census data indicates that in 2005, Iowa has between 8% and 11% fewer children than in 2000

[1] State Library of Iowa, State Data Center Program. Available at www.iowadatacenter.org. Accessed September 2006.

The number of Iowa families with children appears to have remained constant from 2000-2005

The number of families with children in Iowa has remained relatively steady. In the 2000 Census, there were 377,687 families in Iowa. The best estimates for families in Iowa in 2005 is 378,190, but the margin of error shows that this number is not significantly different from the 2000 estimates.

Table 1. Iowa child population change, 2000 and 2005

	2000 Census	2005 CPE	Percent change	2005 ACS	Percent change
Children ages 0-19 in Iowa	827,983	756,930	-8.6%	735,637	-11.2%

Table 2. Change in number of Iowa births and Iowa K-12 school enrollment, 2000 and 2005

	2000	2005	Percent change
Iowa births	38,250	39,275	+2.7%
School enrollment	540,887	518,355	-4.2%

HEALTH STATUS

Iowa children were slightly less healthy in 2005 than in 2000

Eighty-nine percent of children in Iowa had an overall health status rating of 'excellent' or 'very good.' As Figure 1 shows, this is slightly lower than in 2000, when 91% of children had these ratings. Nationally, 84% of children have parents who rate their health as 'excellent' or 'very good.'[2] Health status varied by income, with 50% of children in families with incomes less than 133% FPL being rated as 'excellent' compared to 64% of higher income children (>200% FPL). Children were more limited in activities because of sickness than in 2000; about 33% of children were limited at least one day in the last four weeks due to sickness, compared with 22% in 2000.

[2] The Health and Well-Being of Children: A Portrait of States and the Nation, 2005. National Survey of Children's Health, National Center for Health Statistics. Available at: http://www.mchb.hrsa.gov/thechild/1child/1status/01status.htm. Accessed September 2006.



Figure 1. Overall health status of Iowa children, 2000 and 2005

Over one-in-five children in Iowa were reported to have a special health care need as defined by the CAHMI children with special health care needs screening tool.[3] This is an increase from 2000 when 17% of Iowa children had a special health care need. Nationally, about 18% of children have special health care needs.[4] Of the 21% of children in Iowa identified as having a special health care need, 57% had parents who reported that their child had been diagnosed with a chronic health condition. Older children were more likely to have a special health care need, as shown in Figure 2.



Older children were more likely to have a special health care need

Figure 2. Percent of Iowa children with a special health care need, by age category

[3] Child and Adolescent Health Measurement Initiative (CAHMI) Children with Special Health Care Needs Screening Instrument. Available at: http://dch.ohsuhealth.com//index.cfm?cfid=6&cftoken=59572841&pageid=458&sectionID=133

[4] Ibid.

Children living in households with lower incomes were also more likely to have a special health care need (Figure 3).

Lower income children were less healthy than higher income children



Figure 3. Percent of Iowa children with a special health care need, by income status

Ten percent of children had been diagnosed with asthma

In this study, asthma was chosen as a chronic health condition of emphasis. About 10% of children had been diagnosed with asthma at some time in their life. Nationally, about 13% of children have asthma.[5] Of those diagnosed with asthma, 68% still had this condition at the time of the survey. Sixty-one percent of diagnosed children were between the ages of 0 and 4 when they were first diagnosed, and another 25% were between 5 and 9 years old. Twenty-nine percent took asthma medication as recently as that day, but 35% had last taken asthma medication more than one year ago. Nationally, 28% of children with asthma took medication one year or longer ago.[6] Figure 4 shows the time of most recent asthma symptoms: 15% had experienced symptoms of asthma less than one day ago, but one-third had not experienced symptoms for one year or more. Parents of 41% of asthma-diagnosed children reported that they had an asthma action plan. About 4% of asthma-diagnosed children had at least one overnight hospital stay due to asthma. Older children were more likely to have an asthma diagnosis: 5% of 0-4 year olds had such a diagnosis, compared with 15% of youth ages 15-17. Asthma diagnosis did not differ by the income status of the child in this study.

[5] Child and Adolescent Health Measurement Initiative (CAHMI) Children with Special Health Care Needs Screening Instrument. Available at: http://dch.ohsuhealth.com//index.cfm?cfid=6&cftoken=59572841&pageid=458&sectionID=133



Figure 4. Time of last asthma symptoms for asthma-diagnosed children in Iowa

Additional analyses showed that children diagnosed with asthma were more likely to live in a household where smoking was reported to be a problem (Figure 5).



Figure 5. Relationship between living in a household with a reported smoking problem and children with an asthma diagnosis

HEALTH INSURANCE COVERAGE

The amount and type of health insurance coverage of children and parents/guardians in Iowa was evaluated in this study.

Children's health insurance coverage

Three percent of children were uninsured at the time of the interview

Three percent of children in Iowa were uninsured at the time of the interview. This was half of the rate of uninsured children found in 2000 (6%). The percentage of children without insurance varied by income however: only 1% of children in higher income families (i.e., >200% FPL) were without health insurance. Among children with insurance, about 4% had been uninsured at some point in the previous 12 months, and lower income children were most likely to have been without coverage (10%). Seventy percent of these children were without health insurance for less than 6 months. Seventy-two percent of children were covered by employer-based insurance, however, the type of coverage varied significantly by income. About 30% of lower income children (<133% FPL) had employer-based insurance, while 64% of moderate income children (134-200% FPL) and 88% of higher income children (>200% FPL) had such insurance. Public insurance program participation had the reverse trend (65% of lower income, 27% of moderate income and 5% of higher income children). The perceived adequacy of insurance coverage also varied by income: parents of lower income children were most likely to rate their child's insurance as excellent (40% vs. 33% for higher income children). Lower income children, however, were most likely to have had a 'big' or 'moderate' problem paying for uncovered services.

Over one-third of parents had some worry about their ability to pay for their child's health care

Almost all respondents (97%) indicated that they believed that it was very important for children to have health insurance, with no difference by age or income status of the child. Improved insurance coverage did not eliminate parent's concerns about health care costs. The parents of one-third of children reported that they worried either: 'a great deal' (8%), 'somewhat' (14%) or 'a little' (13%), about their ability to pay for their children's health care in the previous 12 months. Higher income parents were significantly less likely to have these concerns.

Questions were asked about the two public insurance program options for children: Medicaid and ***hawk-i*** (Iowa's State Child Health Insurance Program). Ninety-four percent of all respondents had heard of the Medicaid program, and one in five children (20%) in Iowa not currently enrolled in Medicaid had been in the program at some point in their lives. This was highest for lower income children (59%), however, almost one in 8 of the higher income children had been in the program at some point in their lives (12%). Almost one-third (29%) of uninsured children had

applied for the Medicaid program since the last time the child had health insurance coverage, but three-quarters of these children were not eligible because their household income was too high. For about half of the uninsured children whose families did not apply to Medicaid, the reason they did not apply was because they thought they would have incomes too high to qualify. Regarding the ***hawk-i*** program, about three-quarters of respondents were aware of the program, and 6% of children not currently in the program had been enrolled in ***hawk-i*** at some point in their lives. A slightly higher proportion of uninsured children had applied for ***hawk-i*** than Medicaid since the last time the child had health insurance (32%).

Iowa's 3% uninsured rate compares favorably to the national rate of 9% of children without health insurance in 2005.[7] Iowa's decline from 2000 to 2005 also parallels a national decline in the rate of uninsured children from the mid 1990s to 2005. The national rate for uninsured children (non-Hispanic white children) declined from 12.6 percent to 7.9 percent from 1996-2005.[8] Much of this decline is attributed to the start of the State Children's Health Insurance Program (SCHIP) in 1997 and the concurrent expansion of eligibility of Medicaid for children. Iowa has seen a similar increase in the number of children enrolled in the Medicaid and ***hawk-i*** programs. From this study, the proportion of children with public insurance has increased from 11% in 2000 to 20% in 2005 as the number of uninsured children declined in the state.

Adult's health insurance coverage

Eleven percent of Iowa's children had parents who were uninsured at the time of the survey. This was the same percentage of uninsured parents as in 2000. Figure 6 shows the change in uninsured children compared to the change for their parents in 2000 and 2005. Eighty-three percent of the children's parents had the same insurance plan as their child, down from 88% in 2000. Having the same insurance was most common for higher income children (88%) and least common for lower income children (70%). Over half of these adults had employer-based insurance (56% through their employer, 15% through someone else's employer), 12% had individually purchased policies, and the rest had either Medicare or Medicaid (12%) or some other source (4%). This

Eleven percent of children had parents who were uninsured

[7] Cohen RA, Martinez ME. Health Insurance Coverage: Estimates from the National Health. Interview Survey, 2005. Available at: http://www.cdc.gov/nchs/nhis.htm. Accessed June, 2006.

[8] Vistnes, JP and Rhoades JA. Changes in Children's Health Insurance Status, 1996-2005: Estimates for the U.S. Civilian Noninstitutionalized Population Under age 18. Statistical Brief #141. September 2006. Agency for Healthcare Research and Quality, Rockville, MD. Available at http://www.meps.ahrq.gov/mepsweb/data_files/publications/st141/stat141.pdf.

varied by income: parents of lower income children were more likely to have public insurance through Medicaid.

Having health insurance for children was seen as more important than for parents

In 2005, there were about 5% more adults who self-purchased their health insurance than in 2000, and correspondingly about 3% fewer with employer-sponsored insurance. As in 2000, adults had mixed perceptions about how well their health insurance coverage met their needs. Just over one-quarter (27%) of children had parents who rated their coverage as 'excellent,' about one-third (35%) rated it as 'very good,' one-quarter (24%) as 'good,' 10% as 'fair' and 3% as 'poor.' Parents of higher income children were most likely to rate their own insurance as 'excellent' (30%). Adults considered health insurance to be slightly less important for themselves than for their children: parents of 89% of children indicated that it was 'very important' for them to have health insurance (97% for children). Parents of lower income children were least likely to rate having insurance as 'very important' for themselves (79%).



Figure 6. Health insurance status of children and their parents, 2000 and 2005.

Ninety-three percent of children had a regular source of medical care

HEALTH CARE ISSUES

Medical care

Ninety-three percent of children had a regular source of medical care in 2005, up from 90% in 2000 (Figure 7). Young children were most likely to have a regular source of care (97%), while adolescents ages 15-17 were least likely (91%). Just over half of children (53%) were reported to have needed medical care of any kind at some point during the previous 12

months. Need was reported to be highest for children ages 0-4 (61%) and lowest for children ages 10-14 (50%). Need also varied by income: the lowest income children (up to 133% of the FPL) had the lowest reported need (48%). Among those who needed care, most went to a doctor's office or clinic more than once during the year. Half went 2 to 4 times and one-quarter went 5 to 9 times. Fourteen percent of children were reported to have made more than 10 clinic visits during the year.



Figure 7. Iowa children with a regular source of medical care, 2000 and 2005

Access to medical care improved for children in Iowa from 2000 to 2005; only 1.6% of children who needed any medical care had an unmet need for medical care in the previous year, compared to 3% in 2000. Access to urgent or emergent care was also good: 98% of children reported to have 'always' (88%) or 'usually' (10%) received care for an illness or injury as soon as they wanted. Unmet need for specialty care was higher than for medical care among children who needed this type of service. One-third of all children were reported to have needed care from a specialist in the previous 12 months, and adolescents (42%) and lower income children (39%) were most likely to need specialty care. Five percent of children who needed such care had an unmet need for specialty care in the previous 12 months. Lower income children (under 133% FPL) had the highest unmet need (11%). Fifteen percent of all children who needed care indicated it was a 'big' (5%) or 'small' (10%) problem receiving care from a specialist; this was most prevalent among lower income children (24%).

Less than 2% of children had unmet need for medical care

Young children (age 0-4) were most likely to have had a preventive care visit and to have received anticipatory guidance in the last year

Preventive care

Access to routine preventive care was generally good for children in Iowa, but varied by the age of the child. Four out of five children in Iowa received routine preventive care in the year prior to the survey with less than 1% unable to receive needed preventive care in that year. Young children (ages 0-4) were most likely to receive a preventive visit (93%) while children ages 5-9 were least likely (72%). The parents of 28% of children remembered receiving anticipatory guidance for their child (e.g., told to use car seats or bike helmets depending on the age of child). Young children had parents who were most likely to recall receiving this message (51%), while older children age 10-14 (16%) and adolescents (22%) were least likely.

Dental care

One out of five children in Iowa did not have dental insurance in 2005, an improvement from one in four children without dental insurance in 2000. Lower income children were most likely to have dental insurance (84%). Nine out of ten children had a regular source of dental care , and over 96% of children over age 5 had one main place to receive dental care. Having a regular source of dental care varied significantly by income, however: only 80% of lower income children had a dental home. Eight out of 10 children in the state had been to the dentist at least once in the previous 12 months, but this varied significantly by age and income. Children ages 0-4 were least likely to have received dental care in the past year (44%), with almost half (48%) never having been to the dentist. Over 90% of children over age 5 had a dental visit in the previous 12 months. Seventy percent of lower income children had an annual dental visit compared to 83 percent of higher income children. Three quarters of children were described as someone who visits the dentist regularly while only 3% were reported to seek care only when there was a problem. This varied by age: over 86% of children over age 5 were described as regular users of dental care.

Twenty percent of children did not have dental insurance

Two-thirds of children (67%) were reported to need dental care at the time of the survey, with lower income children least likely to be reported to need care (59%). Most of this dental care need was for a check-up/cleaning (75%). One-quarter was for treatment, such as a filling (21%) or emergency care (3%). Young children ages 0-4 were least likely to have a treatment need (15%), while children age 10-14 (25%), adolescents (23%) and children under 200% FPL (31%) were most likely to need dental treatment. Unmet need for dental care was higher than for medical care (4% vs. 1.6%), however, the rate had declined from 8 percent in 2000. Children under 200% FPL were most likely to have an unmet dental need (8%). Most of the unmet need for dental care was because the cost was too high.

Children's dental health was reported to be generally good, with three-quarters rated as 'excellent' (40%) or 'very good' (37%). Five percent were rated as 'fair' or 'poor.' Higher income children were most likely to be rated as being in excellent dental health (44%) and lower income least likely (32%). Good oral health was considered to be very important by parents, with over 9 out of 10 (95%) indicating that good oral health was 'as important' (87%) or 'more important' (7%) than other children's health issues such as asthma or attention deficit-hyperactivity disorder (ADHD). Lower income parents were most likely to report oral health as being *more* important than other health conditions (13%). About two-thirds of children over age 5 were reported to brush their teeth at least two times on a regular day (52% of children age 0-4 brushed two or more times per day).

Although dental insurance is not as prevalent as medical insurance, coverage did improve from 2000 to 2005, similar to what was seen for medical insurance. The increase in the number of children receiving public insurance (i.e., Medicaid and ***hawk-i***) increased coverage of dental care, since both programs cover a comprehensive list of dental services. Many private health insurance policies, in contrast, have limited or no dental insurance benefits. However, this increased insurance coverage did not translate automatically into better access to dental care for lower income children, since children in this group had more unmet dental need.

Behavioral/emotional care

Ten percent of children in Iowa were reported to have needed care for a behavioral or emotional problem in the previous 12 months, with most of the need occurring in children over age five. This was an increase from 8% for all Iowa children in 2000. Need varied by income with 18% of lower income children needing behavioral/emotional care as compared to 7% of higher income children. Seven percent of children with needs were unable to receive care at some point in the year, about half because of cost issues. This was most common for adolescents (14% of those with need).

One in ten children needed behavioral/ emotional care

Prescription medicine

About half (51%) of all children were reported to have needed a prescription drug during the 12 months prior to the survey, with lower income children being least likely to report this need (41%). Among those in need, 1 in 10 were unable to receive a prescription medication during the year, again varying by income. Sixteen percent of lower income children had an unmet need for prescription drugs in the previous year compared to 5% of higher income children.

Emergency care

Twenty-eight percent had gone to an ER in the past year, 72% for care that could have been provided in a physician's office

Twenty-eight percent of children in Iowa went to a hospital emergency room (ER) in the 12 months prior to the survey. This was a decline from 32% of children in Iowa having an ER visit in 2000. Nine percent of children went 2 or more times in 2005. Young children (30%) and lower income children (41%) were most likely to have gone to the ER. When asked about their child's most recent visit, 38% indicated it was for an emergent situation such as 'trauma/broken bones/stitches' with the remainder (62%) being for non-traumatic reasons (e.g., colds, high fever). Young children (76%) and lower income children (70%) were most likely to have gone to the ER for a non-traumatic reason. A doctor or other health professional told the parent to take the child to the ER in about one-third of the situations (35%), with the parents of young children being most likely to be told to go for their ER visit (43%). Parents indicated that the last ER care for 72% of children could have been provided at a doctor's office or clinic if one had been available; the highest percentage reporting this were parents of low-income children (80%). For 71% of these children, parents indicated that 'inconvenient hours/clinic not open when care needed' was the main reason they took the child to the ER. Thirteen percent reported not knowing where to receive care at night or on the weekend as the reason for going to the ER.

CHILD CARE

Two-thirds of children age 0-5 spent some time in child care in the week prior to the interview

In order to more thoroughly examine the issue of child care, a series of questions about child care arrangements and satisfaction with those arrangements was asked of parents of children ages 0-5. A more extensive report is planned to address in-depth issues related to early childhood, including child care. The following is a brief preview of some of the results related to child care.

Almost two-thirds of children in Iowa ages 0-5 spent at least some time in child care in the week prior to the survey. Just over half of the children ages 0-5 who were in child care received at least some of their care at a home-based child care setting. Thirty percent received care in a child care center, and 31% in a preschool. One-fourth of children received care from a friend or neighbor. Over one-quarter of Iowa children ages 0-5 received care in more than one setting in the previous week. Among children who were in any child care, about 40% received care from multiple settings. For those children receiving child care, the number of child care settings did not differ by income level; however, lower income children were less likely to have been in any child care.

For the most part, parents chose child care based on quality. Forty-three percent of children were in their main child care setting because their

parents had made quality their top priority. However, for many parents, a combination of factors affected the choice of a child care arrangement. Cost, location, and previous experience with the provider were also important reasons for choosing a child care settings. Parents were asked how satisfied they were with their child care arrangements. Eighty percent of children had parents who were 'very satisfied' with child care arrangements. However, among children who live in households with incomes below 133% FPL, only 58% had parents who were 'very satisfied.'

Seventy-two percent of children had parents who were 'very satisfied' with the activities that were provided by the child care setting. Figure 8 shows that there are disparities by income level in the satisfaction with activities.



Figure 8. Child care activity satisfaction rating for parents of Iowa children age 0-5, by FPL

Parents of lower income children were least satisfied with the activities provided by their child care setting

EARLY CHILDHOOD FAMILY ACTIVITIES

Parents of children ages 0-5 were asked questions regarding the frequency of participating in activities with their children, such as reading, telling stories, working on letters, singing songs and playing music, working on arts and crafts, and playing games. Almost 1 in 10 children ages 0-5 in Iowa had parents who reported reading a story to them 'almost every day' or 'most days.' In the last week, 95% of children were told a story, 83% worked on letters or numbers, 96% sang songs or played music, 66% worked on arts and crafts, and 88% played a game with a family member. All of the children participated in at least one of the activities in the last week, and over 50% participated in all of them.

NUTRITION AND EXERCISE

There is growing interest in nutrition and exercise in Iowa, especially as they relate to childhood obesity. To learn more about these issues for children in Iowa, parents were asked about the eating and exercise practices of their children. Almost 9 out of 10 children usually or always eat breakfast (86%). Younger children were more likely to eat breakfast every day than older children (Figure 9). Just over two-thirds of children (69%) don't drink soda on an average day. About another quarter (23%) drink one serving per day, and 9% drink 2 or more servings per day. Older children drink more soda than younger children (Figure 10).

Only two-thirds of adolescents (age 15-17) eat breakfast routinely



Figure 9. Percent of Iowa children who 'usually' or 'always' eat breakfast, by age category

One-third of children drink at least one soda serving per day



Figure 10. Daily soda consumption of Iowa children, by age category

Parents report that over one-third of children do moderate activities such as brisk walking, bicycling, or yard work for at least 30 minutes every day. Forty percent of children do vigorous, heart-rate-increasing activities at least 4 times per week.

Sedentary activities such as watching television or videos, playing video games, and using computers have been raised as a factor affecting childhood obesity, as these prevent children from doing physical activities. Among the 90% of children who watch some television daily, 2 hours was the average time spent watching daily. Over half of children watch over 2 hours of television, videos, or movies each day. Fifty-eight percent of children use the computer or play video games daily, with an average time of 1.5 hours. Almost 20% of children in Iowa play video games or use computers for at least 2 hours daily.

Children who watch less television or videos are more likely to have parents reporting their weight to be 'the right amount' or 'too little' (Figure 11).



Figure 11. Parental report of Iowa children's weight status, by daily hours of television/videos watched

Children watch an average of 2 hours of TV daily

BEHAVIORAL AND EMOTIONAL HEALTH

Seven percent of Iowa children had scores suggesting high levels of behavioral and emotional health problems

In order to better understand the status of behavioral and emotional health of children, respondents were asked a series of six questions. The responses were then combined for analysis as a scale score of the behavioral and emotional health of children. These questions were only asked of parents of 6-17 year old children. There was a core set of three questions, plus another three items in each of two age groups pertaining more specifically to children in those groups (6-11 and 12-17). Questions included how often during the past month the child:

1) didn't get along with other kids
2) couldn't concentrate or pay attention for long
3) was unhappy, sad, or depressed.

Parents of 6-11 year old children were also asked how often during the past month the child:

1) felt worthless or inferior
2) was high-strung or tense
3) acted too young for his or her age.

Parents of 12-17 year olds were asked how often during the past month the child:

1) had trouble sleeping
2) lied or cheated
3) did poorly at schoolwork.

Lower income children were twice as likely to have scores suggesting high levels of behavioral and emotional health problems

When these items were scaled together and compared to standardized norms, 7% of children ages 6-17 in Iowa had scores suggesting higher levels of behavioral and emotional health problems. This rate varied by income status: 13% of children in the under 133% FPL group had higher scores on the behavior and emotional health status scale, compared to about 9% in the 134-200% FPL group, and 6% of the 200+ FPL group.

PARENT WELL-BEING

Respondents were asked a number of questions about stress in parenting, their own depression, and their health. Because respondents were primarily mothers (77%) and fathers (18%) we have included only their results. Mothers and fathers did not differ significantly in their responses to parenting stress and mental health, so their responses are combined here.

Parent mental health

Parent mental health was calculated using a series of 5 items derived from the Medical Outcomes Study Mental Health Inventory short form (MHI-5). Questions asked included how frequently parents have:

1) been a very nervous person
2) felt calm or peaceful
3) felt downhearted and blue
4) been a happy person, and
5) felt so down in the dumps that nothing could cheer you up

These items were scaled and the results were calculated using a standardized cut-off for symptoms suggesting poor mental health status.

About 17% of Iowa's children ages 5 and under lived with a parent whose symptoms suggested poor mental health status.

Parenting stress

Parenting stress was defined using a series of 4 questions asking how much time in the past month have you felt:

1) your child is much harder to care for than most
2) your child does things that really bother you a lot
3) you are giving up more of your life to meet your child's needs than you ever expected
4) angry with your child

These items were scaled and the results were calculated using a standardized cut-off for symptoms suggesting levels of parenting stress. Parents of most children (71%) reported moderate stress related to parenting.

About 7% of children were living in households with a highly stressed parent. This has not changed from the 2000 survey, and is similar to nationwide data indicating that 8% of children have highly stressed parents.[9] Parenting stress differed by income status. In the under 133% FPL group, 12% of children lived with a highly stressed parent, compared with 8% in the 134-200% FPL group and 5% in the 201+ % FPL group.

About 17% of Iowa's children ages 5 and under lived with a parent whose symptoms suggested poor mental health status

[9] U.S. Department of Health and Human Services, Health Resources and Services Administration, Maternal and Child Health Bureau. The National Survey of Children's Health 2003. Rockville, Maryland: U.S. Department of Health and Human Services, 2005.

As Figure 12 shows, there were also variations in parenting stress by child age group.

Young children are least likely to have parents who are considered highly stressed



Figure 12. Percent of Iowa children with 'highly stressed' parents, by age group

The data from this study contains evidence of a link between reported child behavior problems and reported parenting stress. Figure 13 shows the relationship between parenting stress and child behavior issues. Parents who reported high levels of stress in parenting were far more likely to have reported significant problems with child behavioral and emotional health status.

Parenting stress was related to reported behavioral problems with the child



Figure 13. Parenting stress level by behavior problem rating of Iowa children ages 6-18

Marriage

Eighty-one percent of children in Iowa live with parents who are married, and 83% of those have parents who rate their relationship as 'excellent' or 'very good.' The percent of children with married parents varied by income group: just over half of those in the 0-133% FPL group had married parents, while about three-quarters of those in the 134-200% FPL group, and almost 9 in 10 in the 200+%FPL group did.

TOBACCO, ALCOHOL, AND DRUG USE

To further investigate the environment in which Iowa children live, parents were asked questions about problems with tobacco, alcohol, and drug use in the household. Overall, 82% of children live in households where tobacco, alcohol, and drug use are not a reported problem. Among the 18% who live in households where there were substance use problems, 13% lived in a household where smoking was reported as a problem, 6% reported problems with alcohol use and 2% reported a problem with prescription or illegal drugs.

Tobacco use

Twenty-nine percent of children live in a household where cigarettes are smoked. Of those households with at least one smoker, 35% of children had parents who reported that tobacco use had some effect on their child. The rate of children living in households with a smoker varied by income level.



Figure 14. Percent of children living in a household with a smoker, by income status

Lower income children were more likely to live in a household with a smoker

Alcohol use

Six percent of children lived in a household with an alcohol-use problem

In the 2005 survey, six percent of children lived in households where alcohol use was reported to be a problem. Four percent of children lived in a household where alcohol use was reported to be a 'small,' problem, and for the remaining children, alcohol use was reported to be a 'moderate' or 'big' problem. Parents were asked about the people in the household whose alcohol use was a problem. Among children living with alcohol-use problems in the household, 64% lived in a household where this problem was reported to be with the child's father, 20% with another child in the family, and 8% with the mother. Eighty-three percent of children living in a household where alcohol use was a problem had parents who reported that there was some effect on the child resulting from alcohol use. Problems primarily stemmed from family stress and financial burden.

Prescription and illegal drug use

Two percent of children live in a household with a drug-use problem

Two percent of children live in households with a reported drug-use problem. Among these children, 53% were in a household where a problem was caused by illegal drugs, 34% prescription medications, and 13% both illegal and prescription drugs. When rating the effect of the problem, one-third of children had parents reporting that the drug use had no effect on their child; almost another one-third of children had parents reporting the highest effect on their child. As with alcohol, problems stemmed primarily from family stress and financial burden.

GAMBLING

In order to gather information about the prevalence and extent of gambling issues within Iowa families, parents were asked a series of questions about gambling in the household.

Just over 1% of children lived in a household with a reported gambling problem. Gambling problems included casino gambling, lottery tickets, online betting, sports betting, cards/poker, pull-tabs, and touch games.

CONCLUSIONS

Children in Iowa in 2005 have slightly lower health status than they did in 2000, as demonstrated by the increase in the proportion of children defined as having a special health care need and the decline in parent-reported overall health status. There was a health disparity by income: lower income children were more likely to have a special health care need and to be rated in lower health condition than children in higher income

families. For asthma, one of the more common chronic health conditions of children, 10% of Iowa's children had received this diagnosis during their lifetime. Among children diagnosed with asthma, one-quarter were reported to have had symptoms in the week prior to the interview and 40% had an asthma action plan in place.

Iowa continues to be one of the nation's leaders regarding the rate of insured children. Even with one of the highest insured child rates in the nation, Iowa still improved from 2000 (94%) to 2005 (97%). The expanded enrollments in the ***hawk-i*** and Medicaid public insurance programs contributed significantly to this expansion of coverage for children. Most of the remaining children without health insurance appear to be eligible for either Medicaid or ***hawk-i***, having household incomes of less than 200% of the federal poverty level (FPL). The expansion of public health insurance did not apply to adults, and the insurance coverage rates for parents remained stagnant during the same time period.

There is an insurance paradox that may be contributing to a portion of the lower health status found in 2005. As more children receive health insurance, they may be more likely to be diagnosed with health problems. This improved ability to be appropriately diagnosed because of better access to care may make it appear that the health status of children is declining, when in fact more children are being properly cared for. Insurance aside, access to medical care appears to be good for children in Iowa. Almost all of Iowa's children had a regular source of medical care and were able to access the medical care system when needed. Some children had problems accessing specialty care, however, especially lower income children.

Because of a rising rate of obesity nationwide, the focus on nutrition and physical activities in Iowa in this study gives us a perspective from which to plan programs and activities, as well as a baseline to track future progress in this area. Most of Iowa's children eat breakfast, and a significant number participate in physical activity almost daily. Most children watch at least some television every day, and a significant portion spend time on the computer or playing video games daily. Most parents report that their children weigh 'the right amount,' however, a significant proportion reports that their children weigh 'too much.'

The health and well-being of Iowa's youngest children has been the focus of many recent initiatives in Iowa. Overall, the results from this study show that parents of Iowa's age 0-5 population are quite satisfied with their child care arrangements. Parents have a number of priorities when choosing child care for their children, but quality of the program seems to be the highest priority. When not in child care, the youngest Iowan's have parents who are highly likely to participate in at least some (usually many) developmentally appropriate activities with their children.

Access to dental care is generally good in the state, and the vast majority of children over age 5 have had a dental visit in the past year. Children under age 5 are still significantly less likely to have had a dental visit, as are lower income children. Paradoxically, lower income children are more likely to have insurance. This may be in part because lower income children are more likely to have public insurance such as Medicaid; although the services covered by Medicaid are comprehensive, many dentists will not accept it in their practice because of lower reimbursement rates, and perceptions of patient behavioral issues.

While most children in Iowa were not reported to struggle with behavioral and emotional issues, one in ten children do have such issues. Older children and children in households with lower incomes are more likely to be reported to have behavioral and emotional issues. Children who are reported to have significant behavioral/emotional problems are far more likely to have parents who report significant stress related to parenting their child. Additionally, almost 1 of every 5 of Iowa's youngest children had parents reporting symptoms suggesting poor parental mental health status. These data suggest that providing further assistance to parents with young children, as well as children with behavioral and emotional health problems, is worth investigating.

Almost 3 of every 10 children in Iowa are living with at least one person who smokes cigarettes. For about a third of the children living in a household with a smoker, the smoking is reported to have at least some known effect on the child. About 6% of children live in a house where alcohol use is a reported problem. Children living in most of these households were reported to have been affected by the person's alcohol problem. Problems with drug use and gambling in Iowa households were less likely to be reported as issues for children.

Thus, overall, children in Iowa appear to be healthy and well-adjusted, although there are concerns that should not be ignored. Certain segments of the population, especially lower income children in the state, have unmet health needs. There are opportunities for improving everything from insurance coverage to support for young families that could improve the health and well-being of Iowa's children.

APPENDIX 1: RESULT TOTALS

TABLE OF CONTENTS

Health status....29
Asthma....34
Nutrition/Obesity....36
Access/Need....42
Insurance coverage....50
Dental care....57
Behavioral or emotional health care....60
Prescription medicine....61
School....63
Child care....64
Family environment....68
Family stress....69
Socialization/Self esteem....71
Marital satisfaction....73
Tobacco....74
Drug and alcohol use....77

HEALTH STATUS

The first series of questions ask about [CHILD]'s health. Please answer the questions the best you can even if some questions may not seem quite right if your child is very young.

1. In general, how would you rate [CHILD]'s overall health now? Would you say…

	Percent 2005	Percent 2000
Excellent	60.3	66
Very good	29.0	25
Good	9.1	8
Fair	1.4	1
Poor	0.2	<1

2. CSHCN screen. Child has a special health care need.

	Percent 2005	Percent 2000
Yes	21.4	17
No	78.6	83

3. Does [CHILD] currently need or use medicine prescribed by a doctor other than vitamins?

	Percent 2005
Yes	23.0
No	77.0

4. Is this because of ANY medical, behavioral or other health condition?

	Percent 2005
Yes	87.5
No	12.5

5. Is this a condition that has lasted or is expected to last for at least 12 months?

	Percent 2005	Percent 2000
Yes	86.7	13
No	13.3	87

6. Does [CHILD] need or use more medical care, mental health or educational services than is usual for most children of the same age?

	Percent 2005
Yes	13.3
No	86.7

7. Is this because of ANY medical, behavioral or other health condition?

	Percent 2005
Yes	79.0
No	21.0

8. Is this a condition that has lasted or is expected to last for at least 12 months?

	Percent 2005	Percent 2000
Yes	92.5	93
No	7.5	7

9. Is [CHILD] limited or prevented in any way in his or her ability to do the things most children of the same age can do?

	Percent 2005
Yes	5.9
No	94.1

10. Is this because of ANY medical, behavioral or other health condition?

	Percent 2005
Yes	86.0
No	14.0

11. Is this a condition that has lasted or is expected to last for at least 12 months?

	Percent 2005	Percent 2000
Yes	98.5	97
No	1.5	3

12. Does [CHILD] need or get special therapy, such as physical, occupational or speech therapy?

	Percent 2005
Yes	6.0
No	94.0

13. Is this because of ANY medical, behavioral or other health condition?

	Percent 2005
Yes	64.0
No	36.0

14. Is this a condition that has lasted or is expected to last for at least 12 months?

	Percent 2005	Percent 2000
Yes	93.5	98
No	6.5	2

15. Does [CHILD] have any kind of emotional, developmental or behavioral problem for which he or she needs or gets treatment or counseling?

	Percent 2005
Yes	6.9
No	93.1

16. Is this a condition that has lasted or is expected to last for at least 12 months?

	Percent 2005	Percent 2000
Yes	91.8	96
No	8.2	4

17. During the last 4 weeks, how many days has [CHILD] not been able to do his/her normal activities because of sickness?

	Percent 2005	Percent 2000
0	76.9	88
1-2 days	17.1	8
3-4 days	3.2	2
5-7 days	1.5	1
8-10 days	1.0	<1
11-20 days	0.1	<1
21 or more days	0.2	<1

18. During the past 12 months, how much, if at all, has [CHILD] been more limited in the activities [HE/SHE] could do compared to other children his/her age because of [HIS/HER] physical health? Would you say [CHILD] has been… (of children with limited physical health)

	Percent 2005
Limited a lot	0.8
Limited some	3.1
Limited a little	6.7
Not limited	89.3

19. During the past 12 months, how much has [CHILD] been more limited in the activities [HE/SHE] could do compared to other children [HIS/HER] age because of [HIS/HER] BEHAVIORAL OR EMOTIONAL health? Would you say [CHILD] has been…(of children limited by behavior or emotional health)

	Percent 2005
Limited a lot	0.8
Limited some	1.9
Limited a little	1.5
Not limited	95.7

20. Has your child been diagnosed with a chronic condition or disease that has lasted or is expected to last for at least 12 months? (of children with special health care needs)

	Percent 2005
Yes	57.3
No	42.7

21. On a scale from zero to ten where zero is the least severe, and ten is the most severe, how would you rank the severity of your child's condition, compared to other children with the same condition? (of children with primary chronic condition or diagnosis)

	Percent 2005	**Percent 2000**
0	4.3	4
1	5.5	15
2	12.7	13
3	14.3	10
4	13.7	9
5	21.4	21
6	8.7	9
7	6.6	8
8	6.7	7
9	3.1	2
10	2.9	2

ASTHMA

22. Have you ever been told by a doctor or other health professional that [CHILD] had asthma?

	Percent 2005
Yes	9.8
No	90.2

23. Does [CHILD] still have asthma?

	Percent 2005
Yes	67.9
No	32.1

24. How old was [CHILD] when a doctor or other health professional first said [HE/SHE] had asthma?

	Percent 2005
0-4	60.7
5-9	25.3
10-14	12.2
15-17	1.9

25. How long has it been since you last talked to a doctor or other health professional about [CHILD]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center. Would you say…

	Percent 2005
Never	0.5
Within the past year	65.3
1 year to less than three years ago	17.1
3 years to 5 years ago	8.8
More than 5 years ago	8.3

26. How long has it been since [CHILD] last took asthma medication?

	Percent 2005
Never	2.5
Less than one day ago	29.0
1 to 6 days ago	7.4
1 week to less than 3 months ago	16.9
3 months to less than 1 year ago	9.4
1 year to less than 5 years ago	23.8
5 or more years ago	10.9

Symptoms of asthma include coughing, wheezing, shortness of breath, chest tightness or phlegm production when [CHILD] did not have a cold or respiratory infection.

27. How long has it been since [CHILD] last had any symptoms of asthma?

	Percent 2005
Never	3.5
Less than one day ago	15.1
1 to 6 days ago	8.7
1 week to less than 3 months ago	24.2
3 months to less than 1 year ago	14.1
1 year to less than 5 years ago	23.5
5 or more years ago	10.9

An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

28. Has a doctor or other health professional EVER given you or [CHILD] an asthma action plan?

	Percent 2005
Yes	40.9
No	59.1

29. During the past 12 months, how many different times did [CHILD] stay in any hospital overnight or longer because of [his/her] asthma?

	Percent 2005
0	96.0
1	2.5
2	1.2
4	0.2

NUTRITION/OBESITY

The next questions are about [CHILD]'s height, weight, eating and activity levels.

30. How tall is [CHILD]? ____FEET _____ INCHES

Age	Mean height (range) inches
0	25.02 (12-48)
1	29.38 (12-40)
2	34.06 (20-77)
3	37.17 (24-48)
4	40.59 (32-50)
5	43.07 (30-56)
6	44.95 (24-64)
7	48.67 (29-60)
8	50.41 (36-60)
9	52.93 (36-71)
10	55.32 (41-66)
11	58.49 (42-70)
12	61.32 (48-73)
13	63.12 (49-76)
14	65.81 (56-76)
15	66.47 (56-78)
16	67.35 (57-77)
17	67.79 (51-77)

31. How much does [CHILD] weigh? _____POUNDS

Age	Mean weight (range) lbs
0	16.59 (6-35)
1	24.98 (14-35)
2	29.99 (20-45)
3	35.92 (18-60)
4	40.26 (28-77)
5	45.93 (30-95)
6	52.62 (32-95)
7	57.94 (37-110)
8	63.87 (39-120)
9	74.99 (40-175)
10	86.02 (46-163)
11	101.00 (52-200)
12	111.80 (62-202)
13	123.30 (60-250)
14	133.40 (32-294)
15	142.24 (85-285)
16	146.61 (90-300)
17	150.51 (95-360)

32. Compared to other children [CHILD]'s age and height, do you think [he/she] weighs…

	Percent 2005
The right amount	75.5
Too much	12.9
Too little	11.6

Questions 23-25 are for biological mothers only.

I would now like to ask you a few questions about the effect of your pregnancy with [CHILD] on your weight.

33. Prior to getting pregnant with [CHILD], would you describe your weight as…

	Percent 2005
Very underweight	0.7
Slightly underweight	8.2
About the right weight	53.5
Slightly overweight	31.3
Very overweight	6.3

34. About how much weight, if any, did you gain during your pregnancy with [CHILD]?

	Percent 2005
0	1.7
1-9	2.4
10-19	11.3
20-29	28.1
30-39	25.1
40-49	14.0
50-59	7.7
60+	8.1
Lost weight	1.6

35. About 12 months after delivery, would you describe your weight as…
(only for moms whose child is over 1 year)

	Percent 2005
Less than before this pregnancy	17.9
About the same weight as before this pregnancy	35.1
About 5 pounds more than before this pregnancy	15.4
About 10 pounds more than this pregnancy	16.1
More than 10 pounds than before this pregnancy	15.6

Eating behavior questions

The next questions are about [CHILD]'s eating behaviors.

36. In an average week, how often does [CHILD] eat breakfast? Would you say…

	Percent 2005
Never	1.7
Sometimes	11.8
Usually	16.6
Always	69.9

37. On an average day, how many servings of fruit does [CHILD] eat? (Do not count fruit juice.)

	Percent 2005
0	7.0
1	28.5
2-3	55.0
4-5	8.7
6+	0.8

38. Do you think [CHILD] would eat more servings of fruit during an average day if it was offered to [him/her] more often?

	Percent 2005
Yes	64.7
No	35.3

39. On an average day, how many servings of fruit do you eat? (Do not count fruit juice.)

	Percent 2005
0	15.1
1	35.9
2-3	41.8
4-5	6.2
6+	1.0

40. On an average day, how many servings of vegetables does [CHILD] eat?

	Percent 2005
0	6.3
1	23.7
2-3	63.2
4-5	6.6
6+	0.2

41. Do you think [CHILD] would eat more servings of vegetables during an average day if they were offered to [him/her] more often?

	Percent 2005
Yes	43.4
No	56.6

42. On an average day, about how many servings of vegetables do you eat?

	Percent 2005
0	3.0
1	25.3
2-3	60.4
4-5	10.2
6+	1.2

43. On an average day, about how many servings of pop, soda or soft drinks does your child drink during a single day?

	Percent 2005
0	68.7
1	22.5
2	5.7
3	1.9
4	0.5
5+	0.6

We are interested in two types of physical activity - vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

44. Now, think about the moderate activities [CHILD] does in a usual week. In the past 7 days how many days did [HE/SHE] do moderate activities for at least 30 minutes at a time, such as brisk walking, bicycling, skating, yard work, housecleaning or anything else that causes some increase in breathing or heart rate?

	Percent 2005
0	4.2
1	2.4
2	8.4
3	15.2
4	10.8
5	16.3
6	4.9
7	37.9

45. Now, think about the vigorous activities [CHILD] does in a usual week. In the past 7 days how many days did [HE/SHE] do vigorous activities for at least 20 minutes at a time, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing or anything else that causes large increases in breathing or heart rate?

	Percent 2005
0	15.2
1	8.5
2	18.6
3	17.7
4	10.2
5	14.6
6	4.1
7	11.1

46. On an average day, about how many hours does [CHILD] usually watch TV, videos or movies?

	Percent 2005
0	10.5
1	32.8
2	34.4
3	14.6
4	5.1
5+	2.6

47. On an average day, about how many hours does [CHILD] use a computer or play video games for school, work or play?

	Percent 2005
0	42.2
1	39.4
2	12.4
3	3.8
4	1.3
5+	0.9

ACCESS/NEED

The next questions ask about [CHILD]'s use of health care services. Do not include the times [CHILD] went for dental care.

A personal doctor or nurse is the health provider who knows your child best. This can be a general doctor, a pediatrician, a specialist, a nurse practitioner, or a physician's assistant.

48. Do you have one person you think of as [CHILD]'s personal doctor or nurse?

	Percent 2005	Percent 2000
Yes	93.0	90
No	7.0	10

49. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed medical care of any kind?

	Percent 2005	Percent 2000
Yes	53.5	52
No	46.5	48

50. In the last 12 months, was there any time when [CHILD] needed medical care but could not get it for any reason?

	Percent 2005	Percent 2000
Yes	1.6	3
No	98.4	97

51. What was the main reason [CHILD] could not get needed medical care?

	Percent 2005
Could not afford the care or have no insurance	43.5
Insurance / HMO coverage was inadequate	29.8
Trouble getting an appointment	12.4
Distance or transportation problems	5.1
Not comfortable with providers available at the time	0
Available providers did not have expertise child needed	0
Inconvenient hours, not open when care needed	9.3
Did not know where to go at night or on weekend	0
Could not get off work	0
Language or communication problems	0
Bad past experience or heard about bad experiences	0
Child was too afraid to go	0
Not comfortable due to cultural, ethnic or religious reasons	0
Family not comfortable seeking care for specific problem	0
Doctor / Nurse sent me to the ER	0
Doctor wouldn’t prescribe the medicine needed	0
Other	0

52. In the last 12 months, when [CHILD] needed care right away for an illness or injury, how often did your child get care as soon as you wanted? Was it…

	Percent 2005	Percent 2000
Never	0.3	1
Sometimes	2.1	3
Usually	10.0	10
Always	87.5	85

53. Specialists are doctors like surgeons, heart doctors, allergy doctors and others who specialize in one area of health care. In the last 12 months, was there any time when you or a health professional thought [CHILD] needed care from a specialist?

	Percent 2005	Percent 2000
Yes	33.3	32
No	66.7	68

54. In the last 12 months, was there any time when [CHILD] needed specialty care but could not get it for any reason?

	Percent 2005
Yes	5.4
No	94.6

55. In the last 12 months, how much of a problem, if any, was it to get the care [CHILD] needed from a specialist? Would you say…

	Percent 2005	Percent 2000
A big problem	5.0	7
A small problem	9.9	10
Not a problem	85.1	84

56. In the last 12 months, how many times did [CHILD] go to a hospital emergency room?

	Percent 2005	Percent 2000
None	71.7	68
1 time	19.6	21
2 to 4 times	7.8	9
5 to 9 times	0.6	1
10 or more times	0.3	1

For the next few questions, please think about the last time your [CHILD] went to a hospital emergency room.

57. What was the main reason for this visit to the ER?

	Percent 2005
Trauma / broken bones / stitches	40.7
Cold / flu	7.2
Ear infection	7.1
High fever only	7.5
Trouble breathing (asthma)	8.2
Severe cough / croup only	2.9
Rash	0.1
Other	4.5
Infection	1.9
Pneumonia	1.6
Sprain / Pulled muscle	1.2
Sore Throat / Strep	2.0
Allergy / Allergic reaction	1.6
Swallowed Poison	1.7
Swallowed Object / Object in ear or nose	1.7
Dehydration	1.5
Sports injury	1.1
Stomach pain / Appendix	3.2
Pain not otherwise categorized	1.4
Mental / Behavioral / Emotional	1.9
Seizures	1.0

58. Did a doctor, nurse or emergency personnel tell you to go to the ER for this care?

	Percent 2005
Yes	35.3
No	64.7

59. Do you think this care could have been provided by a doctor's office or clinic if one had been available?

	Percent 2005
Yes	71.8
No	28.2

60. What was the main reason you did not go to a doctor's office or clinic for this care?

	Percent 2005
Could not afford the care or have no insurance	0.4
Insurance / HMO coverage was inadequate	0.5
Trouble getting an appointment	0.8
Distance or transportation problems	1.0
Not comfortable with providers available at the time	0
Available providers did not have expertise child needed	0.4
Inconvenient hours, not open when care needed	70.2
Did not know where to go at night or on weekend	12.6
Could not get off work	0
Language or communication problems	0
Bad past experience or heard about bad experiences	0
Child was too afraid to go	0
Not comfortable due to cultural, ethnic or religious reasons	0
Family not comfortable seeking care for specific problem	0.3
Doctor / Nurse sent me to the ER	3.8
Doctor wouldn't prescribe the medicine needed	0
Other	10.1

61. In the last 12 months, not counting times [HE/SHE] went to an emergency room, how many times did [CHILD] go to a doctor's office or clinic? This includes all types of visits including routine check ups, care for illness, injury, or preventive care.

	Percent 2005	Percent 2000
None	1.3	9
1 time	8.9	23
2 to 4 times	51.6	45
5 to 9 times	24.6	17
10 or more times	13.6	7

62. In the past 12 months [ADD: "since your CHILD'S birth" IF CHILD UNDER AGE 1] has [CHILD]'s doctor or health care provider told you that they were doing an assessment of [his/her] development, or did they ask you to fill out a form about [his/her] development? (Developmental assessments include questions about your child sitting up, recognizing colors, language development, and physical development)

	Percent 2005
Yes	41.3
No	58.7

63. In the past twelve months [ADD: "since your CHILD'S birth" IF CHILD UNDER AGE 1] has a health care professional, teacher or other professional told you about any programs or classes designed to improve parenting skills and strategies? This could include breastfeeding classes, parenting classes and home visiting.

	Percent 2005
Yes	21.6
No	78.4

64. I am now going to read you a list of parenting programs or services. Please tell me if a health care professional, teacher or other professional told you about any of the following programs or services.

	Percent 2005
Breastfeeding / lactation	50.8
Parent support group	54.1
Child development	61.9
Parents as teachers	35.6
Hopes	6.1
Shared visions parent component	5.6
Early head start	53.9
Nutrition education	23.7
Other	

65. Number of parents who received preventive guidance (all ages)

	Percent 2005
Received guidance	28.2
No guidance	71.4

66. When was [CHILD]'s last visit for routine preventive care such as a check-up or vaccination shots?

	Percent 2005	Percent 2000
Less than 12 months ago	79.4	77
1-2 years ago	15.1	15
More than 2 years ago	5.4	7
Never	0.1	<1

67. In the last 12 months, was there any time when [CHILD] needed routine preventive care but could not get it for any reason?

	Percent 2005
Yes	0.7
No	99.3

68. What was the main reason [CHILD] could not get preventive care.

	Percent 2005
Could not afford the care or have no insurance	30.2
Insurance / HMO coverage was inadequate	32.7
Trouble getting an appointment	18.3
Distance or transportation problems	0
Not comfortable with providers available at the time	0
Available providers did not have expertise child needed	0
Inconvenient hours, not open when care needed	0
Did not know where to go at night or on weekend	0
Could not get off work	0
Language or communication problems	0
Bad past experience or heard about bad experiences	3.7
Child was too afraid to go	8.2
Not comfortable due to cultural, ethnic or religious reasons	0
Family not comfortable seeking care for specific problem	0
Doctor / Nurse sent me to the ER	0
Doctor wouldn't prescribe the medicine needed	0
Other	6.9

69. In the last 12 months, how much, if at all, have you worried about your ability to pay for [CHILD]'s health care? Would you say you have worried…

	Percent 2005	Percent 2000
A great deal	8.0	9
Somewhat	14.0	13
A little	13.3	11
Not at all	64.7	67

INSURANCE COVERAGE

The next questions ask about health insurance coverage for [CHILD].

70. Do you have any kind of health care coverage for [CHILD], including health insurance, plans such as HMOs, or government plans such as Medicaid or Title 19?

	Percent 2005	Percent 2000
Yes	97.3	94
No	2.7	6

71. What type of health care coverage do you use to pay for most of [CHILD]'s medical care? Is it coverage through… (of children with insurance)

	Percent 2005	Percent 2000
Your employer	30.0	34
Someone else's employer	42.2	46
A plan that you or someone else buys on your own	6.7	7
The ***hawk-i*** program (state child health insurance plan)	3.4	1
Medicaid or title 19	16.9	10
The military, Champus or the VA	0.6	<1
Some other source	0.2	1

72. Thinking about how well that health insurance coverage meets [CHILD]'s health care needs, would you say that the health insurance is… (of children with insurance)

	Percent 2005	Percent 2000
Excellent	34.3	31
Very good	32.9	35
Good	22.2	23
Fair	8.3	8
Poor	2.4	2

73. Most people's health insurance does not pay for all health care costs. In the past 12 months, how much of a problem, if any, have [CHILD]'s health care costs that were not covered by [his/her] insurance been for your family? Would you say a…(of children with insurance)

	Percent 2005
Big problem	2.7
Moderate problem	9.7
Small problem	17.9
Not a problem	69.7

74. In the past 12 months has there been any time that [CHILD] has not had any health insurance? (of children currently with insurance)

	Percent 2005
Yes	4.4
No	95.6

75. For how many months during the last 12 months was [CHILD] without any health insurance? (of children currently with insurance and had a time in the last 12 months without insurance)

	Percent 2005
0	5.8
1	13.5
2	21.1
3	17.5
4	9.0
5	2.0
6	5.5
7	1.9
8	4.0
9	0.5
10	0.9
12	18.3

76. What (is) (was) the main reason [CHILD] (is) (was) without health insurance during this time? (of children currently with insurance and had a time in the last 12 months without insurance)

	Percent 2005
Costs too much	28.7
Don't need insurance / child doesn't get sick	0.4
Cant get insurance through employer	9.4
Used up available benefits	0
Don't know how to get insurance	0
I / my spouse lost their job and benefits	26.6
Other	34.9

77. Have you heard of the Medicaid program sometimes called Title 19? (of children not currently covered by Medicaid)

	Percent 2005
Yes	94.1
No	5.9

78. Has your child ever received health care coverage through the Medicaid or Title 19 program? (of people who had heard of Medicaid and are not currently covered by Medicaid)

	Percent 2005	Percent 2000
Yes	20.2	20
No	79.8	80

79. Why is your child not covered by Medicaid or Title 19 now? (of people with no current insurance, who have heard of Medicaid and not currently covered by Medicaid)

	Percent 2005
Income is too high	55.4
Not treated with respect by social service worker	0
Difficult to complete information for monthly verification	0
Do not want to be part of the program	2.7
Application process is too difficult	0
Lack of transportation to fill out forms	0
There are no doctors who accept Medicaid patients in my area	0
People with Medicaid get treated badly by medical staff or physicians	0
Too much paperwork / hassle	1.1
Other	40.7

80. Since the last time [CHILD] had health insurance coverage, did you apply for coverage through the Medicaid or Title 19 program? (of people with no current insurance, who have heard of Medicaid and not currently covered by Medicaid)

	Percent 2005
Yes	28.7
No	71.3

81. Why was your child not covered by Medicaid or Title 19 after you applied? (of people who said they applied)

	Percent 2005
Income was too high	75.1
Not treated with respect by social service worker	0
Difficult to obtain information for income verification	0
Application process was too difficult / confusing	0
Lack of transportation to DHS office to fill out forms	0
Other	24.9

82. What was the main reason you didn't apply for coverage through Medicaid or Title 19 for [CHILD]? (of people who said they did not apply)

	Percent 2005
My income was probably too high	44.5
Do not want to be part of the program	3.9
Application process is too difficult	1.5
Lack of transportation to fill out forms	0
Couldn't get through on the phone to get information	0
There are no doctors who accept Medicaid patients in my area	0
People with Medicaid get treated badly by medical staff or physicians	0
Other	50.0

83. Have you heard of Iowa's Child Health Insurance Program, called ***hawk-i***? (of people not currently covered by ***hawk-i***)

	Percent 2005
Yes	77.4
No	22.6

84. Has your child ever received health care coverage through Iowa's Child Health Insurance Program, called ***hawk-i***?(of children not currently covered by ***hawk-i*** and have heard of ***hawk-i***)

	Percent 2005
Yes	5.7
No	94.3

85. Since the last time [CHILD] had health insurance coverage, did you apply for coverage through the ***hawk-i*** program? (children with no insurance and have heard of ***hawk-i***)

	Percent 2005
Yes	31.8
No	68.2

86. Why is [CHILD] not now covered by ***hawk-i***? (of children with no insurance who applied for ***hawk-i***)

	Percent 2005
Income was too high	17.8
Not treated with respect by hawk-I program	0
Difficult to obtain information for income verification	0
Application process was too difficult / confusing	4.2
Income was too low but did not want Medicaid	0
Other	78.0

87. Why didn't you apply for ***hawk-i*** coverage for [CHILD]? (of children with no insurance)

	Percent 2005
Income was probably too high	21.1
Income was probably too low	4.3
Do not want to be part of the program	0.9
Application process is too difficult	2.4
Lack of transportation to fill out forms	0
There are no doctors who accept hawk-I patients in my area	0
People with hawk-I get treated badly by medical staff or physicians	0
Other	71.3

88. How important is it to you for [CHILD] to have health insurance coverage. Would you say that having health insurance for [CHILD] is…

	Percent 2005
Very important	97.4
Moderately important	1.8
Somewhat important	0.4
Not very important	0.3

89. Do you have any kind of health care coverage for yourself, including health insurance, prepaid plans such as HMOs, or government plans such as Medicaid or Title 19?

	Percent 2005	Percent 2000
Yes	89.0	89
No	11.0	11

90. Do you and [CHILD] have the same insurance plan?

	Percent 2005	Percent 2000
Yes	83.1	88
No	16.9	12

91. What type of health care coverage do you use to pay for most of your medical care? Is it coverage through…

	Percent 2005	Percent 2000
Your employer	56.4	59
Someone else's employer	15.2	15
A plan that you or someone else buys on your own	12.0	7
Medicare	8.2	4
Medicaid or Title 19	4.2	8
The military, Champus, or the VA	2.5	2
Some other source	1.5	6

92. Thinking about how well your health care coverage meets your health care needs, would you say that your health care coverage is…

	Percent 2005	Percent 2000
Excellent	27.3	29
Very good	34.9	35
Good	24.1	24
Fair	10.4	9
Poor	3.3	3

93. How important is it to you that you have health insurance coverage for yourself. Would you say that having health insurance for yourself is…

	Percent 2005
Very important	89.3
Moderately important	6.5
Somewhat important	2.8
Not very important	1.3

DENTAL CARE

The next questions ask about [CHILD]'s dental care and dental health.

94. Does [CHILD] currently have insurance that covers dental care?

	Percent 2005	Percent 2000
Yes	79.3	75
No	20.7	25

95. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed dental care? [PROMPT: This includes routine dental check-ups OR care for dental needs]

	Percent 2005	Percent 2000*
Yes	66.7	46
No	33.3	54

*In 2000, parents were not prompted upon request about routine dental check-ups.

96. What kind of dental care did you or a health professional think [CHILD] needed? Was it a…..

	Percent 2005
Check-up or cleaning	75.4
Emergency dental care	3.2
Other treatment such as fillings	21.4

97. In the last 12 months, was there any time when [CHILD] needed dental care but could not get it for any reason?

	Percent 2005	Percent 2000
Yes	4.3	8
No	95.7	92

98. What was the main reason [CHILD] could not get dental care (of children with unmet dental care need)

	Percent 2005
Could not afford the care or have no insurance	67.8
Insurance / HMO coverage was inadequate	12.1
Trouble getting an appointment	5.9
Distance or transportation problems	1.5
Not comfortable with providers available at the time	1.9
Available providers did not have expertise child needed	0
Inconvenient hours, not open when care needed	0
Did not know where to go at night or on weekend	0
Could not get off work	4.3
Language or communication problems	0
Bad past experience or heard about bad experiences	0
Child was too afraid to go	2.0
Not comfortable due to cultural, ethnic or religious reasons	0
Family not comfortable seeking care for specific problem	0
Doctor / Nurse sent me to the ER	0
Doctor wouldn't prescribe the medicine needed	0.8
Other	3.7

99. Is there one main place where you usually go for your child's dental care?

	Percent 2005
Yes	91.0
No	9.0

100. When was [CHILD]'s last dental check-up?

	Percent 2005	Percent 2000
Less than 12 months ago	79.2	74
Between 1 and 2 years ago	6.3	8
More than 2 years ago	1.4	2
Child has never been to the dentist	13.0	15

101. How would you rate [CHILD]'s overall dental health? Would you say it is…

	Percent 2005
Excellent	39.8
Very good	36.6
Good	19.1
Fair	3.6
Poor	1.0

102. Would you describe [CHILD] as someone who….

	Percent 2005
Visits the dentist regularly	76.1
Occasionally	7.4
Rarely	1.8
When there is a problem	3.4
Child has never been to the dentist	11.3

103. On an average day, how many times does [CHILD] brush [HIS/HER] teeth? [PROMPT: WITH OR WITHOUT PARENT HELP]

	Percent 2005
Once	33.3
Twice	58.7
Three or more times	6.8
Teeth not brushed	1.2

104. There are many health issues that are important for children such as asthma or ADHD. Compared to other health issues affecting children, how important do you think good dental health is? Would you say good dental health is…

	Percent 2005
More important	6.8
Just as important	87.8
Less important	5.2

BEHAVIORAL OR EMOTIONAL HEALTH CARE

The next questions are about care for [CHILD]'s behavioral or emotional health.

105. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed care for behavioral or emotional problems?

	Percent 2005	Percent 2000
Yes	9.7	8
No	90.3	92

106. In the last 12 months, was there any time when [CHILD] needed care for behavioral or emotional problems but could not get it for any reason? (of those who needed care)

	Percent 2005	Percent 2000
Yes	6.5	10
No	93.5	90

107. What was the main reason [CHILD] could not get behavioral or emotional care.

	Percent 2005
Could not afford the care or have no insurance	53.8
Insurance / HMO coverage was inadequate	0
Trouble getting an appointment	8.6
Distance or transportation problems	0
Not comfortable with providers at the time	0
Available providers did not have expertise needed	4.4
Inconvenient hours, not open when care needed	0
Did not know where to go at night or on weekend	0
Could not get off work	0
Language or communication problems	0
Bad past experience or heard about bad experiences	0
Child was too afraid to go	0
Not comfortable due to cultural, ethnic or religious reasons	0
Family not comfortable seeking care for specific problem	0
Doctor / Nurse sent me to the ER	0
Doctor wouldn't prescribe the medicine needed	0
Other	33.2

PRESCRIPTION MEDICINE

108. Previously, you said that [CHILD] currently needs or uses prescription medicine. I just want to verify that during the past 12 months, there a time when you or a health professional thought [CHILD] needed prescription medicine?

	Percent 2005
Yes	98.9
No	1.1

109. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed prescription medicine for any reason?

	Percent 2005	Percent 2000
Yes	50.6	51
No	49.4	49

110. In the last 12 months, was there any time when [CHILD] needed prescription medicine but could not get it for any reason?

	Percent 2005
Yes	10.3
No	89.7

111. What was the main reason [CHILD] could not get prescription drugs.

	Percent 2005
Could not afford the care or have no insurance	20.1
Insurance / HMO coverage was inadequate	6.6
Trouble getting an appointment	0
Distance or transportation problems	0
Not comfortable with providers available at the time	0
Available providers did not have expertise child needed	0
Inconvenient hours, not open when care needed	0
Did not know where to go at night or on weekend	0
Could not get off work	0
Language or communication problems	0
Bad past experience or heard about bad experiences	0
Child was too afraid to go	0
Not comfortable due to cultural, ethnic or religious reasons	0
Family not comfortable seeking care for specific problem	0
Doctor / Nurse sent me to the ER	0
Doctor wouldn’t prescribe the medicine needed	0
Other	73.4

SCHOOL

112. What grade in school is [CHILD] attending or just completed?

	Percent 2005
Nursery / preschool / pre-kindergarten / head start / transitional kindergarten (before K) / not old enough	10.3
Kindergarten	5.4
Pre-first grade	0.6
First-eighth grade	56.2
Ninth-grade / freshman	7.2
Tenth grade / sophomore	6.8
Eleventh grade / junior	7.2
Twelfth grade / senior	4.0
Above twelfth grade	0.0
Ungraded	0.0
Special education	0.2
Child is home-schooled	0.3
Not attending	1.8

113. How far would you like to see [CHILD] go in school?

	Percent 2005	Percent 2000
Leave high school before getting diploma	0.1	<1
Get a high school diploma	5.8	6
Graduate technical school	1.1	1
Get a 2-year college degree	7.1	6
Attend 4-year college	7.0	11
Get a 4-year college degree	59.5	58
Get more than 4-year college degree	19.4	18

CHILD CARE

Now let's talk about any child care arrangements you may have for your child.

114. About how many hours last week did [CHILD] spend in child care, including a child care center, child care cooperative (where parents take turns caring for a group of children), home-based child care, preschool, pre-kindergarten, or Head Start program? Do not count times when you hired someone for short-term activities such as going shopping or out to dinner.

	Percent 2005
0	37.1
1-10	15.5
11-20	12.3
21-30	9.3
31-40	17.7
40+	8.2

115. I am now going to read you a list of possible child care settings. Please tell me the number of hours, if any, that [CHILD] spent in any of these settings in the past week. Do not count times when you hired someone for short-term activities such as going shopping or out to dinner. In the past week what were the most hours [CHILD] spent in a …

	Mean (Range)	Percent with any hours in setting
Child care center	26.51 (1-53)	28.5
Home based child care provider	26.59 (2-50)	51.2
Head start program	19.98 (3-45)	4.4
Preschool, other than head start	11.07 (1-50)	29.0
Pre-kindergarten	18.91 (3-50)	3.5
Shared visions preschool program	0	0
Friend, neighbor or someone unrelated to the child	8.21 (1-50)	7.1
Child's grandparent	12.95 (1-76)	25.9
Child care cooperative	0	0
Other relative	9.27 (1-40)	0

116. Are there any other child care settings where [CHILD] spent time in the last week?

	Percent 2005
Yes	2.9
No	97.1

117. In the past 12 months, have you had to change [CHILD]'s child care provider due to cost issues? [PROMPT: your care provider increased rates, or there was a change in your income or budget]

	Percent 2005
Yes	6.1
No	93.9

118. Overall, how satisfied are you with the child care arrangements you have in place for [CHILD]? Would you say you are…

	Percent 2005
Very satisfied	76.6
Moderately satisfied	17.5
Somewhat satisfied	5.1
Not very satisfied	0.8

119. You previously indicated that your child spent the most hours in child care at a [INSERT FROM Q103] in the past week. Please answer the next questions about this child care site.

What was the main reason you chose this site for your child's care?

	Percent 2005
Cost	5.3
Quality	32.7
Location	20.4
Hours of operation	1.3
Other	40.3

120. How satisfied are you with what it costs for [CHILD] to go to this site? Would you say you are…

	Percent 2005
Very satisfied	60.6
Moderately satisfied	27.1
Somewhat satisfied	9.6
Not very satisfied	2.8

121. How satisfied are you with the level of training of the staff at this site? Would you say…

	Percent 2005
Very satisfied	74.7
Moderately satisfied	18.2
Somewhat satisfied	6.0
Not very satisfied	1.1

122. How satisfied are you with the activities available at this site? Would you say…

	Percent 2005
Very satisfied	71.0
Moderately satisfied	21.6
Somewhat satisfied	6.1
Not very satisfied	1.3

123. How satisfied are you with the distance you have to travel to this site? Would you say……

	Percent 2005
Very satisfied	81.7
Moderately satisfied	11.2
Somewhat satisfied	4.0
Not very satisfied	3.1

124. How satisfied are you with the overall quality of this site? Would you say…

	Percent 2005
Very satisfied	79.8
Moderately satisfied	16.0
Somewhat satisfied	3.6
Not very satisfied	0.7

125. If you had your choice of child care settings for your child, and cost was not a consideration, how likely would you be to choose a different site than the one [CHILD] attended most last week? Would you say…

	Percent 2005
Very likely	7.3
Moderately likely	5.8
Somewhat likely	9.3
Not very likely	77.6

126. How much of a problem, if any, was it to find a child care provider for [CHILD] so you could work or go to school? Would you say…

	Percent 2005
A big problem	15.2
A small problem	25.9
Not a problem	58.9

127. In the last 12 months, has [CHILD] been asked to leave a child care setting due to [his/her] behavior such as biting, hitting or other disruptive behavior?

	Percent 2005
Yes	1.8
No	98.2

128. In the past 12 months, when [CHILD] has been mildly ill, how often have you had a problem finding a place to take [CHILD] so that you could go to work or school? Would you say…

	Percent 2005
Never	72.2
Sometimes	18.9
Usually	2.7
Always	6.3

129. Was this problem finding care for [CHILD] related to the special health needs of your child?

	Percent 2005
Yes	25.1
No	74.9

FAMILY ENVIRONMENT

I am now going to ask you some questions about activities your child does within your family.

130. How often during the past week did you or someone in your family read to [CHILD]? Would you say…

	Percent 2005
Almost every day	67.3
Most days	19.6
Some days	11.5
Not at all	1.6

131. I am now going to read you a list of activities that may happen with children in a family. Please tell me if anyone in your family did any of the following activities with [CHILD] in the last week.

	Percent 2005
Told a story	95.1
Worked with child on letters, words or numbers	83.1
Sang songs or played music	96.2
Worked on arts and crafts	65.8
Played a game	88.4

132. In the past 12 months, about how often has [CHILD] attended a religious service or activity? Would you say…

	Percent 2005	Percent 2000
Never	12.8	15
A few times a year	19.1	21
A few times a month	16.9	22
Once a week or more	51.1	42

FAMILY STRESS

133. Parenting stress scale

	Total %
Highly stressed parent	7.0
Moderately stressed parent	70.3
Low stressed parent	22.7

How much of the time in the past month have you:

134. Felt [CHILD] is much harder to care for than most children [his/her] age? Would you say…

	Percent 2005	Percent 2000
All of the time	1.0	1
Most of the time	3.3	3
Some of the time	21.7	21

None of the time	74.0	75

135. Felt [CHILD] does things that really bother you a lot? Would you say…

	Percent 2005	Percent 2000
All of the time	0.2	1
Most of the time	2.2	2
Some of the time	51.8	53
None of the time	45.8	44

136. Felt you are giving up more of your life to meet [CHILD]'s needs than you ever expected? Would you say…

	Percent 2005	Percent 2000
All of the time	3.3	3
Most of the time	6.3	6
Some of the time	25.9	25
None of the time	64.5	66

137. Felt angry with [CHILD]? Would you say…

	Percent 2005	Percent 2000
All of the time	0.0	1
Most of the time	0.6	1
Some of the time	58.2	62
None of the time	41.2	36

138. Child behavioral/emotional health scale

	Total %
High behavioral/emotional problems	7.0
Moderate behavioral/emotional problems	66.8
Few behavioral/emotional problems	26.2

SOCIALIZATION/SELF ESTEEM

I am going to read a list of items that sometimes describe children. For each item please tell me if it has been often true, sometimes true, or never true for [CHILD] during the past month.

139. [He/she] doesn't get along with other children not counting brothers and sisters. Would you say this is…

	Percent 2005	Percent 2000
Often true	1.7	2
Sometimes true	33.3	37
Never true	65.0	62

140. [He/she] can't concentrate or pay attention for long time periods compared to other children [his/her]age. Would you say this is…

	Percent 2005	Percent 2000
Often true	6.8	7
Sometimes true	20.8	23
Never true	72.4	70

141. [He/she] has been unhappy, sad, or depressed. Would you say this is…

	Percent 2005	Percent 2000
Often true	2.4	3
Sometimes true	31.1	40
Never true	66.4	57

142. [He/she] feels worthless or inferior. Would you say this is…

	Percent 2005	Percent 2000
Often true	0.1	2
Sometimes true	18.8	22
Never true	81.1	77

143. [He/she] has been nervous, high-strung or tense. Would you say this is…

	Percent 2005	Percent 2000
Often true	4.8	3
Sometimes true	32.9	34
Never true	62.3	63

144. [He/she] acts too young for [his/her] age. Would you say this is…

	Percent 2005	Percent 2000
Often true	3.2	3
Sometimes true	18.9	20
Never true	77.8	78

I am going to read a list of items that sometimes describe children. For each item please tell me if it has been often true, sometimes true, or never true for [CHILD] during the past month.

145. [He/she] has trouble sleeping. Would you say this is…

	Percent 2005	Percent 2000
Often true	4.0	4
Sometimes true	16.9	18
Never true	79.1	78

146. [He/she] lies or cheats. Would you say this is…

	Percent 2005	Percent 2000
Often true	1.5	2
Sometimes true	23.7	27
Never true	74.8	71

147. [He/she] does poorly at schoolwork. Would you say this is…

	Percent 2005	Percent 2000
Often true	3.0	4
Sometimes true	21.9	25
Never true	75.2	71

MARITAL SATISFACTION

I am now going to ask a few questions about you.

148. What is your current marital status?

	Percent 2005	Percent 2000
Married	79.8	80
Divorced	8.2	7
Widowed	1.7	1
Separated	1.4	2
Never married	4.3	4
Marriage-like relationship	4.6	7

The next question is about your relationship with your [spouse/partner].

149. How would you rate the overall quality of your relationship with your [spouse/partner]? Would you say your relationship is...

	Percent 2005	Percent 2000
Excellent	40.6	44
Very good	42.3	40
Good	13.7	12
Fair	2.8	2
Poor	0.6	1

TOBACCO

The next questions are about tobacco use in your home.

150. In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of cigarettes? Would you say…

	Percent 2005
A big problem	1.3
A moderate problem	3.7
A small problem	8.0
Not a problem	87.0

151. Some people have rules about smoking in their home. Please tell me which statement best describes the rules about smoking inside your home? Do not include decks, porches, and garages. Would you say…

	Percent 2005
Smoking is not allowed anywhere inside home	78.8
Smoking is allowed in some places or at some times	11.8
Smoking is allowed anywhere inside the home	1.9
There are no rules about smoking in the home	7.5

152. Do you now smoke cigarettes everyday, some days or not at all?

	Percent 2005
Everyday	16.4
Some days	3.4
Not at all	80.2

153. During the past 12 months, have you stopped smoking cigarettes for one day or longer because you were trying to quit smoking? (of people who reported smoking)

	Percent 2005
Yes	51.1
No	48.9

154. Does anyone else in your household smoke cigarettes?

	Percent 2005
Yes	17.2
No	82.8

155. What is the relationship of this person or persons to [CHILD]. For example, it could be the [CHILD], a parent, a grandparent, etc. (refers to question 141)

	Percent 2005
Child	2.1
Child's mother	16.0
Child's father	62.7
Child's grandparent	5.2
Child's brother or sister	5.4
Child's aunt or uncle	3.0
Other relative	1.2
Unrelated babysitter or friend	0.2
Unrelated boyfriend/girlfriend of a parent	6.5
Other	2.3

156. I am now going to ask you to rate how much cigarette smoking in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that tobacco use in your household has had on [CHILD] in the past 12 months?

	Percent 2005
0	45.4
1	6.9
2	11.9
3	11.8
4	6.1
5	8.5
6	2.7
7	1.9
8	2.4
9	0.2
10	2.3

157. I am now going to read you a list of possible problems that can be caused by smoking cigarettes in a household. Please tell me if any of these have been a problem in your household in the last 12 months. (of all Iowa children)

	Percent 2005
Health problems	0.8
Financial burden	2.0
Family stress	4.9
Other	1.0

DRUG AND ALCOHOL USE

158. In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of either prescription or illegal drugs? Would you say…

	Percent 2005
A big problem	0.8
A moderate problem	0.5
A small problem	0.6
Not a problem	98.1

159. Was the drug problem related to prescription drugs, illegal drugs or both? (of people who reported a problem in the household)

	Percent 2005
Prescription drugs	33.9
Illegal drugs	52.7
Both prescription and illegal drugs	13.4

160. What was the relationship of the person or persons to [CHILD] who had the drug problem. For example, it could be the [CHILD], a parent, a grandparent, etc.

	Percent 2005
Child	18.1
Child's mother	18.4
Child's father	34.9
Child's grandparent	0
Child's brother or sister	25.5
Child's aunt or uncle	1.8
Other relative	1.5
Unrelated babysitter or friend	0
Unrelated boyfriend or girlfriend of a parent	0
Other	7.8

161. I am now going to ask you to rate how much drug use in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that drug use in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	Percent 2005
0	32.5
1	4.4
2	2.6
3	5.0
4	5.1
5	5.1
6	6.3
7	6.4
8	0.7
9	1.3
10	30.7

162. I am now going to read you a list of possible problems that can be caused by drug use in a household. Please tell me if any of these have been a problem in your household in the last 12 months. (of all Iowa children)

	Percent 2005
Health problems	0.5
Financial burden	1.0
Family stress	1.7
Other problem related to drug use	0.5

163. In the last 12 months, how much of a problem for your family, if any, has been caused by a family member's use of alcohol? Would you say…

	Percent 2005
A big problem	1.0
A moderate problem	1.5
A small problem	3.7
Not a problem	93.8

164. What was the relationship of this person or persons with the alcohol problem to [CHILD]. For example, it could be [CHILD], a parent, a grandparent, etc. (of people who reported a problem)

	Percent 2005
Child	6.6
Child's mother	7.9
Child's father	63.5
Child's grandparent	4.5
Child's brother or sister	13.0
Child's aunt or uncle	1.5
Other relative	0.8
Unrelated babysitter or friend	0.4
Unrelated boyfriend/girlfriend of a parent	1.5
Other	2.0

165. I am now going to ask you to rate how much alcohol use in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected greatly, what number would you use to rate the affect that alcohol use in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	Percent 2005
0	16.8
1	10.4
2	13.7
3	11.9
4	9.7
5	12.0
6	2.5
7	7.9
8	5.6
9	1.0
10	8.5

166. I am now going to read you a list of possible problems that can be caused by alcohol use in a household. Please tell me if any of these have been a problem in your household in the last 12 months (of all Iowa children)

	Percent 2005
Health Problems	0.8
Financial burden	2.0
Family stress	4.9
Other problem related to alcohol use	1.0

167. In the last 12 months, how much of a problem, if any, has been caused by gambling in your household? Would you say…

	Percent 2005
A big problem	0.3
A small problem	1.1
Not a problem	98.6

168. I am now going to read you a list of different types of gambling? Please tell me which type of gambling has caused a problem for someone in your household in the last 12 months. (of people who reported a problem)

	Percent 2005
Gambling in a casino	55.6
Lottery Tickets	45.6
On-line gambling	13.7
Sports betting	20.5
Other	28.4

169. What was the relationship of the person or persons with a gambling problem to [CHILD]. For example, it could be the [CHILD], a parent, a grandparent, etc. (of people who reported a problem)

	Percent 2005
Child	0
Child's mother	11.3
Child's father	84.2
Child's grandparent	3.0
Child's brother or sister	0
Child's aunt or uncle	1.5
Other relative	4.0
Unrelated babysitter or friend	0
Unrelated boyfriend/girlfriend or a parent	0
Other	2.1

170. I am now going to ask you to rate how much gambling in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that gambling in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	Percent 2005
0	42.7
1	8.4
2	6.1
3	4.5
4	7.2
5	15.9
6	1.9
7	1.5
8	3.2
9	0
10	8.6

171. I am now going to read you a list of possible problems that can be caused by gambling in a household. Please tell us if any of these are problems caused by gambling in your household in the past 12 months (of all Iowa children)

	Percent 2005
Financial Burden	0.9
Time away from the family	0.8
Legal problems	0.3
Family Stress	1
Interference with work	0.2
Physical Violence	0.3

172. Parent depression scale (Parents of children age 0-5)

	Total %
Lower mental health status	16.3
Higher mental health status	83.7

173. Have you been a very nervous person? Would you say…

	Percent 2005
All of the time	2.6
Most of the time	2.9
Some of the time	33.2
None of the time	61.3

174. How often have you felt so down in the dumps that nothing could cheer you up? Would you say…

	Percent 2005
All of the time	1.5
Most of the time	1.6
Some of the time	19.3
None of the time	77.6

175. How often have you felt calm and peaceful? Would you say…

	Percent 2005
All of the time	7.5
Most of the time	53.8
Some of the time	35.2
None of the time	3.4

176. How often have you felt downhearted and blue? Would you say…

	Percent 2005
All of the time	0.8
Most of the time	2.5
Some of the time	42.5
None of the time	54.2

177. How often have you been a happy person? Would you say…

	Percent 2005
All of the time	9.6
Most of the time	71.6
Some of the time	18.4
None of the time	0.5

178. Was there a time when you didn't do work or other activities as carefully as usual because of emotional problems?

	Percent 2005
Yes	14.3
No	85.7

179. During the past 4 weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups? Would you say….

	Percent 2005
Not at all	74.7
Slightly	18.0
Moderately	4.9
Quite a bit	1.9
Extremely	0.5

180. Is [CHILD] of Spanish or Hispanic Origin?

	Percent 2005
Yes	3.7
No	96.3

181. What is [CHILD]'S race? (CHECK ALL THAT APPLY)

	Percent 2005
African-American	3.6
White	94.8
American-Indian/Native American/Aleutian or Eskimo	0.5
Asian/Pacific Islander	1.3
Other	3.2

182. Are you of Spanish or Hispanic origin?

	Percent 2005
Yes	2.1
No	97.9

183. What is your race?

	Percent 2005
African-American	2.2
White	95.9
American-Indian/Native American/Aleutian or Eskimo	0.3
Asian/Pacific Islander	0.7
Other	1.6

184. And you are…

	Percent 2005
Male	19.3
Female	80.7

185. What is the highest grade or level of school that you have completed?

	Percent 2005
8th Grade or less	0.4
Some high school, but did not graduate	2.5
High school graduate or GED	24.0
Some college or 2-year degree	39.7
4-year college graduate	24.4
More than 4-year college degree	9.0

186. Including yourself, how many adults, that is people age 18 and over, live in your household?

	Percent 2005
1	12.5
2	76.7
3	8.1
4	2.0
5	0.4
6	0.3

187. Is your [spouse/partner] the [CHILD]'S biological or adoptive parent?

	Percent 2005
Yes	93.0
No	7.0

188. Now, for analysis purposes only, what was the total income of all persons in your household over the past year, including salaries or other earnings, interest, retirement, and so on, for all household members combined?

	Percent 2005
$0 to $5,000	2.3
$5,001 to $10,000	2.5
$10,001 to $15,000	3.6
$15,001 to $20,000	4.8
$20,001 to $25,000	5.8
$25,001 to $30,000	5.7
$30,001 to $35,000	6.4
$35,001 to $40,000	6.7
$40,001 to $45,000	7.4
$45,001 to $50,000	6.5
$50,001 to $55,000	7.0
$55,001 to $60,000	6.1
$60,001 to $65,000	5.0
$65,001 to $70,000	4.2
$70,001 to $75,000	5.0
$75,001 to $80,000	2.5
$80,000 or more	18.5

189. Child age

	Percent 2005
0-4	25.7
5-9	27.6
10-14	28.7
15-17	18.0

190. How many telephone lines come into your residence that are not dedicated lines to modem or fax?

	Percent 2005
0	0.4
1	89.6
2	7.3
3	1.8
4	0.6
5	0.2
6	0.1
7	0.0
12	0.1
14	0.0

191. Does anyone in your household own a cell phone?

	Percent 2005
Yes	85.9
No	14.1

192. How many people in your household regularly use a cell phone?

	Percent 2005
0	1.3
1	24.1
2	50.0
3	16.3
4	6.8
5	1.2
6	0.3
7	0.0

193. From all calls made by household members, would you say that cell phones are used for …

	Percent 2005
Almost all calls	7.1
Most calls	23.9
Some calls	52.8
Rarely used	16.2

APPENDIX 2: RESULTS BY AGE

TABLE OF CONTENTS

Health status.....91
Asthma.....95
Nutrition/Obesity.....98
Access/Need.....103
Insurance coverage.....110
Dental care.....116
Behavioral or emotional health care.....119
Prescription medicine.....120
School.....121
Child care.....122
Family environment.....127
Family stress.....128
Socialization/Self esteem.....129
Marital satisfaction.....131
Tobacco.....132
Drug and alcohol use.....134

HEALTH STATUS

The first series of questions ask about [CHILD]'s health. Please answer the questions the best you can even if some questions may not seem quite right if your child is very young.

1. In general, how would you rate [CHILD]'s overall health now? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Excellent	63.7	67.7	64.2	57.0	60.3
Very good	29.3	24.4	25.7	30.3	29.0
Good	6.1	6.6	8.5	11.4	9.1
Fair	0.9	1.1	1.4	1.1	1.4
Poor	0.1	0.1	0.2	0.3	0.2

2. CSHCN. Child has a special health care need

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	87.9	83.1	76.0	73.6	21.4
No	12.1	16.9	24.0	26.4	78.6

3. Does [CHILD] currently need or use medicine prescribed by a doctor other than vitamins?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	17.5	17.2	24.7	30.1	23.0
No	82.5	82.8	75.3	69.9	77.0

4. Is this because of ANY medical, behavioral or other health condition?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	87.3	91.0	89.5	83.1	87.5
No	12.7	9.0	10.5	16.9	12.5

5. Is this a condition that has lasted or is expected to last for at least 12 months?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %

Yes	61.0	89.1	94.3	87.0	86.7
No	39.0	10.9	5.7	13.0	13.3

6. Does [CHILD] need or use more medical care, mental health or educational services than is usual for most children of the same age?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	7.4	10.7	12.9	12.5	13.3
No	92.6	89.3	87.1	87.5	86.7

7. Is this because of ANY medical, behavioral or other health condition?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	84.9	74.5	81.0	83.7	79.0
No	15.1	25.5	19.0	16.3	21.0

8. Is this a condition that has lasted or is expected to last for at least 12 months?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	88.5	92.1	94.0	92.1	92.5
No	11.5	7.9	6.0	7.9	7.5

9. Is [CHILD] limited or prevented in any way in his or her ability to do the things most children of the same age can do?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	2.8	3.9	5.3	7.4	5.9
No	97.2	96.1	94.7	92.6	94.1

10. Is this because of ANY medical, behavioral or other health condition?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	75.0	78.4	88.0	90.6	86.0
No	25.0	21.6	12.0	9.4	14.0

11. Is this a condition that has lasted or is expected to last for at least 12 months?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %

Yes	100.0	100.0	93.3	95.9	98.5
No	0	0	6.7	4.1	1.5

12. Does [CHILD] need or get special therapy, such as physical, occupational or speech therapy?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	3.1	7.2	5.0	4.1	6.0
No	96.9	92.8	95.0	95.9	94.0

13. Is this because of ANY medical, behavioral or other health condition?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	54.8	48.5	70.2	87.1	64.0
No	45.2	51.5	29.8	12.9	36.0

14. Is this a condition that has lasted or is expected to last for at least 12 months?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	100.0	100.0	87.9	80.8	93.5
No	0	0	12.1	19.2	6.5

15. Does [CHILD] have any kind of emotional, developmental or behavioral problem for which he or she needs or gets treatment or counseling?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	1.1	5.2	8.5	8.2	6.9
No	98.9	94.8	91.5	91.8	93.1

16. Is this a condition that has lasted or is expected to last for at least 12 months?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	81.8	93.5	92.7	88.3	91.8
No	18.2	6.5	7.3	11.7	8.2

17. During the last 4 weeks, how many days has [CHILD] not been able to do his/her normal activities because of sickness?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	74.8	76.3	79.4	79.5	76.9
1-2 days	18.6	18.9	16.3	16.1	17.1
3-4 days	3.8	2.8	2.2	2.3	3.2
5-7 days	1.6	1.3	1.2	1.1	1.5
8-10 days	0.6	0.4	0.5	0.5	1.0
11-20 days	0.5	0	0.1	0.1	0.1
21 or more days	0.1	0.2	0.3	0.4	0.2

18. During the past 12 months, how much, if at all, has [CHILD] been more limited in the activities [HE/SHE] could do compared to other children his/her age because of [HIS/HER] physical health? Would you say [CHILD] has been… (of children with limited physical health)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Limited a lot	0.6	0.6	1.0	1.6	0.8
Limited some	1.6	2.0	2.9	4.1	3.1
Limited a little	5.7	6.8	6.4	8.3	6.7
Not limited	92.1	90.6	89.7	85.9	89.3

19. During the past 12 months, how much has [CHILD] been more limited in the activities [HE/SHE] could do compared to other children [HIS/HER] age because of [HIS/HER] BEHAVIORAL OR EMOTIONAL health? Would you say [CHILD] has been…(of children limited by behavior or emotional health)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Limited a lot	0	0.3	0.9	1.1	0.8
Limited some	0.3	0.9	2.1	2.4	1.9
Limited a little	0	1.3	2.2	1.6	1.5
Not limited	99.7	97.4	94.8	94.9	95.7

20. Has your child been diagnosed with a chronic condition or disease that has lasted or is expected to last for at least 12 months? (of children with special health care needs)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %

Yes	57.6	59.6	54.3	58.5	57.3
No	42.4	40.4	45.7	41.5	42.7

21. On a scale from zero to ten where zero is the least severe, and ten is the most severe, how would you rank the severity of your child's condition, compared to other children with the same condition? (of children with primary chronic condition or diagnosis)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	3.3	9.5	3.4	3.9	4.3
1	4.9	3.6	8.5	9.8	5.5
2	14.8	15.5	17.1	11.8	12.7
3	18.0	13.1	17.1	16.7	14.3
4	8.2	11.9	12.8	9.8	13.7
5	26.2	23.8	13.7	23.5	21.4
6	9.8	9.5	8.5	7.8	8.7
7	3.3	7.1	3.4	5.9	6.6
8	8.2	1.2	8.5	7.8	6.7
9	1.6	1.2	2.6	2.0	3.1
10	1.6	3.6	4.3	1.0	2.9

ASTHMA

22. Have you ever been told by a doctor or other health professional that [CHILD] had asthma?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	4.5	8.1	11.7	14.2	9.8
No	95.5	91.9	88.3	85.8	90.2

23. Does [CHILD] still have asthma?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	93.2	67.9	60.4	58.7	67.9
No	6.8	32.1	39.6	41.3	32.1

24. How old was [CHILD] when a doctor or other health professional first said [HE/SHE] had asthma?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0-4	100.0	64.1	55.4	37.9	60.7
5-9	0	35.9	31.3	22.3	25.3
10-14	0	0	13.4	33.0	12.2
15-17	0	0	0	6.8	1.9

25. How long has it been since you last talked to a doctor or other health professional about [CHILD]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center. Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Never	0	1.3	0	0.9	0.5
Within the past year	93.2	70.5	56.6	49.1	65.3
1 year to less than three years ago	6.8	14.1	18.6	20.8	17.1
3 years to 5 years ago	0	10.3	10.6	12.3	8.8
More than 5 years ago	0	3.8	14.2	17.0	8.3

26. How long has it been since [CHILD] last took asthma medication?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Never	2.2	0	3.5	1.9	2.5
Less than one day ago	37.8	24.4	27.4	19.8	29.0
1 to 6 days ago	8.9	6.4	6.2	6.6	7.4
1 week to less than 3 months ago	31.1	24.4	8.8	13.2	16.9
3 months to less than 1 year ago	13.3	12.8	8.8	11.3	9.4
1 year to less than 5 years ago	6.7	26.9	29.2	28.3	23.8
5 or more years ago	0	5.1	15.9	18.9	10.9

Symptoms of asthma include coughing, wheezing, shortness of breath, chest tightness or phlegm production when [CHILD] did not have a cold or respiratory infection.

27. How long has it been since [CHILD] last had any symptoms of asthma?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Never	2.2	7.9	2.7	1.0	3.5
Less than one day ago	15.6	13.2	10.0	8.7	15.1
1 to 6 days ago	8.9	11.8	5.5	6.8	8.7
1 week to less than 3 months ago	42.2	26.3	20.9	22.3	24.2
3 months to less than 1 year ago	15.6	15.8	17.3	12.6	14.1
1 year to less than 5 years ago	15.6	19.7	28.2	31.1	23.5
5 or more years ago	0	5.3	15.5	17.5	10.9

An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

28. Has a doctor or other health professional EVER given you or [CHILD] an asthma action plan?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	38.6	44.7	45.5	48.1	40.9
No	61.4	55.3	54.5	51.9	59.1

29. During the past 12 months, how many different times did [CHILD] stay in any hospital overnight or longer because of [his/her] asthma?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	88.9	96.2	99.1	98.1	96.0
1	6.7	3.8	0	1.9	2.5
2	2.2	0	.9	0	1.2
4	2.2	0	0	0	0.2

NUTRITION/OBESITY

The next questions are about [CHILD]'s height, weight, eating and activity levels

30. How tall is [CHILD]? ____FEET _____ INCHES (mean height)

0-4 Years	5-9 Years	10-14 Years	15-17 Years
34.25	48.19	61.32	67.51

31. How much does [CHILD] weigh? _____POUNDS (mean weight)

0-4 Years	5-9 Years	10-14 Years	15-17 Years
30.83	59.22	110.89	147.63

32. Compared to other children [CHILD]'s age and height, do you think [he/she] weighs…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
The right amount	83.1	78.4	72.1	72.8	75.5
Too much	4.4	9.9	17.9	16.9	12.9
Too little	12.4	11.7	10.0	10.3	11.6

Next three questions are for biological mothers only.

I would now like to ask you a few questions about the effect of your pregnancy with [CHILD] on your weight.

33. Prior to getting pregnant with [CHILD], would you describe your weight as…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Very underweight	1.1	0.3	0.4	0.6	0.7
Slightly underweight	6.5	7.8	9.0	8.8	8.2
About the right weight	49.6	57.3	54.7	61.6	53.5
Slightly overweight	34.5	29.2	30.9	25.2	31.3
Very overweight	8.4	5.4	5.0	3.8	6.3

34. About how much weight, if any, did you gain during your pregnancy with [CHILD]?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	1.1	0.7	1.9	0.8	1.7
1-9	1.8	1.4	2.2	1.2	2.4
10-19	12.0	10.9	11.2	9.3	11.3
20-29	26.4	30.5	28.5	34.0	28.1
30-39	27.0	26.3	24.3	27.7	25.1
40-49	14.4	13.3	14.7	15.4	14.0
50-59	8.4	7.6	7.8	5.5	7.7
60+	8.0	8.3	7.6	5.5	8.1
Lost weight	1.0	1.0	1.9	0.6	1.6

35. About 12 months after delivery, would you describe your weight as…
(only for moms whose child is over 1 year)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Less than before this pregnancy	25.1	15.6	15.6	14.8	17.9
About the same weight as before this pregnancy	34.3	36.0	36.3	38.1	35.1
About 5 pounds more than before this pregnancy	15.3	16.9	17.0	16.0	15.4
About 10 pounds more than this pregnancy	13.4	16.8	14.2	19.8	16.1
More than 10 pounds than before this pregnancy	11.8	14.7	16.8	11.3	15.6

Eating behavior questions

The next questions are about [CHILD]'s eating behaviors.

36. In an average week, how often does [CHILD] eat breakfast? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Never	0.3	0.5	1.7	5.8	1.7
Sometimes	3.8	4.6	14.6	26.4	11.8
Usually	10.2	14.0	20.3	26.2	16.6

Always	85.7	81.0	63.5	41.6	69.9

37. On an average day, how many servings of fruit does [CHILD] eat? (Do not count fruit juice.)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	7.2	2.7	6.2	12.8	7.0
1	18.1	24.7	38.7	37.4	28.5
2-3	61.8	62.4	47.8	44.8	55.0
4-5	11.8	9.1	6.5	4.7	8.7
6+	1.0	1.0	0.9	0.3	0.8

38. Do you think [CHILD] would eat more servings of fruit during an average day if it was offered to [him/her] more often?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	68.3	68.2	63.1	55.9	64.7
No	31.7	31.8	36.9	44.1	35.3

39. On an average day, how many servings of fruit do you eat? (Do not count fruit juice.)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	15.3	12.8	14.4	10.7	15.1
1	37.0	36.4	34.9	35.0	35.9
2-3	41.8	43.1	43.7	45.7	41.8
4-5	5.6	6.7	6.2	7.9	6.2
6+	0.4	0.9	0.8	0.7	1.0

40. On an average day, how many servings of vegetables does [CHILD] eat?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	7.7	4.4	5.4	6.1	6.3
1	21.2	21.6	27.3	34.4	23.7
2-3	65.6	67.4	60.2	54.4	63.2
4-5	5.2	6.5	6.8	4.9	6.6
6+	0.4	0.1	0.3	0.1	0.2

41. Do you think [CHILD] would eat more servings of vegetables during an average day if they were offered to [him/her] more often?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	47.6	42.2	40.9	38.3	43.4
No	52.4	57.8	59.1	61.7	56.6

42. On an average day, about how many servings of vegetables do you eat?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	3.8	2.2	1.9	2.8	3.0
1	29.2	23.8	24.5	22.9	25.3
2-3	59.3	62.4	59.4	62.6	60.4
4-5	6.7	10.1	13.1	11.3	10.2
6+	1.0	1.6	1.1	0.4	1.2

43. On an average day, about how many servings of pop, soda or soft drinks does your child drink during a single day?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	93.4	78.6	54.9	40.2	68.7
1	5.6	19.5	34.3	34.5	22.5
2	.7	1.3	7.4	15.8	5.7
3	.2	.3	2.4	6.0	1.9
4	0	0.1	0.4	1.6	0.5
5+	0.1	0.2	0.6	1.9	0.6

We are interested in two types of physical activity—vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

44. Now, think about the moderate activities [CHILD] does in a usual week. In the past 7 days how many days did [HE/SHE] do moderate activities for at least 30 minutes at a time, such as brisk walking, bicycling, skating, yard work, housecleaning or anything else that causes some increase in breathing or heart rate?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	3.6	2.5	3.2	8.5	4.2
1	1.8	2.0	3.0	3.4	2.4
2	6.3	6.8	10.0	11.8	8.4
3	9.3	11.5	16.8	21.2	15.2
4	9.3	11.4	12.4	8.8	10.8
5	14.5	18.1	17.0	17.4	16.3
6	5.7	5.3	5.0	5.2	4.9
7	49.5	42.2	32.5	23.7	37.9

45. Now, think about the vigorous activities [CHILD] does in a usual week. In the past 7 days how many days did [HE/SHE] do vigorous activities for at least 20 minutes at a time, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing or anything else that causes large increases in breathing or heart rate?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	22.7	9.2	12.2	22.9	15.2
1	12.8	8.9	7.8	8.2	8.5
2	16.7	22.9	17.0	13.5	18.6
3	16.0	20.4	19.3	14.1	17.7
4	10.1	12.8	10.5	7.3	10.2
5	7.3	12.8	19.4	16.3	14.6
6	0.9	2.7	4.8	8.3	4.1
7	13.5	10.3	9.2	9.4	11.1

46. On an average day, about how many hours does [CHILD] usually watch TV, videos or movies?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	24.0	5.3	4.9	5.5	10.5
1	30.6	39.7	34.4	37.2	32.8
2	28.3	38.8	36.0	35.5	34.4
3	9.5	11.5	16.6	13.1	14.6
4	5.4	2.9	5.9	6.8	5.1
5+	2.2	1.8	2.2	1.9	2.6

47. On an average day, about how many hours does [CHILD] use a computer or play video games for school, work or play?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	88.1	43.1	17.6	10.7	42.2
1	9.8	47.6	55.6	47.6	39.4
2	1.3	7.2	19.0	25.5	12.4
3	0.5	1.4	5.6	9.8	3.8
4	0.1	0.3	1.3	3.9	1.3
5+	0.1	0.3	0.8	2.4	0.9

ACCESS/NEED

The next questions ask about [CHILD]'s use of health care services. Do not include the times [CHILD] went for dental care.

A personal doctor or nurse is the health provider who knows your child best. This can be a general doctor, a pediatrician, a specialist, a nurse practitioner, or a physician's assistant.

48. Do you have one person you think of as [CHILD]'s personal doctor or nurse?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	96.5	94.5	92.1	91.3	93.0
No	3.5	5.5	7.9	8.7	7.0

49. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed medical care of any kind?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	61.3	55.8	50.2	55.5	53.5
No	38.7	44.2	49.8	44.5	46.5

50. In the last 12 months, was there any time when [CHILD] needed medical care but could not get it for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	0.8	1.3	2.1	1.0	1.6
No	99.2	98.7	97.9	99.0	98.4

51. What was the main reason [CHILD] could not get needed medical care?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Could not afford the care or have no insurance	0	42.9	60.0	75.0	43.5
Insurance / HMO coverage was inadequate	60.0	28.6	10.0	0	29.8
Trouble getting an appointment	0	28.6	20.0	0	12.4
Distance or transportation problems	20.0	0	0	0	5.1
Inconvenient hours, not open when care needed	20.0	0	10.0	25.0	9.3

52. In the last 12 months, when [CHILD] needed care right away for an illness or injury, how often did your child get care as soon as you wanted? Was it…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Never	0.2	0.7	0.2	0.7	0.3
Sometimes	1.9	1.5	2.1	2.0	2.1
Usually	8.0	10.7	7.9	10.0	10.0
Always	90.0	87.1	89.8	87.3	87.5

53. Specialists are doctors like surgeons, heart doctors, allergy doctors and others who specialize in one area of health care. In the last 12 months, was there any time when you or a health professional thought [CHILD] needed care from a specialist?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	32.2	29.6	32.4	41.5	33.3
No	67.8	70.4	67.6	58.5	66.7

54. In the last 12 months, was there any time when [CHILD] needed specialty care but could not get it for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	3.6	1.9	4.4	5.2	5.4
No	96.4	98.1	95.6	94.8	94.6

55. In the last 12 months, how much of a problem, if any, was it to get the care [CHILD] needed from a specialist? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
A big problem	3.6	1.9	3.2	5.2	5.0
A small problem	8.7	7.5	13.9	7.5	9.9
Not a problem	87.8	90.6	82.9	87.3	85.1

56. In the last 12 months, how many times did [CHILD] go to a hospital emergency room?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
None	69.7	75.3	78.0	73.9	71.7
1 time	21.9	17.4	16.6	18.1	19.6
2 to 4 times	7.4	6.9	4.9	7.2	7.8
5 to 9 times	0.8	0.4	0.2	0.2	0.6
10 or more times	0.2	0	0.2	0.5	0.3

For the next few questions, please think about the last time your [CHILD] went to a hospital emergency room.

57. What was the main reason for this visit to the ER?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Trauma / broken bones / stitches	23.1	46.1	45.3	58.3	40.7
Cold / flu	7.9	5.3	13.2	1.7	7.2
Ear infection	11.1	9.0	1.5	4.3	7.1
High fever only	15.2	6.7	0.4	3.4	7.5
Trouble breathing (asthma)	8.2	10.2	9.3	2.7	8.2
Severe cough / croup only	5.8	1.6	0.4	2.7	2.9
Rash	.2	0	0	0	0.1
Other	5.3	2.5	6.2	4.0	4.5
Infection	2.7	1.5	0.6	2.8	1.9
Pneumonia	1.7	1.3	2.6	.4	1.6
Sprain / Pulled muscle	0	0	3.0	2.9	1.2
Sore throat / Strep	2.7	4.2	0	0	2.0
Allergy / Allergic reaction	1.3	1.3	3.1	0.6	1.6
Swallowed poison	5.3	0	0	0	1.7
Swallowed object / Object in ear or nose	1.1	2.3	2.4	1.1	1.7
Dehydration	3.0	0	1.6	0.9	1.5
Sports injury	0	0	4.2	0.7	1.1
Stomach pain / Appendix	2.5	6.8	2.2	0.3	3.2
Pain not otherwise categorized	0.6	0.8	2.2	2.7	1.4
Mental / Behavioral / Emotional		0.5	0.8	8.9	1.9
Seizures	1.9	0	0.8	0.9	1.0

58. Did a doctor, nurse or emergency personnel tell you to go to the ER for this care?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	42.9	28.8	34.6	35.8	35.3
No	57.1	71.2	65.4	64.2	64.7

59. Do you think this care could have been provided by a doctor's office or clinic if one had been available?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	70.0	74.0	63.8	62.6	71.8
No	30.0	26.0	36.2	37.4	28.2

60. What was the main reason you did not go to a doctor's office or clinic for this care?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Could not afford the care or have no insurance	0	1.0	0	0	0.4
Insurance / HMO coverage was inadequate	1.6	0	0	0	0.5
Trouble getting an appointment	0.8	0	0	0	0.8
Distance or transportation problems	0	1.0	3.0	0	1.0
Available providers did not have expertise child needed	1.6	1.0	0	0	0.4
Inconvenient hours, not open when care needed	69.5	70.1	77.6	69.7	70.2
Did not know where to go at night or on weekend	14.8	15.5	7.5	13.6	12.6
Family not comfortable seeking care for specific problem	0	1.0	0	0	0.3
Doctor / Nurse sent me to the ER	4.7	1.0	4.5	1.5	3.8
Other	7.0	9.3	7.5	15.2	10.1

61. In the last 12 months, not counting times [HE/SHE] went to an emergency room, how many times did [CHILD] go to a doctor's office or clinic? This includes all types of visits including routine check ups, care for illness, injury, or preventive care.

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
None	0.3	1.7	0.6	1.2	1.3
1 time	3.5	11.1	13.0	10.8	8.9
2 to 4 times	47.1	56.8	55.3	56.9	51.6
5 to 9 times	32.3	20.2	21.9	17.8	24.6
10 or more times	16.7	10.2	9.3	13.3	13.6

62. In the past 12 months [ADD: "since your CHILD'S birth" IF CHILD UNDER AGE 1] has [CHILD]'s doctor or health care provider told you that they were doing an assessment of [his/her] development, or did they ask you to fill out a form about [his/her] development? (Developmental assessments include questions about your child sitting up, recognizing colors, language development, and physical development)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	43.0	45.5	NA	NA	41.3
No	57.0	54.5	NA	NA	58.7

63. In the past twelve months [ADD: "since your CHILD'S birth" IF CHILD UNDER AGE 1] has a health care professional, teacher or other professional told you about any programs or classes designed to improve parenting skills and strategies? This could include breastfeeding classes, parenting classes and home visiting.

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	19.6	20.3	NA	NA	21.6
No	80.4	79.7	NA	NA	78.4

64. I am now going to read you a list of parenting programs or services. Please tell me if a health care professional, teacher or other professional told you about any of the following programs or services.

	0-4 Years	Total %
Breastfeeding / lactation	61.6	50.8
Parent support group	19.7	54.1
Child development	22.0	61.9
Parents as teachers	11.1	35.6
Hopes	1.7	6.1
Shared visions parent component	2.1	5.6
Early head start	16.6	53.9
Nutrition education	6.6	23.7

65. Number of parents who received preventive guidance (all ages)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Received guidance	46.4	29.8	15.0	20.9	28.2

No guidance	53.6	70.2	85.0	79.1	71.8

66. When was [CHILD]'s last visit for routine preventive care such as a check-up or vaccination shots?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Less than 12 months ago	92.6	71.8	76.1	85.1	79.4
1-2 years ago	7.1	19.2	15.6	11.6	15.1
More than 2 years ago	0.2	8.8	8.3	3.3	5.4
Never	0.1	0.2	0	0	0.1

67. In the last 12 months, was there any time when [CHILD] needed routine preventive care but could not get it for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	0.9	0.2	0.3	0.4	0.7
No	99.1	99.8	99.7	99.6	99.3

68. What was the main reason [CHILD] could not get preventive care.

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Could not afford the care or have no insurance	11.1	0	66.7	66.7	30.2
Insurance / HMO coverage was inadequate	33.3	50.0	0	0	32.7
Trouble getting an appointment	33.3	0	0	0	18.3
Bad past experience or heard about bad experiences	0	0	33.3	0	3.7
Child was too afraid to go	0	50.0	0	0	8.2
Other	22.2	0	0	33.3	6.9

69. In the last 12 months, how much, if at all, have you worried about your ability to pay for [CHILD]'s health care? Would you say you have worried…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
A great deal	4.7	3.9	4.7	9.1	8.0
Somewhat	10.7	10.4	12.1	10.2	14.0
A little	11.3	12.9	12.5	11.5	13.3
Not at all	73.2	72.8	70.7	69.2	64.7

INSURANCE COVERAGE

The next questions ask about health insurance coverage for [CHILD].

70. Do you have any kind of health care coverage for [CHILD], including health insurance, plans such as HMOs, or government plans such as Medicaid or Title 19?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	98.2	98.3	98.8	97.5	97.3
No	1.8	1.7	1.2	2.5	2.7

71. What type of health care coverage do you use to pay for most of [CHILD]'s medical care? Is it coverage through…
(of children with insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Your employer	31.0	36.6	37.4	41.1	30.0
Someone else's employer	45.4	46.7	47.0	44.3	42.2
A plan that you or someone else buys on your own	9.3	6.6	6.0	5.6	6.7
The ***hawk-i*** program (state child health insurance plan)	1.6	2.4	2.6	2.2	3.4
Medicaid or title 19	11.9	6.9	6.3	5.2	16.9
The military, Champus or the VA	0.6	0.4	0.4	1.2	0.6
Some other source	0.1	0.2	0.3	0.3	0.2

72. Thinking about how well that health insurance coverage meets [CHILD]'s health care needs, would you say that the health insurance is…
(of children with insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Excellent	37.3	32.6	33.8	32.8	34.3
Very good	32.7	36.1	36.1	34.7	32.9
Good	21.8	21.9	20.9	23.6	22.2
Fair	6.1	7.4	7.3	7.4	8.3
Poor	2.1	1.9	1.9	1.5	2.4

73. Most people's health insurance does not pay for all health care costs. In the past 12 months, how much of a problem, if any, have [CHILD]'s health care costs that were not covered by [his/her] insurance been for your family? Would you say a… (of children with insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Big problem	2.1	1.8	2.0	2.8	2.7
Moderate problem	8.6	6.7	7.9	10.2	9.7
Small problem	17.5	16.5	18.7	21.9	17.9
Not a problem	71.8	75.0	71.3	65.1	69.7

74. In the past 12 months has there been any time that [CHILD] has not had any health insurance? (of children currently with insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	2.6	3.3	3.1	1.8	4.4
No	97.4	96.7	96.9	98.2	95.6

75. For how many months during the last 12 months was [CHILD] without any health insurance? (of children currently with insurance and had a time in the last 12 months without insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	9.3	4.3	7.1	3.3	5.8
1	18.6	19.6	16.7	3.3	13.5
2	23.3	8.7	31.0	10.0	21.1
3	14.0	17.4	16.7	23.3	17.5
4	7.0	4.3	16.7	3.3	9.0
5	2.3	4.3	0	10.0	2.0
6	4.7	15.2	2.4	10.0	5.5
7	2.3	2.2	0	3.3	1.9
8	4.7	6.5	0	0	4.0
9	4.7	0	0	0	.5
10	0	0	0	3.3	.9
12	9.3	17.4	9.5	30.0	18.3

76. What (is) (was) the main reason [CHILD] (is) (was) without health insurance during this time? (of children currently with insurance and had a time in the last 12 months without insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Costs too much	18.7	22.6	33.0	45.2	29.2
Don't need insurance / child doesn't get sick	1.6	0	0	0	.4
Cant get insurance through employer	14.4	11.7	4.7	10.3	9.8
I / my spouse lost their job and benefits	16.6	34.6	23.9	37.2	26.9
Other	17.9	3.7	2.2	0	6.1
Changed jobs	2.8	4.8	8.2	0	4.6
Death	0	1.7	0	0	.4
Religious beliefs	0	0	0	2.2	.4
Parent application issues	2.6	4.0	0	0	1.6
System / Bureaucratic issues	14.4	7.6	9.0	0	8.5
Custody issues	.7	0	3.3	3.0	1.8
Earned too much money	8.2	8.4	8.5	2.2	7.3
In between insurance carriers or public insurance programs	2.1	.9	7.0	0	3.1

77. Have you heard of the Medicaid program sometimes called Title 19? (of children not currently covered by Medicaid)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	92.2	94.2	94.9	92.0	94.1
No	7.8	5.8	5.1	8.0	5.9

78. Has your child ever received health care coverage through the Medicaid or Title 19 program? (of people who had heard of Medicaid and are not currently covered by Medicaid)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	12.5	12.8	15.5	12.4	20.2
No	87.5	87.2	84.5	87.6	79.8

79. Why is your child not covered by Medicaid or Title 19 now? (of people with no current insurance, who have heard of Medicaid and not currently covered by Medicaid)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Income is too high	40.0	53.8	58.3	56.3	2.7
Do not want to be part of the program	6.7	0	8.3	0	2.7
Too much paperwork / hassle	0	7.7	0	0	1.1
Other	53.3	38.5	33.3	43.8	40.7

80. Since the last time [CHILD] had health insurance coverage, did you apply for coverage through the Medicaid or Title 19 program? (of people with no current insurance, who have heard of Medicaid and not currently covered by Medicaid)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	31.3	38.5	25.0	23.5	28.7
No	68.8	61.5	75.0	76.5	71.3

81. Why was your child not covered by Medicaid or Title 19 after you applied? (of people who said they applied)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Income was too high	60.0	40.0	66.7	100.0	75.1
Other	40.0	60.0	33.3		24.9

82. What was the main reason you didn't apply for coverage through Medicaid or Title 19 for [CHILD]? (of people who said they did not apply)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
My income was probably too high	30.0	62.5	33.3	41.7	44.5
Do not want to be part of the program	10.0	0	11.1	0	3.9
Application process is too difficult	0	12.5	0	0	1.5
Other	60.0	25.0	55.6	58.3	50.0

83. Have you heard of Iowa's Child Health Insurance Program, called ***hawk-i***? (of people not currently covered by ***hawk-i***)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %

Yes	71.2	77.0	74.0	65.2	77.4
No	28.8	23.0	26.0	34.8	22.6

84. Has your child ever received health care coverage through Iowa's Child Health Insurance Program, called ***hawk-i***?(of children not currently covered by ***hawk-i*** and have heard of ***hawk-i***)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	2.5	5.2	4.7	4.8	5.7
No	97.5	94.8	95.3	95.2	94.3

85. Since the last time [CHILD] had health insurance coverage, did you apply for coverage through the ***hawk-i*** program? (children with no insurance and have heard of ***hawk-i***)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	53.8	41.7	40.0	45.5	31.8
No	46.2	58.3	60.0	54.5	68.2

86. Why is [CHILD] not now covered by ***hawk-i***? (of children with no insurance who applied for ***hawk-i***)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Income was too high	14.3	25.0	50.0	0	17.8
Application process was too difficult / confusing	0	25.0	0	0	4.2
Other	85.7	50.0	50.0	100.0	78.0

87. Why didn't you apply for ***hawk-i*** coverage for [CHILD]? (of children with no insurance)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Income was probably too high	16.7	33.3	33.3	16.7	21.1
Income was probably too low	0	0	16.7	0	4.3
Do not want to be part of the program	16.7	0	0	0	0.9
Application process is too difficult	0	16.7	0	0	2.4
Other	66.7	50.0	50.0	83.3	71.3

88. How important is it to you for [CHILD] to have health insurance coverage. Would you say that having health insurance for [CHILD] is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Very important	98.3	97.6	97.8	97.6	97.4
Moderately important	1.4	1.6	1.5	1.7	1.8
Somewhat important	0.1	0.4	0.5	0.5	0.4
Not very important	0.2	0.4	0.1	0.1	0.3

89. Do you have any kind of health care coverage for yourself, including health insurance, prepaid plans such as HMOs, or government plans such as Medicaid or Title 19?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	94.1	93.6	94.9	94.5	89.0
No	5.9	6.4	5.1	5.5	11.0

90. Do you and [CHILD] have the same insurance plan?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	86.7	87.5	85.6	85.9	83.1
No	13.3	12.5	14.4	14.1	16.9

91. What type of health care coverage do you use to pay for most of your medical care? Is it coverage through…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Your employer	64.9	63.8	64.4	68.6	56.4
Someone else's employer	13.7	15.5	11.1	6.7	15.2
A plan that you or someone else buys on your own	13.0	11.2	12.6	11.4	12.0
Medicare	2.3	2.6	6.7	10.5	8.2
Medicaid or Title 19	5.3	3.4	2.2	1.0	4.2
The military, Champus, or the VA	0.8	2.6	2.2	1.9	2.5
Some other source	0	0.9	0.7	0	1.5

92. Thinking about how well your health care coverage meets your health care needs, would you say that your health care coverage is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Excellent	31.4	28.8	29.4	31.6	27.3
Very good	34.7	36.3	37.1	36.3	34.9
Good	23.3	23.2	22.4	23.0	24.1
Fair	8.5	9.3	8.8	7.3	10.4
Poor	2.0	2.3	2.3	1.7	3.3

93. How important is it to you that you have health insurance coverage for yourself. Would you say that having health insurance for yourself is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Very important	90.7	91.5	93.4	94.5	89.3
Moderately important	6.0	5.8	4.4	3.4	6.5
Somewhat important	1.8	2.0	1.4	1.5	2.8
Not very important	1.5	0.7	0.7	0.7	1.3

DENTAL CARE

The next questions ask about [CHILD]'s dental care and dental health.

94. Does [CHILD] currently have insurance that covers dental care?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	76.5	79.8	81.5	80.4	79.3
No	23.5	20.2	18.5	19.6	20.7

95. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed dental care? [PROMPT: This includes routine dental check-ups OR care for dental needs]

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	34.0	79.2	79.4	78.6	66.7
No	66.0	20.8	20.6	21.4	33.3

*In 2000, parents were not prompted upon request about routine dental check-ups.

96. What kind of dental care did you or a health professional think [CHILD] needed? Was it a…..

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Check-up or cleaning	84.5	79.3	74.9	76.5	75.4
Emergency dental care	4.5	2.8	1.3	2.4	3.2
Other treatment such as fillings	11.0	18.0	23.8	21.1	21.4

97. In the last 12 months, was there any time when [CHILD] needed dental care but could not get it for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	2.8	3.1	2.3	3.9	4.3
No	97.2	96.9	97.7	96.1	95.7

98. What was the main reason [CHILD] could not get dental care (of children with unmet dental care need)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Could not afford the care or have no insurance	75.0	58.3	66.7	69.6	67.8
Insurance / HMO coverage was inadequate	12.5	12.5	11.1	13.0	12.1
Trouble getting an appointment	0	12.5	5.6	8.7	5.9
Distance or transportation problems	0	0	5.6	0	1.5
Not comfortable with providers available at the time	12.5	4.2	0	0	1.9
Could not get off work	0	0	0	4.3	4.3
Child was too afraid to go	0	4.2	0	0	2.0
Doctor wouldn’t prescribe the medicine needed	0	0	5.6	0	0.8
Other	0	8.3	5.6	4.3	3.7

99. Is there one main place where you usually go for your child’s dental care?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	78.9	96.0	97.4	97.9	91.0
No	21.1	4.0	2.6	2.1	9.0

100. When was [CHILD]'s last dental check-up?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Less than 12 months ago	44.3	90.2	94.3	91.4	79.2
Between 1 and 2 years ago	2.8	6.2	4.5	6.5	6.3
More than 2 years ago	0.1	1.3	1.1	1.9	1.4
Child has never been to the dentist	52.8	2.3	0.1	0.3	13.0

101. How would you rate [CHILD]'s overall dental health? Would you say it is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Excellent	49.0	38.6	38.7	48.1	39.8
Very good	36.7	38.3	37.9	31.7	36.6
Good	12.5	18.5	19.1	16.9	19.1
Fair	1.6	3.8	3.6	2.7	3.6
Poor	0.1	0.8	0.7	0.7	1.0

102. Would you describe [CHILD] as someone who…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Visits the dentist regularly	43.7	87.2	91.4	86.3	76.1
Occasionally	3.9	7.5	5.7	9.2	7.4
Rarely	1.6	2.2	1.3	1.1	1.8
When there is a problem	3.3	1.4	1.4	3.2	3.4
Child has never been to the dentist	47.5	1.8	0.1	0.1	11.3

103. On an average day, how many times does [CHILD] brush [HIS/HER] teeth? [PROMPT: with or without parent help]

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Once	44.3	30.8	31.7	25.1	33.3
Twice	45.7	66.5	62.7	64.2	58.7
Three or more times	6.3	2.2	5.3	10.3	6.8
Teeth not brushed	3.7	0.5	0.3	0.4	1.2

104. There are many health issues that are important for children such as asthma or ADHD. Compared to other health issues affecting children, how important do you think good dental health is? Would you say good dental health is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
More important	6.2	4.4	6.6	6.4	6.8
Just as important	87.9	88.8	87.0	88.8	87.8
Less important	5.9	6.6	5.8	4.8	5.2

BEHAVIORAL OR EMOTIONAL HEALTH CARE

The next questions are about care for [CHILD]'s behavioral or emotional health.

105. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed care for behavioral or emotional problems?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	1.8	8.0	10.1	11.2	9.7
No	98.2	92.0	89.9	88.8	90.3

106. In the last 12 months, was there any time when [CHILD] needed care for behavioral or emotional problems but could not get it for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	11.1	5.1	3.1	14.3	6.5
No	88.9	94.9	96.9	85.7	93.5

107. What was the main reason [CHILD] could not get behavioral or emotional care.

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Could not afford the care or have no insurance	50.0	25.0	33.3	41.7	53.8
Trouble getting an appointment	0	0	0	25.0	8.6
Available providers did not have expertise needed	0	25.0	0	0	4.4
Other	50.0	50.0	66.7	33.3	33.2

PRESCRIPTION MEDICINE

108. Previously, you said that [CHILD] currently needs or uses prescription medicine. I just want to verify that during the past 12 months, there a time when you or a health professional thought [CHILD] needed prescription medicine?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	100.0	100.0	97.4	98.3	98.9
No	0	0	2.6	1.7	1.1

109. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed prescription medicine for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	61.1	36.8	62.5	51.5	50.6
No	38.9	63.2	37.5	48.5	49.4

110. In the last 12 months, was there any time when [CHILD] needed prescription medicine but could not get it for any reason?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	0	6.6	5.3	12.0	10.3
No	100.0	93.4	94.7	88.0	89.7

111. What was the main reason [CHILD] could not get prescription drugs (of those who couldn’t get prescription medication).

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Could not afford the care or have no insurance	0	0	20.0	44.4	20.1
Insurance / HMO coverage was inadequate	0	25.0	20.0	0	6.6
Other	0	75.0	60.0	55.6	73.4

SCHOOL

112. What grade in school is [CHILD] attending or just completed?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
1	0	19.4	0.1	0	6.4
2	0	18.6	0.2	0	6.4
3	0	19.0	0.2	0	6.9
4	0	11.3	8.5	0	6.9
5	0	0.2	19.3	0	7.8
6	0	0.1	19.9	0	7.3
7	0	0	19.0	0	7.0
8	0	0	21.7	0.6	7.5
9	0	0	10.3	17.4	7.2
10	0	0	0.5	30.7	6.8
11	0	0	0	32.6	7.2
12	0	0	0	18.2	4.0
Above 12th grade	0	0	0	0.1	0
Ungraded	0.9	0	0	0	0
Special education	0	0.6	0.7	0.9	0.2
Home school	0.5	0.4	0.2	0.3	0.3
Kindergarten	0	14.8	0	0	5.4
Pre-first grade	4.7	0.5	0	0	0.6
Not attending	17.0	0.4	0.1	0.3	1.8
Preschool / Not old enough	77.4	15.3	0	0	10.3

113. How far would you like to see [CHILD] go in school?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Leave high school before getting diploma	0	0.1	0.2	0	0.1
Get a high school diploma	0	3.8	3.9	4.6	5.8
Graduate technical school	0	0.6	0.6	2.2	1.1
Get a 2-year college degree	0	4.1	4.6	9.3	7.1
Attend 4-year college	25.0	5.0	5.5	5.9	7.0
Get a 4-year college degree	25.0	62.8	63.1	56.6	59.5
Get more than 4-year college degree	50.0	23.6	22.1	21.5	19.4

CHILD CARE

Now let's talk about any child care arrangements you may have for your child.

114. About how many hours last week did [CHILD] spend in child care, including a child care center, child care cooperative (where parents take turns caring for a group of children), home-based child care, preschool, pre-kindergarten, or Head Start program? Do not count times when you hired someone for short-term activities such as going shopping or out to dinner.

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	30.7	NA	NA	NA	37.1
1-10	12.6	NA	NA	NA	15.5
11-20	10.6	NA	NA	NA	12.3
21-30	11.4	NA	NA	NA	9.3
31-40	23.8	NA	NA	NA	17.7
40+	10.9	NA	NA	NA	8.2

115. I am now going to read you a list of possible child care settings. Please tell me the number of hours, if any, that [CHILD] spent in any of these settings in the past week. Do not count times when you hired someone for short-term activities such as going shopping or out to dinner. In the past week what were the most hours [CHILD] spent in a… (only asked of parents of 0-5 year old children)

	Mean (range)
Child care center	26.51 (1-53)
Home based child care provider	26.59 (2-50)
Head start program	19.98 (3-45)
Preschool, other than head start	11.07 (1-50)
Pre-kindergarten	18.91 (3-50)
Shared visions preschool program	0
Friend, neighbor or someone unrelated to the child	8.21 (1-50)
Child's grandparent	12.95 (1-76)
Child care cooperative	0
Other relative	9.27 (1-40)

116. Are there any other child care settings where [CHILD] spent time in the last week? (only asked of parents of 0-5 year old children)

	0-4 Years
Yes	3.2
No	96.8

117. In the past 12 months, have you had to change [CHILD]'s child care provider due to cost issues? [PROMPT: your care provider increased rates, or there was a change in your income or budget]

	0-4 Years
Yes	4.4
No	95.6

118. Overall, how satisfied are you with the child care arrangements you have in place for [CHILD]? Would you say you are…

	0-4 Years
Very satisfied	77.9
Moderately satisfied	17.4
Somewhat satisfied	4.1
Not very satisfied	.6

119. You previously indicated that your child spent the most hours in child care at a [INSERT FROM Q103] in the past week. Please answer the next questions about this child care site.

What was the main reason you chose this site for your child's care?

	0-4 Years
Cost	5.4
Quality	39.0
Location	15.8
Hours of operation	1.2
Other	38.7

120. How satisfied are you with what it costs for [CHILD] to go to this site? Would you say you are…

	0-4 Years
Very satisfied	60.4
Moderately satisfied	28.7
Somewhat satisfied	8.6
Not very satisfied	2.3

121. How satisfied are you with the level of training of the staff at this site? Would you say…

	0-4 Years
Very satisfied	73.6
Moderately satisfied	20.5
Somewhat satisfied	4.5

Not very satisfied	1.3

122. How satisfied are you with the activities available at this site? Would you say…

	0-4 Years
Very satisfied	71.0
Moderately satisfied	21.5
Somewhat satisfied	6.2
Not very satisfied	1.3

123. How satisfied are you with the distance you have to travel to this site? Would you say…

	0-4 Years
Very satisfied	81.0
Moderately satisfied	12.1
Somewhat satisfied	3.9
Not very satisfied	3.0

124. How satisfied are you with the overall quality of this site? Would you say…

	0-4 Years
Very satisfied	80.2
Moderately satisfied	16.3
Somewhat satisfied	3.2
Not very satisfied	.3

125. If you had your choice of child care settings for your child, and cost was not a consideration, how likely would you be to choose a different site than the one [CHILD] attended most last week? Would you say…

	0-4 Years
Very likely	8.1
Moderately likely	4.9
Somewhat likely	8.6
Not very likely	78.5

126. How much of a problem, if any, was it to find a child care provider for [CHILD] so you could work or go to school? Would you say…

	0-4 Years
A big problem	16.0
A small problem	25.9
Not a problem	58.1

127. In the last 12 months, has [CHILD] been asked to leave a child care setting due to [his/her] behavior such as biting, hitting or other disruptive behavior?

	0-4 Years
Yes	.8
No	99.2

128. In the past 12 months, when [CHILD] has been mildly ill, how often have you had a problem finding a place to take [CHILD] so that you could go to work or school? Would you say…

	0-4 Years
Never	72.5
Sometimes	17.5
Usually	2.4
Always	7.6

129. Was this problem finding care for [CHILD] related to the special health needs of your child?

	0-4 Years
Yes	25.9
No	74.1

FAMILY ENVIRONMENT

I am now going to ask you some questions about activities your child does within your family.

130. How often during the past week did you or someone in your family read to [CHILD]? Would you say….

	0-4 Years
Almost every day	69.4
Most days	17.2
Some days	11.6
Not at all	1.8

131. I am now going to read you a list of activities that may happen with children in a family. Please tell me if anyone in your family did any of the following activities with [CHILD] in the last week.

	0-4 Years
Told a story	94.7
Worked with child on letters, words or numbers	81.4
Sang songs or played music	98.1
Worked on arts and crafts	64.6
Played a game	87.7

132. In the past 12 months, about how often has [CHILD] attended a religious service or activity? Would you say…

	0-4 Years
Never	16.5
A few times a year	22.5
A few times a month	23.1
Once a week or more	37.8

FAMILY STRESS

133. Parenting stress scale

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Highly stressed parent	3.9	4.1	6.9	7.7	7.0
Moderately stressed parent	68.5	74.9	72.0	69.5	70.3
Low stressed parent	27.7	21.0	21.1	22.8	22.7

How much of the time in the past month have you:

134. Felt [CHILD] is much harder to care for than most children [his/her] age? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
All of the time	1.1	0.5	1.1	2.0	1.0
Most of the time	1.5	2.5	2.5	3.5	3.3
Some of the time	21.5	21.5	17.8	19.4	21.7
None of the time	75.9	75.5	78.6	75.1	74.0

135. Felt [CHILD] does things that really bother you a lot? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
All of the time	0	0	0.5	0.3	0.2
Most of the time	0.7	1.2	1.8	3.1	2.2
Some of the time	44.7	53.4	52.0	51.3	51.8
None of the time	54.5	45.3	45.7	45.3	45.8

136. Felt you are giving up more of your life to meet [CHILD]'s needs than you ever expected? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
All of the time	3.1	2.0	3.0	1.9	3.3
Most of the time	5.7	5.1	5.2	6.3	6.3
Some of the time	24.4	26.1	25.3	27.6	25.9
None of the time	66.7	66.8	66.5	64.2	64.5

137. Felt angry with [CHILD]? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
All of the time	0	0	0.1	0	0
Most of the time	0.2	0.4	0.7	1.3	0.6
Some of the time	49.2	62.0	63.1	58.9	58.2
None of the time	50.6	37.6	36.1	39.8	41.2

138. Child behavioral/emotional health scale

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
High behavioral/emotional problems	0	3.7	6.3	6.8	7.0
Moderate behavioral/emotional problems	0	68.0	63.2	64.0	66.8
Few behavioral/emotional problems	0	28.3	30.5	29.2	26.2

SOCIALIZATION/SELF ESTEEM

I am going to read a list of items that sometimes describe children. For each item please tell me if it has been often true, sometimes true, or never true for [CHILD] during the past month.

139. [He/she] doesn't get along with other children not counting brothers and sisters. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	1.0	1.4	2.2	1.2	1.7
Sometimes true	30.5	36.3	29.1	28.6	33.3
Never true	68.5	62.3	68.7	70.2	65.0

140. [He/she] can't concentrate or pay attention for long time periods compared to other children [his/her]age. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	1.7	5.8	8.2	5.1	6.8
Sometimes true	15.1	22.5	22.3	22.3	20.8
Never true	83.1	71.7	69.5	72.6	72.4

141. [He/she] has been unhappy, sad, or depressed. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0.2	1.3	2.1	5.1	2.4
Sometimes true	19.5	30.1	33.7	37.6	31.1
Never true	80.3	68.6	64.2	57.3	66.4

142. [He/she] feels worthless or inferior. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0	0.3	0	0	0.1
Sometimes true	0	13.9	18.6	0	18.8
Never true	0	85.8	81.4	0	81.1

143. [He/she] has been nervous, high-strung or tense. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0	3.3	2.9	0	4.8
Sometimes true	0	31.2	34.1	0	32.9
Never true	0	65.6	63.0	0	62.3

144. [He/she] acts too young for [his/her] age. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0	1.7	3.4	0	3.2
Sometimes true	0	17.3	17.5	0	18.9
Never true	0	81.0	79.1	0	77.8

I am going to read a list of items that sometimes describe children. For each item please tell me if it has been often true, sometimes true, or never true for [CHILD] during the past month.

145. [He/she] has trouble sleeping. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0	2.7	3.4	3.4	4.0
Sometimes true	0	14.4	15.1	23.4	16.9

Never true	0	82.9	81.5	73.3	79.1

146. [He/she] lies or cheats. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0	1.6	1.2	1.2	1.5
Sometimes true	0	26.9	21.5	20.1	23.7
Never true	0	71.6	77.3	78.7	74.8

147. [He/she] does poorly at schoolwork. Would you say this is…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Often true	0	1.3	2.7	4.4	3.0
Sometimes true	0	14.0	20.4	25.2	21.9
Never true	0	84.7	76.9	70.3	75.2

MARITAL SATISFACTION

I am now going to ask a few questions about you.

148. What is your current marital status?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Married	88.4	88.5	86.3	85.0	79.8
Divorced	2.2	4.4	7.0	7.8	8.2
Widowed	.4	1.0	1.0	2.0	1.7
Separated	.7	.7	.8	1.1	1.4
Never married	3.5	2.1	2.2	2.4	4.3
Marriage-like relationship	4.7	3.3	2.6	1.7	4.6

The next question is about your relationship with your [spouse/partner].

149. How would you rate the overall quality of your relationship with your [spouse/partner]? Would you say your relationship is...

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Excellent	44.9	44.1	38.3	42.9	40.6
Very good	40.8	42.6	42.8	40.9	42.3
Good	12.7	11.5	14.4	12.4	13.7
Fair	1.4	1.5	3.8	3.1	2.8

Poor	0.2	0.3	0.7	0.6	0.6

TOBACCO

The next questions are about tobacco use in your home.

150. In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of cigarettes? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
A big problem	0.6	1.3	1.1	1.6	1.3
A moderate problem	2.3	2.0	3.9	4.6	3.7
A small problem	5.7	5.4	8.3	9.1	8.0
Not a problem	91.4	91.3	86.7	84.7	87.0

151. Some people have rules about smoking in their home. Please tell me which statement best describes the rules about smoking inside your home? Do not include decks, porches, and garages. Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Smoking is not allowed anywhere inside home	89.1	84.8	78.1	79.2	78.8
Smoking is allowed in some places or at some times	6.0	7.8	9.9	10.1	11.8
Smoking is allowed anywhere inside the home	0.7	1.4	2.9	2.3	1.9
There are no rules about smoking in the home	4.2	6.0	9.1	8.4	7.5

152. Do you now smoke cigarettes everyday, some days or not at all?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Everyday	9.8	10.8	13.8	14.5	16.4
Some days	3.3	1.9	3.4	2.0	3.4
Not at all	86.9	87.4	82.8	83.5	80.2

153. During the past 12 months, have you stopped smoking cigarettes for one day or longer because you were trying to quit smoking? (of people who reported smoking)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	50.4	50.0	52.1	53.7	51.1
No	49.6	50.0	47.9	46.3	48.9

154. Does anyone else in your household smoke cigarettes?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	15.2	12.7	16.6	15.9	17.2
No	84.8	87.3	83.4	84.1	82.8

155. What is the relationship of this person or persons to [CHILD]? For example, it could be the [CHILD], a parent, a grandparent, etc. (refers to question 141)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Child	0	0	1.2	8.4	2.1
Child's mother	17.9	17.1	18.0	13.4	16.0
Child's father	62.9	66.7	67.7	61.3	62.7
Child's grandparent	17.2	6.5	2.5	1.7	5.2
Child's brother or sister	0.7	2.4	6.2	13.4	5.4
Child's aunt or uncle	2.6	0.8	0.6	0.8	3.0
Other relative	0.7	0.8	2.5	0	1.2
Unrelated babysitter or friend	0.7	0	0	0	0.2
Unrelated boyfriend/girlfriend of a parent	5.3	7.3	2.5	0.8	6.5
Other	1.3	0	1.9	5.9	2.3

156. I am now going to ask you to rate how much cigarette smoking in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that tobacco use in your household has had on [CHILD] in the past 12 months?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	57.2	48.0	35.2	42.6	45.4
1	8.5	10.2	9.9	5.7	6.9
2	11.9	9.0	17.2	9.1	11.9
3	7.0	13.0	8.6	13.1	11.8
4	4.0	5.1	8.2	4.5	6.1
5	6.0	8.5	10.3	9.7	8.5
6	2.0	2.3	2.6	3.4	2.7
7	1.5	1.7	2.6	2.8	1.9
8	0.5	1.1	2.1	4.5	2.4
9	0.5	0	0.4	0.6	0.2

10	1.0	1.1	3.0	4.0	2.3

157. I am now going to read you a list of possible problems that can be caused by smoking cigarettes in a household. Please tell me if any of these have been a problem in your household in the last 12 months (of all Iowa children)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Health problems	27.3	35.7	42.5	26.7	2.9
Financial burden	47.0	46.4	40.2	36.0	4.8
Family stress	59.1	51.8	54.0	72.0	5.9
Other	12.1	12.5	10.3	13.3	1.2

DRUG AND ALCOHOL USE

158. In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of either prescription or illegal drugs? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
A big problem	0	0.2	0.7	1.2	0.8
A moderate problem	0.2	0.1	0.3	1.2	0.5
A small problem	0.1	0.6	0.6	1.3	0.6
Not a problem	99.7	99.1	98.3	96.3	98.1

159. Was the drug problem related to prescription drugs, illegal drugs or both? (of people who reported a problem in the household)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Prescription drugs	33.3	44.4	43.8	28.6	33.9
Illegal drugs	66.7	33.3	50.0	57.1	52.7
Both prescription and illegal drugs	0	22.2	6.3	14.3	13.4

160. What was the relationship of the person or persons to [CHILD] who had the drug problem? For example, it could be the [CHILD], a parent, a grandparent, etc.

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Child	0	11.1	6.3	32.1	18.1
Child's mother	0	11.1	12.5	21.4	18.4
Child's father	0	66.7	25.0	14.3	34.9
Child's grandparent	0	0	0	0	
Child's brother or sister	0	33.3	43.8	28.6	25.5
Child's aunt or uncle	50.0	0	6.3	0	1.8
Other relative	0	11.1	0	0	1.5
Unrelated babysitter or friend	0	0	0	0	
Unrelated boyfriend or girlfriend of a parent	0	0	0	0	
Other	50.0	0	6.3	7.1	7.8

161. I am now going to ask you to rate how much drug use in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that drug use in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	0	55.6	50.0	10.7	32.5
1	50.0	0	0	10.7	4.4
2	50.0	0	0	3.6	2.6
3	0	0	6.3	10.7	5.0
4	0	0	0	14.3	5.1
5	0	22.2	6.3	3.6	5.1
6	0	0	12.5	7.1	6.3
7	0	0	0	10.7	6.4
8	0	0	0	3.6	0.7
9	0	0	0	3.6	1.3
10	0	22.2	25.0	21.4	30.7

162. I am now going to read you a list of possible problems that can be caused by drug use in a household. Please tell me if any of these have been a problem in your household in the last 12 months. (of all Iowa children)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Health problems	0	12.5	53.8	40.7	0.5
Financial burden	33.3	37.5	53.8	59.3	1.0
Family stress	100.0	100.0	100.0	100.0	1.7
Other problem related to drug use	0	0	38.5	37.0	0.5

163. In the last 12 months, how much of a problem for your family, if any, has been caused by a family member's use of alcohol? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
A big problem	0.5	0.6	1.0	1.9	1.0
A moderate problem	1.0	0.8	1.8	2.5	1.5
A small problem	3.5	2.8	3.8	8.0	3.7
Not a problem	95.0	95.8	93.4	87.6	93.8

164. What was the relationship of this person or persons with the alcohol problem to [CHILD]. For example, it could be [CHILD], a parent, a grandparent, etc (of people who reported a problem)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Child	0	0	0	17.6	6.6
Child's mother	2.0	7.3	12.7	9.9	7.9
Child's father	88.0	73.2	61.9	46.2	63.5
Child's grandparent	12.0	9.8	0	1.1	4.5
Child's brother or sister	0	9.8	12.7	23.1	13.0
Child's aunt or uncle	0	2.4	6.3	0	1.5
Other relative	0	2.4	1.6	0	0.8
Unrelated babysitter or friend	0	0	0	1.1	0.4
Unrelated boyfriend/girlfriend of a parent	2.0	0	3.2	0	1.5
Other	0	0	4.8	3.3	2.0

165. I am now going to ask you to rate how much alcohol use in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected greatly, what number would you use to rate the affect that alcohol use in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	36.0	29.3	6.3	12.1	16.8
1	12.0	14.6	17.2	6.6	10.4
2	14.0	19.5	10.9	19.8	13.7
3	16.0	9.8	12.5	12.1	11.9
4	12.0	4.9	15.6	7.7	9.7
5	6.0	7.3	14.1	9.9	12.0
6	2.0	2.4	1.6	4.4	2.5
7	2.0	4.9	4.7	9.9	7.9
8	0	4.9	7.8	6.6	5.6
9	0	0	3.1	0	1.0
10	0	2.4	6.3	11.0	8.5

166. I am now going to read you a list of possible problems that can be caused by alcohol use in a household. Please tell me if any of these have been a problem in your household in the last 12 months. (of all Iowa children)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Health problems	13.6	7.1	13.7	17.9	0.8
Financial burden	25.0	32.1	39.2	34.6	2.0
Family stress	97.7	96.4	98.0	94.9	4.9
Other problem related to alcohol use	13.6	14.3	17.6	24.4	1.0

167. In the last 12 months, how much of a problem, if any, has been caused by gambling in your household? Would you say…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
A big problem	0.2	0.1	0.2	0.1	0.3
A small problem	1.1	.6	.8	1.9	1.1
Not a problem	98.7	99.3	99.0	98.0	98.6

168. I am now going to read you a list of different types of gambling? Please tell me which type of gambling has caused a problem for someone in your household in the last 12 months. (of people who reported a problem)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Gambling in a casino	46.2	71.4	60.0	76.9	55.6
Lottery tickets	15.4	57.1	40.0	30.8	45.6
On-line gambling	30.8	0	10.0	23.1	13.7
Sports betting	30.8	0	40.0	7.7	20.5
Other	30.8	42.9	10.0	7.7	28.4

169. What was the relationship of the person or persons with a gambling problem to [CHILD]. For example, it could be the [CHILD], a parent, a grandparent, etc. (of people who reported a problem)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Child	0	0	0	0	0
Child's mother	0	14.3	20.0	26.7	11.3
Child's father	100.0	85.7	70.0	66.7	84.2
Child's grandparent	0	0	10.0	6.7	3.0
Child's brother or sister	0	0	0	0	0
Child's aunt or uncle	0	0	0	6.7	1.5
Other relative	0	0	10.0	0	4
Unrelated babysitter or friend	0	0	0	0	0
Unrelated boyfriend/girlfriend or a parent	0	0	0	0	0
Other	0	0	10.0	0	2.1

170. I am now going to ask you to rate how much gambling in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that gambling in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	53.8	28.6	60.0	40.0	42.7
1	7.7	0	20.0	6.7	8.4
2	15.4	28.6	0	6.7	6.1
3	15.4	0	10.0	6.7	4.5
4	0	14.3	0	13.3	7.2
5	0	14.3	0	6.7	15.9
6	0	0	0	13.3	1.9
7	0	0	10.0	0	1.5
8	7.7	0	0	0	3.2
9	0	0	0	0	0
10	0	14.3	0	6.7	8.6

171. I am now going to read you a list of possible problems that can be caused by gambling in a household. Please tell us if any of these are problems caused by gambling in your household in the past 12 months. (of all Iowa children)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Financial burden	61.5	83.3	50.0	75.0	0.9
Time away from the family	61.5	83.3	87.5	50.0	0.8
Legal problems	0	33.3	0	0	0.3
Family stress	92.3	100.0	62.5	75.0	1
Interference with work	15.4	16.7	25.0	0	0.2
Physical violence	7.7	33.3	0	0	0.3

172. Parent depression scale (Parents of children age 0-5)

	0-4 Years
Lower mental health status	13.7
Higher mental health status	86.3

173. Have you been a very nervous person? Would you say…

	0-4 Years
All of the time	1.3
Most of the time	2.9
Some of the time	34.0
None of the time	61.8

174. How often have you felt so down in the dumps that nothing could cheer you up? Would you say…

	0-4 Years
All of the time	.6
Most of the time	1.4
Some of the time	16.7
None of the time	81.3

175. How often have you felt calm and peaceful? Would you say…

	0-4 Years
All of the time	8.6
Most of the time	56.9
Some of the time	31.8
None of the time	2.7

176. How often have you felt downhearted and blue? Would you say…

	0-4 Years
All of the time	.4
Most of the time	1.6
Some of the time	40.1
None of the time	57.9

177. How often have you been a happy person? Would you say…

	0-4 Years
All of the time	11.5
Most of the time	72.9
Some of the time	14.9
None of the time	.6

178. Was there a time when you didn't do work or other activities as carefully as usual because of emotional problems?

	0-4 Years
Yes	12.4
No	87.6

179. During the past 4 weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups? Would you say….

	0-4 Years
Not at all	76.1
Slightly	17.7
Moderately	4.3
Quite a bit	1.8
Extremely	.1

180. Is [CHILD] of Spanish or Hispanic Origin?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	3.3	3.0	1.8	3.1	3.7
No	96.7	97.0	98.2	96.9	96.3

181. What is [CHILD]'S race? (Check all that apply)

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
African-American	2.8	1.9	1.7	0.9	3.6
White	95.3	96.7	96.6	96.8	94.8
American-Indian/Native American/Aleutian or Eskimo	0.4	0.5	0.2	0.3	0.5
Asian/Pacific Islander	1.3	1.3	1.6	0.9	1.3
Other	3.4	3.0	1.7	2.4	3.2

182. Are you of Spanish or Hispanic origin?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	1.9	1.9	1.1	1.3	2.1
No	98.1	98.1	98.9	98.7	97.9

183. What is your race?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
African-American	1.9	0.4	0.9	0.8	2.2
White	96.1	97.6	97.8	97.9	95.9
American-Indian/Native American/Aleutian or Eskimo	0.4	0.2	0.1	0.3	0.3
Asian/Pacific Islander	0.9	1.0	0.5	0.1	0.7
Other	2.0	1.3	1.1	1.1	1.6

184. And you are…

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Male	20.6	21.9	21.1	24.6	19.3
Female	79.4	78.1	78.9	75.4	80.7

185. What is the highest grade or level of school that you have completed?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
8th Grade or less	0.1	0.4	0.3	0	0.4
Some high school, but did not graduate	1.5	.7	2.1	1.5	2.5
High school graduate or GED	18.1	17.9	22.1	26.2	24.0
Some college or 2-year degree	32.8	35.7	35.8	38.6	39.7
4-year college graduate	35.6	32.2	26.9	21.6	24.4
More than 4-year college degree	11.9	13.1	12.8	12.2	9.0

186. Including yourself, how many adults, that is people age 18 and over, live in your household?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
1	4.5	7.0	9.8	7.8	12.5
2	87.9	85.7	77.5	65.5	76.7
3	5.0	5.4	9.6	21.0	8.1
4	2.2	1.4	2.4	4.4	2.0
5	0.2	0.2	0.7	0.7	0.4
6	0.1	0.2	0	0.7	0.3

187. Is your [spouse/partner] the [CHILD]'S biological or adoptive parent?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	97.1	95.2	92.8	90.2	93.0
No	2.9	4.8	7.2	9.8	7.0

188. Now, for analysis purposes only, what was the total income of all persons in your household over the past year, including salaries or other earnings, interest, retirement, and so on, for all household members combined?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
$0 to $5,000	1.0	0.4	0.3	0.5	2.3
$5,001 to $10,000	1.2	0.4	0.3	0.8	2.5
$10,001 to $15,000	1.4	1.2	1.5	0.5	3.6
$15,001 to $20,000	1.3	0.8	1.7	1.6	4.8
$20,001 to $25,000	2.4	2.7	1.6	2.2	5.8
$25,001 to $30,000	3.6	3.2	2.5	4.2	5.7
$30,001 to $35,000	3.8	3.5	3.2	3.7	6.4
$35,001 to $40,000	5.6	5.0	5.4	3.4	6.7
$40,001 to $45,000	5.5	5.8	6.4	3.3	7.4
$45,001 to $50,000	4.0	6.6	5.8	5.1	6.5
$50,001 to $55,000	7.1	7.3	5.4	5.7	7.0
$55,001 to $60,000	5.1	6.1	6.1	5.7	6.1
$60,001 to $65,000	7.0	6.8	6.0	6.5	5.0
$65,001 to $70,000	5.2	4.8	5.9	6.8	4.2
$70,001 to $75,000	7.2	6.1	6.5	6.5	5.0
$75,001 to $80,000	5.5	5.6	4.9	3.3	2.5
$80,000 or more	33.0	33.8	36.3	40.3	18.5

190. How many telephone lines come into your residence that are not dedicated lines to modem or fax?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	0.0	0.1	0.6	0.7	.4
1	93.0	90.6	87.3	87.1	89.6
2	5.3	6.8	9.1	8.1	7.3
3	0.8	1.5	2.3	2.6	1.8
4	0.6	0.5	0.3	1.1	.6
5	0.2	0.2	0.2	0.3	.2
6	0.1	0	0.1	0	.1
7	0	0.1	0	0	.0
12	0	0.2	0	0	.1

191. Does anyone in your household own a cell phone?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Yes	82.0	88.2	86.2	87.5	85.9
No	18.0	11.8	13.8	12.5	14.1

192. How many people in your household regularly use a cell phone?

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
0	1.6	1.4	1.5	0.6	1.3
1	27.2	27.8	23.3	15.6	24.1
2	4.8	59.0	42.6	28.2	50.0
3	1.7	8.3	21.6	35.7	16.3
4	0.2	3.1	9.1	15.6	6.8
5	0	0.5	1.6	3.1	1.2
6	0	0	0.3	1.1	.3
7	0	0	0	0.2	.0

193. From all calls made by household members, would you say that cell phones are used for …

	0-4 Years	5-9 Years	10-14 Years	15-17 Years	Total %
Almost all calls	8.0	5.9	5.3	10.6	7.1
Most calls	24.8	21.2	22.2	29.4	23.9
Some calls	48.8	56.8	53.4	51.1	52.8
Rarely used	18.3	16.2	19.1	8.9	16.2

APPENDIX 3: RESULTS BY FEDERAL POVERTY LEVEL (FPL)

TABLE OF CONTENTS

Health status.....149
Asthma.....154
Nutrition/Obesity.....156
Access/Need.....162
Insurance coverage.....169
Dental care.....176
Behavioral or emotional health care.....179
Prescription medicine.....179
School.....181
Child care.....182
Family environment.....186
Family stress.....187
Socialization/Self esteem.....189
Marital satisfaction.....191
Tobacco.....192
Drug and alcohol use.....195

HEALTH STATUS

The first series of questions ask about [CHILD]'s health. Please answer the questions the best you can even if some questions may not seem quite right if your child is very young.

1. In general, how would you rate [CHILD]'s overall health now? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Excellent	49.5	56.3	64.0	60.3
Very good	34.8	32.0	27.1	29.0
Good	12.9	10.4	7.6	9.1
Fair	2.4	0.9	1.2	1.4
Poor	0.4	0.3	0.1	0.2

2. CSHCN screen. Child has a special health care need.

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	29.2	23.7	19.3	21.4
No	70.8	76.3	80.7	78.6

3. Does [CHILD] currently need or use medicine prescribed by a doctor other than vitamins?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	26.2	22.9	22.2	23.0
No	73.8	77.1	77.8	77.0

4. Is this because of ANY medical, behavioral or other health condition?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	82.0	88.2	87.8	87.5
No	18.0	11.8	12.2	12.5

5. Is this a condition that has lasted or is expected to last for at least 12 months?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	92.3	87.9	82.9	86.7
No	7.7	12.1	17.1	13.3

6. Does [CHILD] need or use more medical care, mental health or educational services than is usual for most children of the same age?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	18.8	16.4	9.6	13.3
No	81.2	83.6	90.4	86.7

7. Is this because of ANY medical, behavioral or other health condition?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	72.2	85.2	82.5	79.0
No	27.8	14.8	17.5	21.0

8. Is this a condition that has lasted or is expected to last for at least 12 months?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	88.5	90.9	92.4	92.5
No	11.5	9.1	7.6	7.5

9. Is [CHILD] limited or prevented in any way in his or her ability to do the things most children of the same age can do?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	9.4	5.7	4.0	5.9
No	90.6	94.3	96.0	94.1

10. Is this because of ANY medical, behavioral or other health condition?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	83.3	89.5	87.5	86.0
No	16.7	10.5	12.5	14.0

11. Is this a condition that has lasted or is expected to last for at least 12 months?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	100.0	100.0	94.7	98.5
No	0	0	5.3	1.5

12. Does [CHILD] need or get special therapy, such as physical, occupational or speech therapy?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	8.9	6.3	4.6	6.0
No	91.1	93.7	95.4	94.0

13. Is this because of ANY medical, behavioral or other health condition?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	64.7	75.0	59.0	64.0
No	35.3	25.0	41.0	36.0

14. Is this a condition that has lasted or is expected to last for at least 12 months?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	90.9	100.0	90.1	93.5
No	9.1	0	9.9	6.5

15. Does [CHILD] have any kind of emotional, developmental or behavioral problem for which he or she needs or gets treatment or counseling?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	11.6	8.1	4.9	6.9

No	88.4	91.9	95.1	93.1

16. Is this a condition that has lasted or is expected to last for at least 12 months?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	95.2	92.3	91.6	91.8
No	4.8	7.7	8.4	8.2

17. During the last 4 weeks, how many days has [CHILD] not been able to do his/her normal activities because of sickness?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	73.6	76.7	77.2	76.9
1-2 days	14.8	16.9	18.3	17.1
3-4 days	5.4	3.6	2.5	3.2
5-7 days	2.6	1.9	1.3	1.5
8-10 days	3.1	0.6	0.4	1.0
11-20 days	0.0	0.0	0.2	0.1
21 or more days	0.4	0.3	0.1	0.2

18. During the past 12 months, how much, if at all, has [CHILD] been more limited in the activities [HE/SHE] could do compared to other children his/her age because of [HIS/HER] physical health? Would you say [CHILD] has been… (of children with limited physical health)

	133% FPL	134-199% FPL	200+% FPL	Total %
Limited a lot	0.9	0.2	1.0	0.8
Limited some	4.3	5.1	2.4	3.1
Limited a little	7.5	6.5	6.8	6.7
Not limited	87.3	88.1	89.8	89.3

19. During the past 12 months, how much has [CHILD] been more limited in the activities [HE/SHE] could do compared to other children [HIS/HER] age because of [HIS/HER] BEHAVIORAL OR EMOTIONAL health? Would you say [CHILD] has been…
(of children limited by behavior or emotional health)

	133% FPL	134-199% FPL	200+% FPL	Total %
Limited a lot	2.3	0.3	0.5	0.8
Limited some	2.4	4.7	1.1	1.9
Limited a little	3.4	1.3	1.2	1.5
Not limited	91.9	93.6	97.3	95.7

20. Has your child been diagnosed with a chronic condition or disease that has lasted or is expected to last for at least 12 months? (of children with special health care needs)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	59.0	56.9	56.5	57.3
No	41.0	43.1	43.5	42.7

21. On a scale from zero to ten where zero is the least severe, and ten is the most severe, how would you rank the severity of your child's condition, compared to other children with the same condition? (of children with primary chronic condition or diagnosis)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	2.8	2.4	3.5	4.3
1	0	3.6	9.5	5.5
2	7.1	15.3	16.6	12.7
3	7.1	21.1	15.9	14.3
4	26.4	3.0	10.6	13.7
5	25.3	17.9	21.1	21.4
6	5.8	12.0	9.0	8.7
7	10.8	4.8	4.3	6.6
8	6.2	13.7	4.6	6.7
9	5.3	6.2	1.3	3.1
10	3.2	0	3.4	2.9

ASTHMA

22. Have you ever been told by a doctor or other health professional that [CHILD] had asthma?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	10.6	10.6	9.3	9.8
No	89.4	89.4	90.7	90.2

23. Does [CHILD] still have asthma?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	73.2	65.6	66.2	67.9
No	26.8	34.4	33.8	32.1

24. How old was [CHILD] when a doctor or other health professional first said [HE/SHE] had asthma?

	133% FPL	134-199% FPL	200+% FPL	Total %
0-4	85.0	57.2	53.6	60.7
5-9	15.0	24.3	29.7	25.3
10-14	0	18.5	13.0	12.2
15-17	0	0	3.6	1.9

25. How long has it been since you last talked to a doctor or other health professional about [CHILD]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center. Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	0	0	0.7	0.5
Within the past year	79.4	66.1	59.3	65.3
1 year to less than three years ago	16.8	15.5	18.1	17.1
3 years to 5 years ago	3.8	5.3	12.9	8.8
More than 5 years ago	0	13.1	9.1	8.3

26. How long has it been since [CHILD] last took asthma medication?

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	0	8.2	1.5	2.5
Less than one day ago	43.0	31.0	25.4	29.0
1 to 6 days ago	9.7	9.1	5.9	7.4
1 week to less than 3 months ago	20.4	8.0	17.5	16.9
3 months to less than 1 year ago	0	10.9	11.0	9.4
1 year to less than 5 years ago	16.8	19.7	28.9	23.8
5 or more years ago	10.0	13.1	9.8	10.9

Symptoms of asthma include coughing, wheezing, shortness of breath, chest tightness or phlegm production when [CHILD] did not have a cold or respiratory infection.

27. How long has it been since [CHILD] last had any symptoms of asthma?

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	0	10.8	3.2	3.5
Less than one day ago	46.5	0	10.4	15.1
1 to 6 days ago	5.3	19.2	7.7	8.7
1 week to less than 3 months ago	16.4	24.9	25.1	24.2
3 months to less than 1 year ago	3.6	10.2	18.1	14.1
1 year to less than 5 years ago	17.7	21.7	25.7	23.5
5 or more years ago	10.5	13.1	9.8	10.9

An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

28. Has a doctor or other health professional EVER given you or [CHILD] an asthma action plan?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	23.3	43.7	44.6	40.9
No	76.7	56.3	55.4	59.1

29. During the past 12 months, how many different times did [CHILD] stay in any hospital overnight or longer because of [his/her] asthma?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	89.0	100.0	97.5	96.0
1	6.0	0	2.1	2.5
2	5.0	0	0	1.2
4	0	0	0.4	0.2

NUTRITION/OBESITY

The next questions are about [CHILD]'s height, weight, eating and activity levels.

30. How tall is [CHILD]? ____FEET _____ INCHES

Age	133% FPL	134-199% FPL	200+% FPL	Mean height (range) inches
0	23.75	26.69	25.44	25.02 (12-48)
1	28.55	29.86	30.49	29.38 (12-40)
2	34.40	34.43	34.06	34.06 (20-77)
3	36.13	36.87	37.46	37.17 (24-48)
4	40.00	39.31	41.01	40.59 (32-50)
5	45.17	43.00	43.13	43.07 (30-56)
6	46.00	43.94	45.71	44.95 (24-64)
7	51.43	47.79	48.25	48.67 (29-60)
8	49.17	51.15	50.87	50.41 (36-60)
9	52.67	53.62	53.22	52.93 (36-71)
10	53.40	54.38	56.46	55.32 (41-66)
11	58.40	57.35	58.84	58.49 (42-70)
12	61.40	61.71	61.57	61.32 (48-73)
13	63.08	62.91	63.23	63.12 (49-76)
14	66.00	66.18	65.88	65.81 (56-76)
15	63.70	66.47	67.24	66.47 (56-78)
16	67.73	66.33	67.49	67.35 (57-77)
17	66.13	66.63	68.33	67.79 (51-77)

31. How much does [CHILD] weigh? _____POUNDS

Age	133% FPL	134-199% FPL	200+% FPL	Mean weight (range) lbs
0	15.2	16.44	17.96	16.59 (6-35)
1	24.31	27.58	24.89	24.98 (14-35)
2	30.85	29.73	29.91	29.99 (20-45)
3	38.08	34.00	36.65	35.92 (18-60)
4	38.75	39.53	40.30	40.26 (28-77)
5	44.56	48.65	45.84	45.93 (30-95)
6	62.13	50.26	53.52	52.62 (32-95)
7	55.20	58.50	58.16	57.94 (37-110)
8	62.00	65.88	64.62	63.87 (39-120)
9	80.92	73.13	75.11	74.99 (40-175)
10	80.89	84.35	89.18	86.02 (46-163)
11	103.45	105.16	98.17	101.00 (52-200)
12	134.80	106.93	108.74	111.80 (62-202)
13	120.00	130.68	118.58	123.30 (60-250)
14	130.29	143.55	132.77	133.40 (32-294)
15	130.70	152.31	141.47	142.24 (85-285)
16	142.00	133.64	147.99	146.61 (90-300)
17	139.50	150.89	153.52	150.51 (95-360)

32. Compared to other children [CHILD]'s age and height, do you think [he/she] weighs…

	133% FPL	134-199% FPL	200+% FPL	Total %
The right amount	72.7	73.1	76.5	75.5
Too much	13.2	15.4	12.1	12.9
Too little	14.1	11.4	11.4	11.6

Questions 23-25 are for biological mothers only.

I would now like to ask you a few questions about the effect of your pregnancy with [CHILD] on your weight.

33. Prior to getting pregnant with [CHILD], would you describe your weight as…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very underweight	0.9	0.6	0.4	0.7
Slightly underweight	12.7	5.8	7.8	8.2
About the right weight	41.8	56.9	55.4	53.5
Slightly overweight	36.5	30.0	30.0	31.3
Very overweight	8.1	6.7	6.4	6.3

34. About how much weight, if any, did you gain during your pregnancy with [CHILD]?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	4.8	1.2	1.0	1.7
1-9	5.9	2.3	1.4	2.4
10-19	9.6	14.7	10.7	11.3
20-29	25.8	25.1	29.9	28.1
30-39	18.8	25.0	26.1	25.1
40-49	11.5	13.7	14.8	14.0
50-59	9.4	8.0	7.7	7.7
60+	10.3	7.7	7.5	8.1
Lost weight	3.8	2.3	1.0	1.6

35. About 12 months after delivery, would you describe your weight as…
(only for moms whose child is over 1 year)

	133% FPL	134-199% FPL	200+% FPL	Total %
Less than before this pregnancy	18.3	21.2	17.3	17.9
About the same weight as before this pregnancy	32.2	31.5	35.8	35.1
About 5 pounds more than before this pregnancy	10.2	12.9	18.2	15.4
About 10 pounds more than this pregnancy	15.9	17.2	15.8	16.1
More than 10 pounds than before this pregnancy	23.4	17.1	12.9	15.6

Eating behavior questions

The next questions are about [CHILD]'s eating behaviors.

36. In an average week, how often does [CHILD] eat breakfast? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	0.9	2.0	1.7	1.7
Sometimes	11.3	11.6	12.7	11.8
Usually	16.8	16.7	16.5	16.6
Always	70.9	69.7	69.1	69.9

37. On an average day, how many servings of fruit does [CHILD] eat? (Do not count fruit juice.)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	8.3	7.1	6.3	7.0
1	27.0	23.8	29.9	28.5
2-3	53.4	58.4	54.7	55.0
4-5	10.9	10.3	8.0	8.7
6+	0.4	0.4	1.0	0.8

38. Do you think [CHILD] would eat more servings of fruit during an average day if it was offered to [him/her] more often?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	62.2	66.3	65.4	64.7
No	37.8	33.7	34.6	35.3

39. On an average day, how many servings of fruit do you eat? (Do not count fruit juice.)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	23.4	14.9	12.7	15.1
1	36.4	35.2	35.9	35.9
2-3	32.2	41.5	44.4	41.8
4-5	5.2	8.0	6.3	6.2
6+	2.9	0.3	0.7	1.0

40. On an average day, how many servings of vegetables does [CHILD] eat?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	8.6	6.3	5.7	6.3
1	17.8	21.6	25.3	23.7
2-3	65.3	62.4	62.9	63.2
4-5	8.3	9.7	5.7	6.6
6+	0	0	0.4	0.2

41. Do you think [CHILD] would eat more servings of vegetables during an average day if they were offered to [HIM/HER] more often?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	48.8	40.7	43.1	43.4
No	51.2	59.3	56.9	56.6

42. On an average day, about how many servings of vegetables do you eat?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	5.0	2.4	2.3	3.0
1	27.6	23.5	24.4	25.3
2-3	54.8	62.5	61.6	60.4
4-5	10.5	10.3	10.8	10.2
6+	2.2	1.3	1.0	1.2

43. On an average day, about how many servings of pop, soda or soft drinks does your child drink during a single day?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	70.7	71.6	67.7	68.7
1	18.3	22.2	23.8	22.5
2	7.2	3.7	5.5	5.7
3	2.2	1.9	1.9	1.9
4	1.0	0.2	0.5	0.5
5+	0.6	0.3	0.7	0.6

We are interested in two types of physical activity—vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

44. Now, think about the moderate activities [CHILD] does in a usual week. In the past 7 days how many days did [HE/SHE] do moderate activities for at least 30 minutes at a time, such as brisk walking, bicycling, skating, yard work, housecleaning or anything else that causes some increase in breathing or heart rate?

	133% FPL	**134-199% FPL**	**200+% FPL**	**Total %**
0	4.4	3.3	4.3	4.2
1	2.2	1.1	2.6	2.4
2	5.8	7.9	9.0	8.4
3	18.8	11.7	15.5	15.2
4	8.5	13.2	10.6	10.8
5	14.3	15.1	16.9	16.3
6	3.3	6.7	5.3	4.9
7	42.8	41.0	35.8	37.9

45. Now, think about the vigorous activities [CHILD] does in a usual week. In the past 7 days how many days did [HE/SHE] do vigorous activities for at least 20 minutes at a time, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing or anything else that causes large increases in breathing or heart rate?

	133% FPL	**134-199% FPL**	**200+% FPL**	**Total %**
0	15.8	15.0	14.6	15.2
1	5.9	8.6	8.7	8.5
2	22.1	16.9	18.2	18.6
3	15.6	16.7	19.3	17.7
4	7.7	12.7	10.6	10.2
5	14.3	13.5	14.4	14.6
6	3.2	4.1	4.8	4.1
7	15.4	12.5	9.5	11.1

46. On an average day, about how many hours does [CHILD] usually watch TV, videos or movies?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	13.4	11.3	9.4	10.5
1	23.3	31.2	36.0	32.8
2	31.9	33.5	36.2	34.4
3	20.3	16.5	12.1	14.6
4	5.1	5.6	4.7	5.1
5+	5.9	2.0	1.7	2.6

47. On an average day, about how many hours does [CHILD] use a computer or play video games for school, work or play?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	48.4	42.7	40.0	42.2
1	31.5	37.6	42.7	39.4
2	14.0	12.7	12.1	12.4
3	4.0	3.3	3.7	3.8
4	1.4	1.5	.9	1.3
5+	0.8	2.2	0.6	0.9

ACCESS/NEED

The next questions ask about [CHILD]'s use of health care services. Do not include the times [CHILD] went for dental care.

A personal doctor or nurse is the health provider who knows your child best. This can be a general doctor, a pediatrician, a specialist, a nurse practitioner, or a physician's assistant.

48. Do you have one person you think of as [CHILD]'s personal doctor or nurse?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	90.1	93.6	93.5	93.0
No	9.9	6.4	6.5	7.0

49. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed medical care of any kind?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	47.7	53.3	56.6	53.5
No	52.3	46.7	43.4	46.5

50. In the last 12 months, was there any time when [CHILD] needed medical care but could not get it for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	1.4	2.4	1.2	1.6
No	98.6	97.6	98.8	98.4

51. What was the main reason [CHILD] could not get needed medical care? (of those who couldn't get needed care)

	133% FPL	134-199% FPL	200+% FPL	Total %
Could not afford the care or have no insurance	0	58.3	48.8	43.5
Insurance / HMO coverage was inadequate	100.0	0	19.4	29.8
Trouble getting an appointment	0	0	28.5	12.4
Distance or transportation problems	0	21.5	0	5.1
Inconvenient hours, not open when care needed	0	20.1	3.3	9.3

52. In the last 12 months, when [CHILD] needed care right away for an illness or injury, how often did your child get care as soon as you wanted? Was it…

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	0	0.5	0.3	0.3
Sometimes	3.1	0.8	2.2	2.1
Usually	10.2	14.8	8.4	10.0
Always	86.7	83.8	89.0	87.5

53. Specialists are doctors like surgeons, heart doctors, allergy doctors and others who specialize in one area of health care. In the last 12 months, was there any time when you or a health professional thought [CHILD] needed care from a specialist?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	38.8	30.9	33.3	33.3
No	61.2	69.1	66.7	66.7

54. In the last 12 months, was there any time when [CHILD] needed specialty care but could not get it for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	10.9	7.9	3.3	5.4
No	89.1	92.1	96.7	94.6

55. In the last 12 months, how much of a problem, if any, was it to get the care [CHILD] needed from a specialist? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
A big problem	13.5	4.5	2.9	5.0
A small problem	10.2	14.2	10.0	9.9
Not a problem	76.3	81.3	87.1	85.1

56. In the last 12 months, how many times did [CHILD] go to a hospital emergency room?

	133% FPL	134-199% FPL	200+% FPL	Total %
None	58.6	72.6	74.6	71.7
1 time	23.0	17.4	19.3	19.6
2 to 4 times	17.5	8.5	5.5	7.8
5 to 9 times	0	1.2	0.4	0.6
10 or more times	0.9	0.4	0.1	0.3

For the next few questions, please think about the last time your [CHILD] went to a hospital emergency room.

57. What was the main reason for this visit to the ER?

	133% FPL	134-199% FPL	200+% FPL	Total %
Trauma / broken bones / stitches	33.2	34.9	45.1	40.7
Cold / flu	6.4	10.0	6.7	7.2
Ear infection	9.2	8.4	6.2	7.1
High fever only	9.9	12.8	5.5	7.5
Trouble breathing (asthma)	13.7	8.5	5.9	8.2
Severe cough / croup only	0	2.0	4.8	2.9
Rash	0	0	0.1	0.1
Other	5.6	2.8	4.2	4.5
Infection	2.2	1.6	1.8	1.9
Pneumonia	0	2.4	2.3	1.6
Sprain / Pulled muscle	0	4.6	.5	1.2
Sore throat / Strep	2.3	2.1	1.6	2.0
Allergy / Allergic reaction	2.5	0	1.1	1.6
Swallowed poison	3.4	0	1.1	1.7
Swallowed object / Object in ear or nose	1.8	1.9	2.0	1.7
Dehydration	1.7	0	2.1	1.5
Sports injury	2.7	0	.3	1.1
Stomach pain / Appendix	5.4	2.4	2.3	3.2
Pain not otherwise categorized	0	0	2.7	1.4
Mental / Behavioral / Emotional	0	5.6	1.8	1.9
Seizures	0	0	1.9	1.0

58. Did a doctor, nurse or emergency personnel tell you to go to the ER for this care?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	32.3	33.6	38.6	35.3
No	67.7	66.4	61.4	64.7

59. Do you think this care could have been provided by a doctor's office or clinic if one had been available?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	79.7	75.9	66.7	71.8
No	20.3	24.1	33.3	28.2

60. What was the main reason you did not go to a doctor's office or clinic for this care?

	133% FPL	134-199% FPL	200+% FPL	Total %
Could not afford the care or have no insurance	1.8	0	0	0.4
Insurance / HMO coverage was inadequate	0	2.6	0	0.5
Trouble getting an appointment	3.1	0	0	0.8
Distance or transportation problems	2.5	0	0.7	1.0
Available providers did not have expertise child needed	0	0	0.8	0.4
Inconvenient hours, not open when care needed	66.7	64.1	72.5	70.2
Did not know where to go at night or on weekend	10.9	8.2	15.7	12.6
Family not comfortable seeking care for specific problem	0	0	0	0.3
Doctor / Nurse sent me to the ER	4.5	6.8	2.7	3.8
Other	10.5	18.3	7.5	10.1

61. In the last 12 months, not counting times [HE/SHE] went to an emergency room, how many times did [CHILD] go to a doctor's office or clinic? This includes all types of visits including routine check ups, care for illness, injury, or preventive care.

	133% FPL	134-199% FPL	200+% FPL	Total %
None	2.3	2.2	0.9	1.3
1 time	3.4	8.6	10.1	8.9
2 to 4 times	41.2	50.0	53.8	51.6
5 to 9 times	31.6	27.2	21.9	24.6
10 or more times	21.5	12.0	13.4	13.6

62. In the past 12 months [ADD: “since your CHILD’S birth” IF CHILD UNDER AGE 1] has [CHILD]’s doctor or health care provider told you that they were doing an assessment of [his/her] development, or did they ask you to fill out a form about [his/her] development? (Developmental assessments include questions about your child sitting up, recognizing colors, language development, and physical development)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	34.8	44.0	44.3	41.3
No	65.2	56.0	55.7	58.7

63. In the past twelve months [ADD: “since your CHILD’S birth” IF CHILD UNDER AGE 1] has a health care professional, teacher or other professional told you about any programs or classes designed to improve parenting skills and strategies? This could include breastfeeding classes, parenting classes and home visiting.

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	29.9	17.6	19.9	21.6
No	70.1	82.4	80.1	78.4

64. I am now going to read you a list of parenting programs or services. Please tell me if a health care professional, teacher or other professional told you about any of the following programs or services.

	133% FPL	134-199% FPL	200+% FPL	Total %
Breastfeeding / lactation	59.1	42.9	56.3	50.8
Parent support group	45.5	71.4	54.3	54.1
Child development	68.2	52.4	66.9	61.9
Parents as teachers	45.5	33.3	35.1	35.6
Hopes	9.1	4.8	4.6	6.1
Shared visions parent component	9.1		6.6	5.6
Early head start	72.7	71.4	40.4	53.9
Nutrition education	22.7	33.3	18.5	23.7

65. Number of parents who received preventive guidance (all ages)

	133% FPL	134-199% FPL	200+% FPL	Total %
Received guidance	29.9	23.4	25.1	28.2
No guidance	70.1	76.6	74.9	71.8

66. When was [CHILD]'s last visit for routine preventive care such as a check-up or vaccination shots?

	133% FPL	134-199% FPL	200+% FPL	Total %
Less than 12 months ago	79.8	74.6	80.9	79.4
1-2 years ago	17.3	17.8	13.5	15.1
More than 2 years ago	3.0	7.2	5.5	5.4
Never	0	0.4	0.1	0.1

67. In the last 12 months, was there any time when [CHILD] needed routine preventive care but could not get it for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	1.5	1.2	0.3	0.7
No	98.5	98.8	99.7	99.3

68. What was the main reason [CHILD] could not get preventive care.

	133% FPL	134-199% FPL	200+% FPL	Total %
Could not afford the care or have no insurance	23.7	38.0	25.4	30.2
Insurance / HMO coverage was inadequate	45.2	32.1	6.3	32.7
Trouble getting an appointment	31.1	0	24.4	18.3
Bad past experience or heard about bad experiences	0	0	15.3	3.7
Child was too afraid to go	0	29.9	0	8.2
Other	0	0	28.6	6.9

69. In the last 12 months, how much, if at all, have you worried about your ability to pay for [CHILD]'s health care? Would you say you have worried…

	133% FPL	134-199% FPL	200+% FPL	Total %
A great deal	15.4	13.1	4.5	8.0
Somewhat	20.1	18.3	11.1	14.0
A little	11.3	20.5	12.3	13.3
Not at all	53.2	48.1	72.0	64.7

INSURANCE COVERAGE

The next questions ask about health insurance coverage for [CHILD].

70. Do you have any kind of health care coverage for [CHILD], including health insurance, plans such as HMOs, or government plans such as Medicaid or Title 19?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	94.8	94.3	99.0	97.3
No	5.2	5.7	1.0	2.7

71. What type of health care coverage do you use to pay for most of [CHILD]'s medical care? Is it coverage through… (of children with insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
Your employer	9.5	20.1	40.1	30.0
Someone else's employer	19.7	44.1	47.5	42.2
A plan that you or someone else buys on your own	5.2	7.4	6.8	6.7
The HAWK-I program (state child health insurance plan)	2.2	9.4	1.9	3.4
Medicaid or title 19	62.8	18.0	2.9	16.9
The military, Champus or the VA	0.6	0.3	0.6	0.6
Some other source	0	0.7	0.1	0.2

72. Thinking about how well that health insurance coverage meets [CHILD]'s health care needs, would you say that the health insurance is… (of children with insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
Excellent	39.6	36.1	32.9	34.3
Very good	25.3	28.7	36.1	32.9
Good	20.7	20.9	22.4	22.2
Fair	12.4	9.1	6.9	8.3
Poor	2.0	5.3	1.7	2.4

73. Most people's health insurance does not pay for all health care costs. In the past 12 months, how much of a problem, if any, have [CHILD]'s health care costs that were not covered by [HIS/HER] insurance been for your family? Would you say a… (of children with insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
Big problem	4.3	3.1	2.2	2.7
Moderate problem	13.1	10.4	8.8	9.7
Small problem	9.1	20.8	19.9	17.9
Not a problem	73.5	65.7	69.1	69.7

74. In the past 12 months has there been any time that [CHILD] has not had any health insurance? (of children currently with insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	10.4	7.2	1.9	4.4
No	89.6	92.8	98.1	95.6

75. For how many months during the last 12 months was [CHILD] without any health insurance? (of children currently with insurance and had a time in the last 12 months without insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	3.3	9.4	7.1	5.8
1	9.7	18.6	15.7	13.5
2	25.7	16.8	19.9	21.1
3	14.7	22.7	13.5	17.5
4	11.9	3.5	10.4	9.0
5	0	0	5.7	2.0
6	3.5	6.5	7.4	5.5
7	2.7	0	3.9	1.9
8	5.6	0	6.2	4.0
9	0	0	0	0.5
10	2.3	0	0	0.9
12	20.6	22.5	10.1	18.3

76. What (is) (was) the main reason [CHILD] (is) (was) without health insurance during this time? (of children currently with insurance and had a time in the last 12 months without insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
Costs too much	27.3	32.2	32.0	29.2
Don’t need insurance/child doesn’t get sick	0	0	0	0.4
Cant get insurance through employer	25.0	7.5	3.9	9.8
I/my spouse lost their job and benefits	23.3	25.0	27.2	26.9
Other	7.0	8.5	6.0	6.1
Change jobs	2.6	0	6.5	4.6
Death	3.5	0	0	0.4
Religious beliefs	0	0	0	0.4
Parent application issues	1.9	0	4.3	1.6
System / Bureaucratic issues	1.8	11.1	8.6	8.5
Custody issues	0	0	4.5	1.8
Earned too much money	3.5	12.2	5.2	7.3
In between insurance carriers or public insurance programs	4.3	3.5	1.9	3.1

77. Have you heard of the Medicaid program sometimes called Title 19? (of children not currently covered by Medicaid)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	95.0	95.6	94.2	94.1
No	5.0	4.4	5.8	5.9

78. Has your child ever received health care coverage through the Medicaid or Title 19 program? (of people who had heard of Medicaid and are not currently covered by Medicaid)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	59.3	33.2	11.9	20.2
No	40.7	66.8	88.1	79.8

79. Why is your child not covered by Medicaid or Title 19 now? (of people with no current insurance, who have heard of Medicaid and not currently covered by Medicaid)

	133% FPL	134-199% FPL	200+% FPL	Total %
Income is too high	53.1	58.9	64.0	2.7
Do not want to be part of the program	0	0	2.9	2.7
Too much paperwork / hassle	0	0	0	1.1
Other	46.9	41.1	33.1	40.7

80. Since the last time [CHILD] had health insurance coverage, did you apply for coverage through the Medicaid or Title 19 program? (of people with no current insurance, who have heard of Medicaid and not currently covered by Medicaid)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	20.1	38.8	25.0	28.7
No	79.9	61.2	75.0	71.3

81. Why was your child not covered by Medicaid or Title 19 after you applied? (of people who said they applied)

	133% FPL	134-199% FPL	200+% FPL	Total %

Income was too high	100.0	72.7	67.0	75.1
Other	0	27.3	33.0	24.9

82. What was the main reason you didn't apply for coverage through Medicaid or Title 19 for [CHILD]? (of people who said they did not apply)

	133% FPL	134-199% FPL	200+% FPL	Total %
My income was probably too high	45.0	52.6	41.6	44.5
Do not want to be part of the program	0	0	3.9	3.9
Application process is too difficult	0	0	0	1.5
Other	55.0	47.4	54.5	50.0

83. Have you heard of Iowa's Child Health Insurance Program, called ***hawk-i***? (of people not currently covered by ***hawk-i***)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	89.7	87.0	71.9	77.4
No	10.3	13.0	28.1	22.6

84. Has your child ever received health care coverage through Iowa's Child Health Insurance Program, called ***hawk-i***?(of children not currently covered by ***hawk-i*** and have heard of ***hawk-i***)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	6.6	9.8	4.0	5.7
No	93.4	90.2	96.0	94.3

85. Since the last time [CHILD] had health insurance coverage, did you apply for coverage through the ***hawk-i*** program? (children with no insurance and have heard of ***hawk-i***)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	7.5	35.0	62.5	31.8
No	92.5	65.0	37.5	68.2

86. Why is [CHILD] not now covered by ***hawk-i***? (of children with no insurance who applied for ***hawk-i***)

	133% FPL	134-199% FPL	200+% FPL	Total %
Income was too high	0	0	29.6	17.8
Other	100.0	100.0	70.4	78.0

87. Why didn't you apply for ***hawk-i*** coverage for [CHILD]? (of children with no insurance)

	133% FPL	134-199% FPL	200+% FPL	Total %
Income was probably too high	11.6	37.6	0	21.1
Income was probably too low	0	14.3	0	4.3
Do not want to be part of the program	0	0	9.4	0.9
Application process is too difficult	0	0	23.4	2.4
Other	88.4	48.1	67.2	71.3

88. How important is it to you for [CHILD] to have health insurance coverage. Would you say that having health insurance for [CHILD] is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very important	96.5	95.1	98.2	97.4
Moderately important	1.7	3.8	1.4	1.8
Somewhat important	0.7	0.8	0.3	0.4
Not very important	1.0	0.4	0.1	0.3

89. Do you have any kind of health care coverage for yourself, including health insurance, prepaid plans such as HMOs, or government plans such as Medicaid or Title 19?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	69.1	83.3	96.7	89.0
No	30.9	16.7	3.3	11.0

90. Do you and [CHILD] have the same insurance plan?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	69.8	75.0	88.2	83.1
No	30.2	25.0	11.8	16.9

91. What type of health care coverage do you use to pay for most of your medical care? Is it coverage through…

	133% FPL	134-199% FPL	200+% FPL	Total %
Your employer	38.0	42.9	76.5	56.4
Someone else's employer	19.6	20.3	9.8	15.2
A plan that you or someone else buys on your own	5.2	22.6	9.5	12.0
Medicare	21.1	5.2	1.8	8.2
Medicaid or Title 19	6.1	6.5	.9	4.2
The military, Champus, or the VA	5.0	1.4	1.5	2.5
Some other source	5.1	1.1	0	1.5

92. Thinking about how well your health care coverage meets your health care needs, would you say that your health care coverage is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Excellent	22.7	19.2	30.1	27.3
Very good	27.8	32.1	37.1	34.9
Good	22.5	29.0	23.5	24.1
Fair	19.5	12.8	7.8	10.4
Poor	7.5	6.9	1.6	3.3

93. How important is it to you that you have health insurance coverage for yourself. Would you say that having health insurance for yourself is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very important	78.9	86.7	93.4	89.3
Moderately important	11.6	7.4	4.8	6.5
Somewhat important	7.0	4.4	1.0	2.8
Not very important	2.5	1.5	0.8	1.3

DENTAL CARE

The next questions ask about [CHILD]'s dental care and dental health.

94. Does [CHILD] currently have insurance that covers dental care?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	83.6	73.3	79.7	79.3
No	16.4	26.7	20.3	20.7

95. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed dental care? [PROMPT: This includes routine dental check-ups OR care for dental needs]

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	58.7	63.1	70.3	66.7
No	41.3	36.9	29.7	33.3

* In 2000, parents were not prompted upon request about routine dental check-ups.

96. What kind of dental care did you or a health professional think [CHILD] needed? Was it a…

	133% FPL	134-199% FPL	200+% FPL	Total %
Check-up or cleaning	68.7	69.1	78.1	75.4
Emergency dental care	5.9	3.2	2.3	3.2
Other treatment such as fillings	25.4	27.7	19.5	21.4

97. In the last 12 months, was there any time when [CHILD] needed dental care but could not get it for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	8.3	8.3	2.5	4.3
No	91.7	91.7	97.5	95.7

98. What was the main reason [CHILD] could not get dental care. (of children with unmet dental care need)

	133% FPL	134-199% FPL	200+% FPL	Total %
Could not afford the care or have no insurance	51.7	85.0	66.8	67.8
Insurance / HMO coverage was inadequate	23.2	0	10.5	12.1
Trouble getting an appointment	10.6	0	7.9	5.9
Distance or transportation problems	0	5.0	0	1.5
Not comfortable with providers available at the time	0	3.1	2.8	1.9
Could not get off work	14.5	0	0	4.3
Child was too afraid to go	0	6.9	0	2.0
Doctor wouldn't prescribe the medicine needed	0	0	2.4	0.8
Other	0	0	9.5	3.7

99. Is there one main place where you usually go for your child's dental care?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	79.8	90.9	94.6	91.0
No	20.2	9.1	5.4	9.0

100. When was [CHILD]'s last dental check-up?

	133% FPL	134-199% FPL	200+% FPL	Total %
Less than 12 months ago	69.7	75.3	82.7	79.2
Between 1 and 2 years ago	11.1	7.0	4.6	6.3
More than 2 years ago	2.2	2.7	1.0	1.4
Child has never been to the dentist	17.1	15.0	11.8	13.0

101. How would you rate [CHILD]'s overall dental health? Would you say it is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Excellent	31.8	34.8	44.1	39.8
Very good	38.4	35.8	36.1	36.6
Good	23.5	23.0	16.3	19.1
Fair	4.5	4.5	3.0	3.6
Poor	1.8	1.9	0.4	1.0

102. Would you describe [CHILD] as someone who…

	133% FPL	134-199% FPL	200+% FPL	Total %
Visits the dentist regularly	68.1	67.3	80.5	76.1
Occasionally	7.8	11.3	6.3	7.4
Rarely	2.0	4.4	1.2	1.8
When there is a problem	7.8	5.2	1.5	3.4
Child has never been to the dentist	14.3	11.9	10.5	11.3

103. On an average day, how many times does [CHILD] brush [HIS/HER] teeth? [PROMPT: with or without parent help].

	133% FPL	134-199% FPL	200+% FPL	Total %
Once	33.2	36.6	32.8	33.3
Twice	52.6	56.7	60.7	58.7
Three or more times	13.2	5.8	5.0	6.8
Teeth not brushed	1.0	0.9	1.4	1.2

104. There are many health issues that are important for children such as asthma or ADHD. Compared to other health issues affecting children, how important do you think good dental health is? Would you say good dental health is…

	133% FPL	134-199% FPL	200+% FPL	Total %
More important	13.1	3.4	5.4	6.8
Just as important	83.8	90.1	88.4	87.8
Less important	3.0	6.5	5.9	5.2

BEHAVIORAL OR EMOTIONAL HEALTH CARE

The next questions are about care for [CHILD]'s behavioral or emotional health.

105. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed care for behavioral or emotional problems?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	18.3	11.5	7.3	9.7
No	81.7	88.5	92.7	90.3

106. In the last 12 months, was there any time when [CHILD] needed care for behavioral or emotional problems but could not get it for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	5.9	5.3	7.2	6.5
No	94.1	94.7	92.8	93.5

107. What was the main reason [CHILD] could not get behavioral or emotional care.

	133% FPL	134-199% FPL	200+% FPL	Total %
Could not afford the care or have no insurance	100.0	50.5	34.3	53.8
Trouble getting an appointment	0	0	19.1	8.6
Available providers did not have expertise needed	0	0	0	4.4
Other	0	49.5	46.7	33.2

PRESCRIPTION MEDICINE

108. Previously, you said that [CHILD] currently needs or uses prescription medicine. I just want to verify that during the past 12 months, there a time when you or a health professional thought [CHILD] needed prescription medicine?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	100.0	100.0	98.2	98.9
No	0	0	1.8	1.1

109. During the past 12 months, was there any time when you or a health professional thought [CHILD] needed prescription medicine for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	41.4	51.6	53.3	50.6
No	58.6	48.4	46.7	49.4

110. In the last 12 months, was there any time when [CHILD] needed prescription medicine but could not get it for any reason?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	16.3	11.9	5.2	10.3
No	83.7	88.1	94.8	89.7

111. What was the main reason [CHILD] could not get prescription drugs.

	133% FPL	134-199% FPL	200+% FPL	Total %
Could not afford the care or have no insurance	0	47.6	34.4	20.1
Insurance / HMO coverage was inadequate	0	25.7	5.9	6.6
Other	100.0	26.7	59.7	73.4

SCHOOL

112. What grade in school is [CHILD] attending or just completed?

	133% FPL	134-199% FPL	200+% FPL	Total %
1	3.5	8.3	6.5	6.4
2	6.3	5.2	6.1	6.4
3	7.7	9.1	6.4	6.9
4	9.1	7.1	6.5	6.9
5	7.0	7.9	6.6	7.8
6	6.3	8.3	6.7	7.3
7	6.3	7.9	6.6	7.0
8	8.4	6.7	7.4	7.5
9	6.3	5.2	8.5	7.2
10	5.6	5.6	8.5	6.8
11	9.1	4.0	8.9	7.2
12	1.4	5.2	4.4	4.0
Above 12th Grade	0	0	.0	0
Ungraded	0	0	.1	0
Special Education	2.1	.8	.5	0.2
Home School	0	1.2	.3	0.3
Kindergarten	8.4	4.8	4.6	5.4
Pre-Kindergarten grade	1.4	.4	.6	0.6
Not attending	2.8	2.4	1.2	1.8
Preschool / Not old enough	10.5	11.9	10.4	10.3

113. How far would you like to see [CHILD] go in school?

	133% FPL	134-199% FPL	200+% FPL	Total %
Leave high school before getting diploma	0	0	0.1	0.1
Get a high school diploma	14.5	6.6	3.0	5.8
Graduate technical school	0.8	1.6	1.0	1.1
Get a 2-year college degree	8.2	10.5	5.3	7.1
Attend 4-year college	10.8	6.5	5.6	7.0
Get a 4-year college degree	52.2	55.6	63.1	59.5

Get more than 4-year college degree	13.5	19.1	21.9	19.4

CHILD CARE

Now let's talk about any child care arrangements you may have for your child.

114. About how many hours last week did [CHILD] spend in child care, including a child care center, child care cooperative (where parents take turns caring for a group of children), home-based child care, preschool, pre-kindergarten, or Head Start program? Do not count times when you hired someone for short-term activities such as going shopping or out to dinner.

	133% FPL	134-199% FPL	200+% FPL	Total %
0	53.4	42.2	28.0	37.1
1-10	12.3	18.1	15.2	15.5
11-20	13.7	12.1	10.7	12.3
21-30	11.0	5.2	12.1	9.3
31-40	8.2	12.9	22.9	17.7
40+	1.4	9.5	11.2	8.2

115. I am now going to read you a list of possible child care settings. Please tell me the number of hours, if any, that [CHILD] spent in any of these settings in the past week. Do not count times when you hired someone for short-term activities such as going shopping or out to dinner. In the past week what were the most hours [CHILD] spent in a… (Percent who spent any time in each setting)

	133% FPL	134-199% FPL	200+% FPL
Child care center	30.7	26.8	28.5
Home based child care provider	46.5	50.5	53.3
Head start program	16.4	4.9	1.2
Preschool, other than head start	13.2	30.1	31.0
Pre-kindergarten	2.3	2.3	3.4
Shared visions preschool program	13.0	5.5	6.5
Friend, neighbor or someone unrelated to the child	31.2	29.3	25.0
Child's grandparent	0	0	0.1
Child care cooperative	0	0	0.2
Other relative	5.1	6.3	5.3

116. Are there any other child care settings where [CHILD] spent time in the last week?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	0	0	4.3	2.9
No	100.0	100.0	95.7	97.1

117. In the past 12 months, have you had to change [CHILD]'s child care provider due to cost issues? [PROMPT: your care provider increased rates, or there was a change in your income or budget]

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	13.9	11.3	3.6	6.1
No	86.1	88.7	96.4	93.9

118. Overall, how satisfied are you with the child care arrangements you have in place for [CHILD]? Would you say you are…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very satisfied	58.0	78.4	80.3	76.6
Moderately satisfied	25.9	14.9	15.4	17.5
Somewhat satisfied	12.8	6.8	3.7	5.1
Not very satisfied	3.2	0	0.6	0.8

119. You previously indicated that your child spent the most hours in child care at a [INSERT FROM Q103] in the past week. Please answer the next questions about this child care site.

What was the main reason you chose this site for your child's care?

	133% FPL	134-199% FPL	200+% FPL	Total %
Cost	5.7	6.7	4.9	5.3
Quality	14.9	26.2	39.7	32.7
Location	30.7	32.4	13.5	20.4
Hours of operation	2.9	0	.9	1.3
Other	45.9	34.7	41.0	40.3

120. How satisfied are you with what it costs for [CHILD] to go to this site? Would you say you are…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very satisfied	51.7	65.6	61.4	60.6
Moderately satisfied	23.9	21.7	29.2	27.1
Somewhat satisfied	16.6	10.8	7.6	9.6
Not very satisfied	7.9	1.9	1.8	2.8

121. How satisfied are you with the level of training of the staff at this site? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very satisfied	67.7	73.2	76.4	74.7
Moderately satisfied	17.5	15.1	18.9	18.2
Somewhat satisfied	14.8	7.7	4.0	6.0
Not very satisfied	0	4.0	0.7	1.1

122. How satisfied are you with the activities available at this site? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very satisfied	53.7	78.4	72.6	71.0
Moderately satisfied	35.8	10.8	20.6	21.6
Somewhat satisfied	7.1	9.4	5.7	6.1
Not very satisfied	3.4	1.4	1.1	1.3

123. How satisfied are you with the distance you have to travel to this site? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very satisfied	83.3	82.7	81.1	81.7
Moderately satisfied	7.7	9.0	12.3	11.2
Somewhat satisfied	9.0	3.2	3.5	4.0
Not very satisfied	0	5.1	3.1	3.1

124. How satisfied are you with the overall quality of this site? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very satisfied	65.7	81.7	82.2	79.8
Moderately satisfied	28.5	7.6	15.0	16.0
Somewhat satisfied	2.4	10.8	2.6	3.6
Not very satisfied	3.4	0	0.2	0.7

125. If you had your choice of child care settings for your child, and cost was not a consideration, how likely would you be to choose a different site than the one [CHILD] attended most last week? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Very likely	8.8	9.4	6.9	7.3
Moderately likely	11.2	6.1	5.1	5.8
Somewhat likely	16.8	6.2	8.2	9.3
Not very likely	63.2	78.3	79.7	77.6

126. How much of a problem, if any, was it to find a child care provider for [CHILD] so you could work or go to school? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
A big problem	22.1	12.5	14.8	15.2
A small problem	27.1	30.7	25.1	25.9
Not a problem	50.7	56.8	60.0	58.9

127. In the last 12 months, has [CHILD] been asked to leave a child care setting due to [HIS/HER] behavior such as biting, hitting or other disruptive behavior?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	8.8	1.7	0.2	1.8
No	91.2	98.3	99.8	98.2

128. In the past 12 months, when [CHILD] has been mildly ill, how often have you had a problem finding a place to take [CHILD] so that you could go to work or school? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	55.8	70.0	74.7	72.2
Sometimes	32.0	25.3	15.3	18.9
Usually	6.8	1.7	1.6	2.7
Always	5.4	3.0	8.4	6.3

129. Was this problem finding care for [CHILD] related to the special health needs of your child?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	45.3	0	24.7	25.1
No	54.7	100.0	75.3	74.9

FAMILY ENVIRONMENT

I am now going to ask you some questions about activities your child does within your family.

130. How often during the past week did you or someone in your family read to [CHILD]? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Almost every day	62.1	61.3	70.4	67.3
Most days	26.3	25.3	17.1	19.6
Some days	11.6	11.1	11.1	11.5
Not at all	0	2.3	1.4	1.6

131. I am now going to read you a list of activities that may happen with children in a family. Please tell me if anyone in your family did any of the following activities with [CHILD] in the last week.

	133% FPL	134-199% FPL	200+% FPL	Total %
Told a story	95.9	95.7	94.7	95.1
Worked with child on letters, words or numbers	83.6	83.6	84.4	83.1
Sang songs or played music	97.3	95.7	96.2	96.2
Worked on arts and crafts	60.3	69.0	68.2	65.8
Played a game	86.3	88.8	88.5	88.4

132. In the past 12 months, about how often has [CHILD] attended a religious service or activity? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Never	23.8	13.0	9.6	12.8
A few times a year	23.3	15.9	18.6	19.1
A few times a month	14.0	18.7	17.2	16.9
Once a week or more	38.9	52.4	54.6	51.1

FAMILY STRESS

133. Parent Stress Scale

	133% FPL	134-199% FPL	200+% FPL	Total %
Highly stressed	10.7	7.9	4.6	7.0
Moderately stressed	66.3	67.6	72.5	70.3
Low stressed	23.0	24.5	22.9	22.7

How much of the time in the past month have you:

134. Felt [CHILD] is much harder to care for than most children [his/her] age? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	0.6	0.3	1.2	1.0
Most of the time	6.4	4.4	2.2	3.3
Some of the time	29.1	21.5	19.7	21.7
None of the time	63.9	73.9	76.9	74.0

135. Felt [CHILD] does things that really bother you a lot? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	0	0.5	0.2	0.2
Most of the time	4.4	2.9	1.4	2.2
Some of the time	54.2	52.4	50.8	51.8
None of the time	41.3	44.2	47.5	45.8

136. Felt you are giving up more of your life to meet [CHILD]'s needs than you ever expected? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	6.6	3.6	2.3	3.3
Most of the time	9.1	6.4	5.4	6.3
Some of the time	25.3	27.1	25.9	25.9
None of the time	59.0	63.0	66.4	64.5

137. Felt angry with [CHILD]? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	0	0	0.1	0
Most of the time	0	0.9	0.7	0.6
Some of the time	50.4	58.6	61.4	58.2
None of the time	49.6	40.6	37.9	41.2

138. Child behavioral/emotional health scale

	133% FPL	134-199% FPL	200+% FPL	Total %
High behavioral/emotional problems	11.2	8.9	5.1	7.0
Moderate behavioral/emotional problems	69.8	70.1	64.3	66.8
Few behavioral/emotional problems	19.0	21.0	30.6	26.2

SOCIALIZATION/SELF ESTEEM

I am going to read a list of items that sometimes describe children. For each item please tell me if it has been often true, sometimes true, or never true for [CHILD] during the past month.

139. [He/she] doesn't get along with other children not counting brothers and sisters. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	1.7	1.7	1.6	1.7
Sometimes true	34.4	36.7	32.5	33.3
Never true	63.9	61.6	66.0	65.0

140. [He/she] can't concentrate or pay attention for long time periods compared to other children [his/her]age. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	13.4	7.3	4.9	6.8
Sometimes true	21.3	22.4	20.7	20.8
Never true	65.3	70.3	74.4	72.4

141. [He/she] has been unhappy, sad, or depressed. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	4.1	1.7	2.2	2.4
Sometimes true	32.2	34.7	31.1	31.1
Never true	63.7	63.6	66.7	66.4

142. [He/she] feels worthless or inferior. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	—	—	0.1	0.1
Sometimes true	28.8	20.0	14.5	18.8
Never true	71.2	80.0	85.4	81.1

143. [He/she] has been nervous, high-strung or tense. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	6.6	6.7	2.5	4.8
Sometimes true	34.4	38.3	31.4	32.9
Never true	59.0	55.0	66.1	62.3

144. [He/she] acts too young for [his/her] age. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	6.6	4.2	1.5	3.2
Sometimes true	23.0	20.8	16.8	18.9
Never true	70.5	75.0	81.7	77.8

I am going to read a list of items that sometimes describe children. For each item please tell me if it has been often true, sometimes true, or never true for [CHILD] during the past month.

145. [He/she] has trouble sleeping. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	6.8	4.2	2.9	4.0
Sometimes true	17.8	19.0	17.2	16.9
Never true	75.4	76.9	79.9	79.1

146. [He/she] lies or cheats. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	2.5	1.9	1.1	1.5
Sometimes true	26.3	25.9	22.5	23.7
Never true	71.2	72.2	76.4	74.8

147. [He/she] does poorly at schoolwork. Would you say this is…

	133% FPL	134-199% FPL	200+% FPL	Total %
Often true	0.9	5.6	2.6	3.0
Sometimes true	29.1	22.7	19.4	21.9
Never true	70.1	71.8	78.0	75.2

MARITAL SATISFACTION

I am now going to ask a few questions about you.

148. What is your current marital status?

	133% FPL	134-199% FPL	200+% FPL	Total %
Married	53.6	75.7	88.4	79.8
Divorced	17.0	9.4	6.3	8.2
Widowed	3.6	1.2	1.2	1.7
Separated	2.7	2.8	0.7	1.4
Never married	11.1	6.0	1.3	4.3
Marriage-like relationship	12.0	4.8	2.2	4.6

The next question is about your relationship with your [spouse/partner].

149. How would you rate the overall quality of your relationship with your [spouse/partner]? Would you say your relationship is...

	133% FPL	134-199% FPL	200+% FPL	Total %
Excellent	34.0	38.7	41.7	40.6
Very good	43.0	42.1	43.0	42.3
Good	16.3	15.0	12.8	13.7
Fair	5.9	3.2	2.0	2.8
Poor	0.8	1.0	0.5	0.6

TOBACCO

The next questions are about tobacco use in your home.

150. In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of cigarettes? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
A big problem	1.7	1.7	1.1	1.3
A moderate problem	5.9	5.3	2.8	3.7
A small problem	10.7	11.2	6.8	8.0
Not a problem	81.6	81.8	89.3	87.0

151. Some people have rules about smoking in their home. Please tell me which statement best describes the rules about smoking inside your home? Do not include decks, porches, and garages. Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Smoking is not allowed anywhere inside home	64.9	71.5	85.4	78.8
Smoking is allowed in some places or at some times	24.3	15.3	7.2	11.8
Smoking is allowed anywhere inside the home	2.1	2.8	1.4	1.9
There are no rules about smoking in the home	8.7	10.3	6.1	7.5

152. Do you now smoke cigarettes everyday, some days or not at all?

	133% FPL	134-199% FPL	200+% FPL	Total %
Everyday	33.4	22.2	9.9	16.4
Some days	7.1	2.7	2.6	3.4
Not at all	59.5	75.1	87.5	80.2

153. During the past 12 months, have you stopped smoking cigarettes for one day or longer because you were trying to quit smoking? (of people who reported smoking)

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	51.0	49.5	52.5	51.1
No	49.0	50.5	47.5	48.9

154. Does anyone else in your household smoke cigarettes?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	24.1	21.6	13.7	17.2
No	75.9	78.4	86.3	82.8

155. What is the relationship of this person or persons to [CHILD]. For example, it could be the [CHILD], a parent, a grandparent, etc. (refers to question 141)

	133% FPL	134-199% FPL	200+% FPL	Total %
Child	0	1.3	2.6	2.1
Child's mother	13.0	22.4	16.5	16.0
Child's father	60.9	64.5	66.5	62.7
Child's grandparent	0	3.9	8.2	5.2
Child's brother or sister	8.7	2.6	5.4	5.4
Child's aunt or uncle	6.5	0	0.9	3.0
Other relative	0	1.3	0.9	1.2
Unrelated babysitter or friend	0	1.3	0	0.2
Unrelated boyfriend/girlfriend of a parent	10.9	5.3	2.8	6.5
Other	2.2	1.3	2.3	2.3

156. I am now going to ask you to rate how much cigarette smoking in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that tobacco use in your household has had on [CHILD] in the past 12 months?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	47.2	43.4	42.5	45.4
1	3.1	6.6	9.0	6.9
2	10.4	12.8	14.3	11.9
3	17.8	8.5	10.3	11.8
4	5.0	7.2	6.8	6.1
5	8.3	9.7	8.7	8.5
6	2.7	2.3	2.3	2.7
7	2.6	0.7	2.2	1.9
8	1.8	4.1	1.9	2.4
9	0	0	0.3	0.2
10	1.1	4.8	1.8	2.3

157. I am now going to read you a list of possible problems that can be caused by smoking cigarettes in a household. Please tell me if any of these have been a problem in your household in the last 12 months (of all Iowa children).

	133% FPL	134-199% FPL	200+% FPL	Total %
Health Problems	0.3	2.2	0.7	0.8
Financial Burden	0.5	3.7	2.4	2.0
Family Stress	2.4	6.3	5.6	4.9
Other	0	2.8	0.9	1.0

DRUG AND ALCOHOL USE

158. In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of either prescription or illegal drugs? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
A big problem	1.0	1.7	0.5	0.8
A moderate problem	1.2	0	0.2	0.5
A small problem	0	1.5	0.7	0.6
Not a problem	97.8	96.8	98.6	98.1

159. Was the drug problem related to prescription drugs, illegal drugs or both? (of people who reported a problem in the household)

	133% FPL	134-199% FPL	200+% FPL	Total %
Prescription drugs	33.5	33.0	34.6	33.9
Illegal drugs	66.5	38.3	61.9	52.7
Both prescription and illegal drugs	0	28.7	3.5	13.4

160. What was the relationship of the person or persons to [CHILD] who had the drug problem. For example, it could be the [CHILD], a parent, a grandparent, etc.

	133% FPL	134-199% FPL	200+% FPL	Total %
Child	0	22.2	23.5	18.1
Child's mother	33.3	11.1	17.6	18.4
Child's father	66.7	55.6	17.6	34.9
Child's grandparent	0	0	0	0
Child's brother or sister	0	33.3	32.4	25.5
Child's aunt or uncle	0	0	5.9	1.8
Other relative	0	0	0	1.5
Unrelated babysitter or friend	0	0	0	0
Unrelated boyfriend/girlfriend of a parent	0	0	0	0
Other	0	11.1	2.9	7.8

161. I am now going to ask you to rate how much drug use in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that drug use in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	33.5	29.1	30.3	32.5
1	0	5.1	5.2	4.4
2	0	0	6.3	2.6
3	0	0	8.4	5.0
4	0	0	12.4	5.1
5	0	0	12.5	5.1
6	0	10.0	1.8	6.3
7	22.0	0	4.6	6.4
8	0	0	1.8	0.7
9	0	0	3.1	1.3
10	44.5	55.7	13.7	30.7

162. I am now going to read you a list of possible problems that can be caused by drug use in a household. Please tell me if any of these have been a problem in your household in the last 12 months (of all Iowa children).

	133% FPL	134-199% FPL	200+% FPL	Total %
Health problems	0	44.4	36.7	0.5
Financial burden	100.0	77.8	53.3	1.0
Family stress	100.0	100.0	100.0	1.7
Other problem related to drug use	50.0	22.2	36.7	0.5

163. In the last 12 months, how much of a problem for your family, if any, has been caused by a family member's use of alcohol? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
A big problem	0.5	1.9	0.9	1.0
A moderate problem	0.9	2.5	1.5	1.5
A small problem	1.9	2.6	4.9	3.7
Not a problem	96.7	93.0	92.7	93.8

164. What was the relationship of this person or persons with the alcohol problem to [CHILD]. For example, it could be [CHILD], a parent, a grandparent, etc (of people who reported a problem)

	133% FPL	134-199% FPL	200+% FPL	Total %
Child	0	12.5	6.1	6.6
Child's mother	28.6	0	9.2	7.9
Child's father	71.4	75.0	62.2	63.5
Child's grandparent	0	4.2	4.6	4.5
Child's brother or sister	14.3	4.2	13.8	13.0
Child's aunt or uncle	0	0	2.6	1.5
Other relative	0	0	0.5	0.8
Unrelated babysitter or friend	0	0	0.5	0.4
Unrelated boyfriend/girlfriend of a parent	0	4.2	1.0	1.5
Other	0	0	2.6	2.0

165. I am now going to ask you to rate how much alcohol use in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected greatly, what number would you use to rate the affect that alcohol use in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	29.2	10.4	17.2	16.8
1	7.9	4.0	11.7	10.4
2	0	8.6	17.9	13.7
3	20.6	2.9	14.7	11.9
4	0	7.8	10.7	9.7
5	27.9	13.6	8.7	12.0
6	0	0	2.7	2.5
7	14.4	22.4	2.6	7.9
8	0	7.0	6.8	5.6
9	0	0	1.6	1.0
10	0	23.3	5.5	8.5

166. I am now going to read you a list of possible problems that can be caused by alcohol use in a household. Please tell me if any of these have been a problem in your household in the last 12 months (of all Iowa children).

	133% FPL	134-199% FPL	200+% FPL	Total %
Health problems	20.0	31.8	12.8	0.8
Financial burden	20.0	59.1	32.7	2
Family stress	100.0	95.5	96.2	4.9
Other problem related to alcohol use	0	40.9	16.7	1

167. In the last 12 months, how much of a problem, if any, has been caused by gambling in your household? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
A big problem	0.3	1.1	0	0.3
A small problem	1.4	0.7	1.1	1.1
Not a problem	98.4	98.2	98.9	98.6

168. I am now going to read you a list of different types of gambling? Please tell me which type of gambling has caused a problem for someone in your household in the last 12 months (of people who reported a problem).

	133% FPL	134-199% FPL	200+% FPL	Total %
Gambling in a casino	66.7	80.0	59.3	55.6
Lottery tickets	66.7	60.0	29.6	45.6
On-line gambling	33.3	0	22.2	13.7
Sports betting	33.3	40.0	18.5	20.5
Other	33.3	20.0	22.2	28.4

169. What was the relationship of the person or persons with a gambling problem to [CHILD]. For example, it could be the [CHILD], a parent, a grandparent, etc. (of people who reported a problem).

	133% FPL	134-199% FPL	200+% FPL	Total %
Child	0	0	0	0
Child's mother	0	0	20.7	11.3
Child's father	100.0	80.0	82.8	84.2
Child's grandparent	0	0	6.9	3.0
Child's brother or sister	0	0	0	0
Child's aunt or uncle	0	0	0	1.5
Other relative	0	20.0	0	4
Unrelated babysitter or friend	0	0	0	0
Unrelated boyfriend/girlfriend or a parent	0	0	0	0
Other	0	0	0	2.1

170. I am now going to ask you to rate how much gambling in your household affected [CHILD]. Using any number from 0 to 10, where 0 is not at all and 10 affected a lot, what number would you use to rate the affect that gambling in your household has had on [CHILD] in the past 12 months? (of people who reported a problem)

	133% FPL	134-199% FPL	200+% FPL	Total %
0	20.9	43.4	51.1	42.7
1	0	0	10.9	8.4
2	0	0	14.2	6.1
3	0	0	10.6	4.5
4	16.7	0	5.1	7.2
5	62.3	0	6.1	15.9
6	0	0	1.9	1.9
7	0	0	0	1.5
8	0	15.5	0	3.2
9	0	0	0	0
10	0	41.1	0	8.6

171. I am now going to read you a list of possible problems that can be caused by gambling in a household. Please tell us if any of these are problems caused by gambling in your household in the past 12 months. (of all Iowa children).

	133% FPL	134-199% FPL	200+% FPL	Total %
Financial burden	66.7	100.0	68.0	0.9
Time away from the family	100.0	50.0	72.0	0.8
Legal problems	33.3	25.0	0	0.3
Family stress	100.0	75.0	80.0	1.0
Interference with work	33.3	75.0	0	0.2
Physical violence	33.3	50.0	0	0.3

172. Parent Depression Scale (Parents of children ages 0-5)

	133% FPL	134-199% FPL	200+% FPL	Total %
Lower mental health status	20.8	22.6	12.1	16.3
Higher mental health status	79.2	77.4	87.9	83.7

173. Have you been a very nervous person? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	7.5	2.7	1.0	2.6
Most of the time	0.9	6.6	2.8	2.9
Some of the time	26.3	38.0	34.6	33.2
None of the time	65.3	52.7	61.5	61.3

174. How often have you felt so down in the dumps that nothing could cheer you up? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	4.9	1.8	0.1	1.5
Most of the time	2.9	2.6	0.9	1.6
Some of the time	30.8	21.2	15.6	19.3
None of the time	61.3	74.3	83.3	77.6

175. How often have you felt calm and peaceful? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	4.6	3.8	8.6	7.5
Most of the time	46.7	52.0	57.2	53.8
Some of the time	42.0	40.6	31.4	35.2
None of the time	6.7	3.5	2.7	3.4

176. How often have you felt downhearted and blue? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	2.9	0.9	0.1	0.8
Most of the time	3.8	6.5	.9	2.5
Some of the time	46.7	48.2	39.5	42.5
None of the time	46.6	44.4	59.5	54.2

177. How often have you been a happy person? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
All of the time	4.5	9.4	11.1	9.6
Most of the time	65.4	68.6	74.0	71.6
Some of the time	30.2	22.0	14.2	18.4
None of the time	0	0	0.6	0.5

178. Was there a time when you didn't do work or other activities as carefully as usual because of emotional problems?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	23.0	21.0	10.7	14.3
No	77.0	79.0	89.3	85.7

179. During the past 4 weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups? Would you say…

	133% FPL	134-199% FPL	200+% FPL	Total %
Not at all	68.3	66.7	77.9	74.7
Slightly	24.0	18.9	16.8	18.0
Moderately	5.8	8.1	3.7	4.9
Quite a bit	0	6.2	1.2	1.9
Extremely	1.9	0	.3	.5

180. Is [CHILD] of Spanish or Hispanic origin?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	7.5	2.2	2.8	3.7
No	92.5	97.8	97.2	96.3

181. What is [CHILD]'S race? (Check all that apply)

	133% FPL	134-199% FPL	200+% FPL	Total %
African-American	9.9	1.2	1.4	3.6
White	89.0	97.9	96.9	94.8
American-Indian/Native American/Aleutian or Eskimo	0.5	0.6	0.2	0.5
Asian/Pacific Islander	1.6	1.8	1.2	1.3
Other	5.8	1.5	2.3	3.2

182. Are you of Spanish or Hispanic origin?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	3.4	2.1	1.4	2.1
No	96.6	97.9	98.6	97.9

183. What is your race?

	133% FPL	134-199% FPL	200+% FPL	Total %
African-American	7.3	0.3	0.7	2.2
White	91.1	97.6	98.1	95.9
American-Indian/Native American/Aleutian or Eskimo	.5	0	0.2	0.3
Asian/Pacific Islander	1.0	1.2	0.5	0.7
Other	1.6	2.1	1.0	1.6

184. And you are…

	133% FPL	134-199% FPL	200+% FPL	Total %
Male	15.1	14.5	23.0	19.3
Female	84.9	85.5	77.0	80.7

185. What is the highest grade or level of school that you have completed?

	133% FPL	134-199% FPL	200+% FPL	Total %
8th Grade or less	1.3	0.4	0.2	0.4
Some high school, but did not graduate	6.8	3.1	0.7	2.5
High school graduate or GED	33.6	26.0	19.1	24.0
Some college or 2-year degree	46.2	48.4	35.2	39.7
4-year college graduate	7.9	18.7	32.4	24.4
More than 4-year college degree	4.2	3.4	12.4	9.0

186. Including yourself, how many adults, that is people age 18 and over, live in your household?

	133% FPL	134-199% FPL	200+% FPL	Total %
1	29.6	15.9	7.4	12.5
2	60.8	78.0	81.6	76.7
3	7.9	3.6	8.5	8.1
4	0.9	2.1	1.9	2.0
5	0	0.4	0.4	0.4
6	0.9	0	0.2	0.3

187. Is your [spouse/partner] the [CHILD]'S biological or adoptive parent?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	90.2	89.4	94.5	93.0
No	9.8	10.6	5.5	7.0

188. Now, for analysis purposes only, what was the total income of all persons in your household over the past year, including salaries or other earnings, interest, retirement, and so on, for all household members combined?

	133% FPL	134-199% FPL	200+% FPL	Total %
$0 to $5,000	11.5	0	0	2.3
$5,001 to $10,000	12.1	0	0	2.5
$10,001 to $15,000	18.0	0	0	3.6
$15,001 to $20,000	21.1	3.1	0	4.8
$20,001 to $25,000	20.0	9.2	0	5.8
$25,001 to $30,000	7.8	19.6	0.9	5.7
$30,001 to $35,000	3.5	21.7	2.8	6.4
$35,001 to $40,000	2.9	24.0	2.9	6.7
$40,001 to $45,000	3.0	15.3	6.5	7.4
$45,001 to $50,000	0	3.9	9.3	6.5
$50,001 to $55,000	0	1.9	10.8	7.0
$55,001 to $60,000	0	0.8	9.7	6.1
$60,001 to $65,000	0	0.4	8.0	5.0
$65,001 to $70,000	0	0	6.8	4.2
$70,001 to $75,000	0	0	8.1	5.0
$75,001 to $80,000	0	0	4.1	2.5
$80,000 or more	0	0	30.0	18.5

189. Child age

	133% FPL	134-199% FPL	200+% FPL	Total %
0-4	31.5	25.3	24.1	25.7
5-9	25.2	29.1	27.4	27.6
10-14	28.2	31.1	29.0	28.7
15-17	15.1	14.5	19.4	18.0

190. How many telephone lines come into your residence that are not dedicated lines to modem or fax?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	0	1.0	0.2	0.4
1	93.4	91.4	88.0	89.6
2	5.3	5.6	8.5	7.3
3	1.3	1.1	2.1	1.8
4	0	0.6	0.8	0.6
5	0	0.3	0.2	0.2
6	0	0	0.1	0.1
7	0	0	0.0	0
12	0	0	0.1	0.1

191. Does anyone in your household own a cell phone?

	133% FPL	134-199% FPL	200+% FPL	Total %
Yes	65.1	84.7	92.8	85.9
No	34.9	15.3	7.2	14.1

192. How many people in your household regularly use a cell phone?

	133% FPL	134-199% FPL	200+% FPL	Total %
0	2.0	2.0	0.9	1.3
1	42.3	33.6	18.3	24.1
2	40.4	43.4	53.2	50.0
3	12.0	13.5	18.2	16.3
4	2.1	6.2	7.7	6.8
5	0.7	1.0	1.5	1.2
6	0.5	0.3	0.3	.3
7	0	0	0.1	.0

193. From all calls made by household members, would you say that cell phones are used for …

	133% FPL	134-199% FPL	200+% FPL	Total %
Almost all calls	7.0	7.3	7.1	7.1
Most calls	20.7	24.9	24.7	23.9
Some calls	45.9	44.8	56.2	52.8
Rarely used	26.4	23.0	11.9	16.2