

## INDEX

### A

*Acrothele* ? *richmondensis*, 383, 384, 392  
*Alexandrian* series, 411; relation to  
*Maquoketa*, 318, 349, 354  
 Allamakee county, exposures in, 334,  
 336; fossils from, 403, 420; *Galena-*  
*Maquoketa* contact in, 382; structure  
 of *Maquoketa* in, 360  
*Amphilichas bicornis*, 395  
*Anaphragma mirabile*, 369, 392  
*Anolotichia crassa*, 391  
 Anticosti, connection with Mississippi  
 valley, 325; *Maquoketa* fossils from,  
 409  
*Aparchites fimbriatus*, 395  
 Appalachian region, Clinton ore of, 356  
*Archimacella rotunda*, 394  
 Arctic regions, *Maquoketa* fossils from,  
 327, 409; seas from, 326  
 Arkansas, Cason shale in, 311, 407; De-  
 pauperate fauna in, 311; *Maquoketa*  
 beds in, 407  
*Armenoceras*, 409; *clermontense*, 394  
 Arnheim beds of Ohio valley, 310; rela-  
 tions, 368-370  
*Arthropora shafferi*, 384, 392  
*Astylospongia*, 391  
*Atactoporella*, 391  
 Auburn, limestone at, 350, 352

### B

Bain, H. F., cited, 341, 342, 346, 374,  
 383, 412  
 Bassler, R. S., acknowledgments, 313;  
 cited, 368, 412, 416  
 Barren middle beds of *Maquoketa*, 343  
 Barrier, near Mississippi valley, 311,  
 410  
 Basal conglomerate of *Alexandrian*,  
 411; of *Devonian*, 358, 411; of *Niag-*  
*aran*, 354  
*Batostoma*, 392; *rugosum*, 392  
*Bellerophon*, 383; *lirata*, 383, 384, 394;  
*patersoni*, 366, 383, 384  
 Bellevue, exposures near, 339, 341, 350,  
 379; graptolites at, 386  
*Beloitoceras discrepans*, 394; *whitneyi*,  
 384, 394  
 Beyer, S. W., cited, 412  
*Beyrichia parallela*, 370, 395  
 Big Bay de Noquette, strata on, 322,  
 362

Big Horn dolomite, position, 326  
 Bill's creek, Michigan, strata on, 324,  
 362, 367  
 Bill's Creek beds, Michigan, age, 364,  
 367  
 Black River strata in Michigan, 364,  
 365; of Minnesota, 374  
 Blanchester formation of Ohio, 327  
 Blue Limestone and Marls of Ohio, age,  
 320  
 "Blue Shale", position, 321  
 Boscobel, Wis., Dubuque beds near, 345  
 Bradley, Frank H., cited, 412; study of  
*Maquoketa* shale, 323  
 Bradley, John H., Jr., cited, 381, 412  
 Brainard, exposures near, 329, 337  
 Brainard shales, 309; character, 329,  
 332; exposures, 337, 359; fossils from,  
 391; relations, 368, 369; selenite  
 crystals from, 337; illustr., 436  
 Branson, E. B., cited, 412  
 Brassfield formation of Ohio, 350  
*Bumastus*, 386  
 Burchard, E. F., cited, 342, 383, 413  
 Burroughs dolomite, age, 351  
*Byssonchia*, 394; *tenuistriata*, 394  
*Bythocypris*, 384, 395  
*Bythopora delicatula*, 392; *meeki*, 392;  
*striata*, 392

### C

*Calloporella* ? *lens*, 392  
 Calvin, Samuel, cited, 312, 341, 342, 346,  
 351, 374, 383, 387, 412; study of *Ma-*  
*quoketa* shale, 321, 329, 332  
*Calymene*, 385; *fayettensis*, 395; *graci-*  
*lis*, 395; *mammillata*, 384, 395  
 Canada, studies of *Maquoketa* in, 312  
 Cape Frazier, fossils from, 310, 397  
*Carabocrinus*, 327; *slocomi*, 391; *slocomi*  
*costatus*, 391  
 Carman, J. E., cited, 412  
 Cascade Gulch, exposure in, 335-337  
 Cason shale of Arkansas, 311, 407  
 Cephalopods in *Vogdesia* beds, 387  
*Ceramoporella irregularis*, 391  
*Ceraurus elginensis*, 395  
 Chamberlin, T. C., cited, 356, 412  
*Charactoceras*, 409; *baeri*, 394; *cler-*  
*montense*, 394; *laddi*, 340, 394  
*Chasmatopora*, 392  
 Chicago Great Western R. R., cuts by,  
 at Graf, 341

- "Cincinnati Group", position, 322, 323;  
 in Illinois, 323, 324  
 Cincinnati faunas, 407  
 Clarke, John M., cited, 412  
**Clathrospira**, 384  
 Clayton county, Depauperate zone in,  
 376, 377; exposures in, 333, 343; struc-  
 ture of beds in, 360  
 Clement, Mo., exposure at, 344  
 Clermont, exposures near, 329, 387, 388;  
 shale pit at, 322, 336, 337  
 Clermont shales, 309; character, 329,  
 333, 371; deposition of, 410; expo-  
 sures, 336; fauna, 388, 391  
**Clidophorus**, 363; *faberi*, 369; *fabula*,  
 369; *neglectus*, 384, 393; *planulatus*,  
 373  
 "Cliff limestone" in Maquoketa area,  
 320  
**Climacograptus (Mesograptus) putillus**,  
 391; *ulrichi*, 391  
 Clinton county, exposures in, 344; in-  
 llier in, 318, 328  
 Clinton ore of Appalachian region, 356  
**Coleolus**, 366; *iowensis*, 343, 347, 369,  
 383, 384, 394  
 Colorado, Fremont limestone in, 326;  
 Richmond fossils in, 409  
 "Cone-in-cone" structure, 381  
**Conocardium**, 384, 394  
**Conotreta obliqua**, 347, 384, 392  
**Constellaria polystomella**, 392; *punc-*  
*tata*, 392; *robusta*, 392  
**Conularia**, 394; *pumila*, 384, 394; *putil-*  
*la*, 384, 394  
 "Coralline beds of Dr. Owen", posi-  
 tion, 321  
**Cornulites**, 369; *sterlingensis*, 338, 388,  
 391  
 Cornulites zone, age, 310, 368; ex-  
 posures, 338, 340, 344, 359, 388; fos-  
 sils from, 310, 369, 387, 389, 391, 402,  
 420; illustr., 432, 434; relations, 355,  
 370, 371  
 Correlation of Maquoketa shale, 319 ff,  
 362  
 Corryville beds, relations, 369  
**Corynotrypa curta**, 391; *delicatula*, 391  
 Couler valley, 317  
 Cox, G. H., cited, 412  
 Crane, G. W., cited, 412  
**Crania**, 392  
**Crepipora peculiaris**, 391  
**Ctenodonta**, 369, 374; *calvini*, 393;  
*fecunda*, 347, 366, 383, 384, 393; *fill-*  
*morensis*, 393; *obliqua*, 383, 384, 393;  
*recurva*, 393; *simulatrix*, 393  
 Cumings, E. R., cited, 412  
**Cybeloides iowensis**, 395  
**Cyclodoceras**, 409; *atkinsonense*, 385,  
 394; *clermontense*, 394  
**Cyclonema**, 394; *jacksonense*, 394  
**Cyclora**, 384, 394; *depressa*, 369; *hoff-*  
*manni*, 369; *minuta*, 369; *parvula*, 369  
 Cyclora limestones, relations, 369  
**Cyrtoceras**, 346  
**Cyrtodonta grandis luculenta**, 393  
**Cyrtolites**, 385; *conradi*, 383, 384, 394;  
*disjunctus*, 394
- D**
- Dalmanella**, 345, 347, 352, 366, 369, 384,  
 393; *corpulenta*, 393; *macrior*, 393;  
*porrecta*, 393; *testudinaria*, 351, 383  
 Daniels, Edward, cited, 373, 412; study  
 of Maquoketa shale, 321  
 Davis, Arthur Kyle, Jr., acknowledg-  
 ments, 313  
 Decorah, exposure near, 375  
 Deformation of Maquoketa shale, 361  
 Delaware county, structure of beds in,  
 360  
**Dendrocrinus kayi**, 391  
 Depauperate fauna, character, 349, 371;  
 distribution, 310; map, 440; fossils,  
 383, 391; living conditions, 407; rela-  
 tions, 368; in Arkansas, 311; in Mich-  
 igan, 310, 407  
 Depauperate zone, age, 310; character,  
 371, 373; exposures, 334, 340, 375;  
 fauna of, 310, 407; illustr., 422; phos-  
 phate in, 348, 376 ff; position, 375;  
 sections, 375; in Arkansas, 311; in  
 Clayton county, 376; in Dubuque  
 county, 378; in Fayette county, 376,  
 377; in Illinois, 380, 381; in Jackson  
 county, 379; in Michigan, 366; in  
 Missouri, 381; in Winneshiek county,  
 375  
 Des Moines sandstone, contact with  
 Maquoketa, 319, 359, 361, 411  
 Devonian, basal conglomerate of, 358,  
 411; contact with Maquoketa, 318,  
 358  
 Diastrophism, basis of stratigraphy, 357  
**Dicranopora emacerata**, 338, 392; *fra-*  
*gilis*, 369, 392  
**Dinorthis proavita**, 393; *subquadrata*,  
 327, 402; (*Plaesiomys*) *subquadrata*  
*occidentalis*, 393; descr., 402; distr.,  
 403; illustr., 420  
**Diploclema varians**, 369, 391  
 "Diplograptus beds" of Sardeson, 374,  
 386  
**Diplograptus peosta**, 340, 341, 343, 347,  
 378, 383, 384, 386, 391  
**Diplotrypa obscura**, 384, 392  
 Dips in Maquoketa shale, 360  
 Dover Mills section of Maquoketa, 332,  
 334, 385  
 Drainage of Maquoketa area, 317  
**Drepanodus acinaciformis**, 347, 366, 384,  
 394  
 Driftless area, topography, 313

- Dubuque, type exposure of Maquoketa near, 323
- Dubuque county, Ctenodonta bed in, 374; Depauperate zone in, 378; exposures in, 330, 343, 344, 352; Graf section in, 341; iron ore in, 356; structure of beds in, 360
- Dubuque dolomite, age, area, character, named, 318, 345; relation to Maquoketa, 318, 406; section of, 346; see also Galena
- Dubuque-Maquoketa contact, character, 345
- Dwarf faunas, character, 372
- E**
- Eagle Point anticline, 360
- Ectenocrinus raymondi, 391
- Eden beds, 347
- Edgewood limestone of Missouri, 350; distribution, 352; relations to Maquoketa, 318
- Eldorado, exposures near, 337
- Elgin, exposures near, 329, 330, 387
- Elgin fauna, northern derivation of, 410
- Elgin shaly limestones, 309; character, 329, 333; deposition, 409; fossils from, 385, 391, 397, 403, 405, 406, 418, 420; illustr., 430; same as Wykoff, 368
- Elkader, section at, 346
- Elkhorn beds of Ohio valley, 310; relations, 368-370
- Ellesmereland, fossil from, 418
- Encrinurus cristatus, 395
- Endoceras, 373; kayi, 394
- Ensign, Mich., exposure near, 367
- Ephippiorhynchus, 409; laddi, 384, 394
- Eridotrypa brainardensis, 392; simulatrix, 392
- Erosion of Maquoketa shale, 314
- F**
- Fauna, dwarf, of Tully pyrite, 407
- Fauna of Elgin member, 409
- Faunal lists of Maquoketa fossils, 390; zones of the Maquoketa, 370
- Faunas, dwarf, character, 372; normal, character, 372
- Fayette county, Cornulites fauna in, 390; Depauperate zone in, 376; exposures in, 329, 332, 334-339; Kankakee beds in, 353; structure of beds in, 360
- Fenestella granulosa, 392
- Fernvale limestone, age, 368; fossils in, 410; relations, 368, 369, 406
- Fenton, C. L., cited, 412
- Fenton, M. A., cited, 412
- Fillmore county, Minn., exposure in, 334
- Fish Haven dolomite, position, 326
- Florenceville, exposure at, 358
- Floerke, Aug. F., acknowledgments, 313; cited, 409, 410, 412, 415; study of cephalopods, 311, 390; study of Maquoketa, 325-327, 364
- Fort Atkinson, exposures at, 336, 389; fossils from, 397
- Fort Atkinson fauna, character, 410
- Fort Atkinson limestone, 309; character, 329, 333; exposures, 329, 336; fauna, 371, 389, 391, 397, 399, 418; position, 325
- Fossils of Maquoketa shales, 391
- Foster, J. W., cited, 413; study of Maquoketa shale, 320
- Frankfort shales of New York, position, 322
- Fremont limestone, position, 326
- Fusispira bed, 346
- G**
- Galena Junction, Ill., exposure near, 349
- Galena limestone, character, 345; exposures of, 339, 375, 376, 379; in Maquoketa area, 320; in northeastern Iowa, 314; relations, 406; topography on, 315; see also Dubuque dolomite
- Galena-Maquoketa contact in Allamakee county, 382; in Dubuque county, 378
- Geisonoceras ? clermontense, 394
- Girardeau limestone of Missouri, 354
- Glossograptus, 366; micronatus, 391
- Glyptorthis, see Hebertella
- Goldman, M. I., cited, 348, 413
- Goocher quarry, exposure in, 334
- Goose Lake channel, 317, 328
- Gordon, C. H., cited, 413
- Graf, graptolites at, 386; section of Maquoketa shale, 341
- Granger, Minn., exposure at, 334
- Grant, U. S., cited, 342, 383, 413
- Graptolite zone in the Maquoketa, 371; exposures of, 340; fossils from, 310
- Graptolites in Isotelus zone, 385
- "Gray Limestone", position, 321
- "Green and Blue shales and limestone", position, 322
- Green Bay, "Blue Shale" on, 321; Maquoketa beds on, 362
- Greenland, Maquoketa fossils from, 409
- Grout, Frank F., cited, 413
- H**
- Hall, C. W., cited, 413
- Hall, James, cited, 320-322, 362, 383; study of Maquoketa shale, 320-322, 362
- Hallopora, 392; fayettensis, 392; persimilis, 392; subnodosa, 392
- Hanover, Ill., Depauperate zone at, 380
- Hebertella bellarugosa, 401; insculpta, 327, 400; (Glyptorthis) insculpta maquoketensis, 393; descr., 399; distr.,

- 401; illustr., 418, 420; *occidentalis*, 402; *sinuata prestonensis*, 337, 393; descr., 401; distr., 402; illustr., 420; *subjugata*, 402
- Helopora elegans*, 369, 392; *thomasi*, 392
- Hemiphragma nodosa*, 392
- Heterotrypa*, 392
- Hindia parva*, 347, 383, 384, 391
- History, geological, of Maquoketa shale, 406
- Holtedahlna atkinsonensis*, 393
- Homotrypa nodulosa*, 391; *wortheni*, 391
- Homotrypella rustica*, 391
- Hopkinton dolomite, deposition, 411; exposures, 338, 339, 359; relations, 318, 354, 355; topography on, 315; in northeastern Iowa, 314
- Hormotoma*, 342, 366, 384, 394; *gracilis multivolvis*, 394
- Houser, G. L., cited, 408
- Howard county, exposures in, 334, 359
- Howell, Jesse V., cited, 356, 413
- Hudson Bay, Paleozoic rocks near, 326
- "Hudson-river Group" in New York, 320; position, 324
- Hussey, R. C., cited, 364, 413; study of Maquoketa shale, 320, 327
- Hyalithes dubius*, 369; *parviusculus*, 343, 369, 383, 384, 394; *versaillesensis*, 369
- I
- Illinois, basal conglomerate in, 354; Cincinnati group in, 323, 324; Depauperate zone in, 380, 381; Edgewood limestone in, 353; Kankakee limestone in, 351; Maquoketa exposures in, 344, 349, 350; studies of Maquoketa in, 312; unconformity under Maquoketa, 349
- Indiana, strata in, 370; studies of Maquoketa in, 312
- Inlier of Maquoketa, 318, 328, 361, 411
- Iowa Geological Survey, reports on Maquoketa, 312
- Iowacystis sagittaria*, 391
- Iowan drift area, topography on, 316
- Iowan glacier, work of, 316
- Iron ore in Dubuque county, 356
- Ischadites*, 346
- Isotelus*, 363; *iowensis*, 333, 334, 366, 385, 387, 394; *maximus*, 385; *rejuvenis*, 385, 395
- Isotelus maximus* zone, character, 333
- Isotelus* zone, 371; exposures, 333; fossils in, 385; illustr., 424, 426
- J
- Jackson county, Cornulites zone in, 390; Depauperate zone in, 379; exposures in, 339, 343, 344, 353, 359; fossils from, 402, 420; Maquoketa inlier in, 318, 328; structure of beds in, 360; Winston limestone in, 350
- James, J. F., cited, 341, 346, 383, 413; study of Maquoketa shales, 319, 324
- James Bay, Paleozoic rocks near, 326
- Jones, O. T., cited, 357, 413
- K
- Kankakee limestone in Fayette county, 353; in Illinois, 350; relations to Maquoketa, 318
- Kansan drift in northeastern Iowa, 316
- Kansan glacier, work of, 316
- Kentucky, strata in, 369
- Keyes, C. R., cited, 413
- Kimmswick limestone, unconformity above, 349
- Kionoceras postvillense*, 394; *tenuitectum*, 384, 394; *thomasi*, 384, 394
- Kirk, Edwin, cited, 397, 398, 413
- L
- Ladd, Harry Stephen, Maquoketa shale of Iowa, 305; cited, 414
- Lake Winnepeg, strata near, 326
- "Lamellibranch zone", 374
- Lane, A. C., cited, 414
- Larrabee, William, exposure on land of, 355
- Lasiograptus*, 391
- Leonard, A. G., cited, 312, 414
- Lepidocoleus*, 384, 391
- Leptaena*, in "Blue Shale", 321; *raymondi*, 393; *unicostata*, 393
- Leptobolus occidentalis*, 343, 347, 374, 382-384, 392
- Liberty beds, relations of, 368
- Lichenocrinus minutus*, 391
- Limonite in Maquoketa shale, 349, 376
- ff
- Lindströmia solearis*, 310, 337, 371, 389, 391; descr., 397; distr., 399; illustr., 418
- Lingula*, 343, 347, 352, 373, 380, 383; *beltrami*, 371, 392; *changii*, 364, 366, 384, 392; *iowensis*, 345; *quadrata*, 354
- Lingulasma schucherti*, 392
- Lingulops whitfieldi*, 392
- Lioclemella annulifera*, 392; *fusiformis*, 392; *solidissima*, 392
- Liospira micula*, 347, 366, 383, 384, 394
- Little Bay de Noquette, strata on, 320, 362
- Little Maquoketa river, drainage by, 317; exposures on, 330
- Locke, John, cited, 414; study of Maquoketa shale, 319
- Loess-Kansan area, topography on, 316
- Loomis, F. B., cited, 372, 407
- Lophospira*, 366, 383, 384, 394; *quadrisculata*, 394
- Lore Hill, iron ore at, 356

- Lorraine shales of New York, position, 322
- Lower Brainerd shales, character, 338
- Lyckholm beds of Russia, 345
- M**
- McCune limestone in Missouri, 381
- McGee, W. J., cited, 414; study of Maquoketa shale, 325
- Maquoketa area, drainage, 317; physiography, 313; relief, 313
- Maquoketa fauna, origin in north, 326; resemblance to Utica fauna, 325
- Maquoketa fossils, lists of, 390; from Arctic regions, 397, 409
- Maquoketa river, drainage by, 317
- Maquoketa shale of Iowa, 305; age, 309, 323, 357; area, 309, 311, 323; character, 323, 329; columnar section, 331; conglomerate in, 355; correlation, 324, 362; dips in, 360; distribution in Iowa, map, 439; distribution, general, map, 438; divisions, 329; erosion, 411; extent, 326; faunal zones in, 370, 391; fossils in, 311, 383, 384, 390; general section, 332; geological history, 406; Graf section, 341; graptolite zone in, 386; inlier of, 318, 328, 361, 411; interpretations, 311; members, 309; named by White, 322, 329; of Richmond age, 357; outcrops, distribution, 328; overlying rocks, 309; pebbles from, illustr., 437; phosphate in, 348, 376 ff; previous study, 312; relation to Silurian formations, 318; relation to underlying rocks, 346; resistance to erosion, 314; soil under, 349; stratigraphy, 318; structure, 360; studies in Canada, Illinois, Indiana, Michigan, Missouri, Ohio, Ontario, 312; topography on, 315; typical localities, 323, 331; underlying rocks, 309
- Maquoketa shale, northwest area, 309, 332; faunal zones in, 370 ff, 386; members in, 329, 332; southeast area, 309, 339; exposures in, 330, 339; faunal zones in, 370 ff
- Maquoketa-Alexandrian contact, 349
- Maquoketa-Des Moines contact, 359
- Maquoketa-Devonian contact, 358
- Maquoketa-Niagara contact, 354
- Mastigograptus gracillimus, 391
- Maysville beds, 347
- Mead, D. W., cited, 414
- Meek, F. B., cited, 396, 414; study of Maquoketa shale, 322
- Meekospira subconica, 394
- Mesotrypa, 392; maquoketensis, 391; patella delicatula, 392
- Michigan, Black River beds in, 365; Depauperate fauna in, 310, 366; "Hudson-river Group" in, 320; Maquoketa beds in, 407; relation of Richmond in, to Maquoketa, 362; Richmond in, 310, 327; studies of Maquoketa in, 312, 364-367; Upper Peninsula, map, 363
- Microceras inornatum, 369; patersoni, 394
- Miller, Hugh, cited, 374
- Minnesota, fossils from, 406, 420
- Mississippi river, drainage by, 317; exposures along, 339
- Mississippi valley, barrier near, 311, 410
- Missouri, Depauperate zone in, 381; Edgewood limestone in, 351; Maquoketa exposures in, 344; Orchard Creek and Girardeau beds in, 354; studies of Maquoketa in, 312; unconformity under Maquoketa, 349
- Modiolopsis, 373; excellens, 394
- Mohawkian beds, relations, 369
- Mount Auburn beds, relations, 369
- Mount Hope beds, relations, 369
- N**
- "Neda Iron Ore" in Iowa, 356
- Niagaran series, basal conglomerate in, 354; contact with Maquoketa, 354; relation to Maquoketa, 318; topography on, 315
- Nileus vigilans zone, character, 333
- Northwest area of Maquoketa shale, 309, 332; deposition in, 409; faunas in, 310; graptolite zone in, 386; members, 329, 332
- Norton, W. H., cited, 414
- Nucula, 363; poststriata, 373
- "Nucula shale", fossils in, 373; position, 321
- Nuculaformis, 373
- O**
- Ohio, Blanchester formation in, 327; studies of Maquoketa in, 312
- Ohio valley, Richmond beds in, 310, 357, 368
- Oklahoma, Sylvan shale in, 407; Depauperate zone in, 311
- Oneota river in northeastern Iowa, 317
- Ontario, studies of Maquoketa in, 312
- Orbiculoidea, 384, 392
- Orchard Creek shale of Missouri, 354
- Ordovician-Silurian boundary, study of, 327, 356
- Orthis testudinaria, 363
- Orthoceras, 383; sociale, 342, 347, 366, 375, 378, 383, 384, 387, 394, 409
- "Orthoceras beds", 342, 343, 409; of Graf, 375
- Ossian, exposure near, 336; fossils from, 399

- Ostracodes, 347  
 Owen, D. D., cited, 414; study of Maquoketa shale, 319, 321
- P**
- Pachydictya**, 392  
 Paleontology of the Maquoketa, 370  
 Paleozoic rocks near Hudson and James bays, 326  
**Parastrophia**, 393  
 Patterson's spring, exposure at, 338, 388, 390  
 Pebbles from Maquoketa shales, 348; illustr., 437  
 Pennsylvanian system, relation to Maquoketa, 319, 359, 361, 411  
 Percival, J. G., cited, 414; study of Maquoketa shale, 321  
 Perdue, N. J., cited, 413  
**Peritocrinus**, 327  
**Peronopora decipiens**, 391  
 Phosphate in Maquoketa beds, 347, 348, 376-381  
 Phosphate zones, origin, 348  
 Physiography of Maquoketa area, 313  
**Plaesiomys**, see **Dinorthis**  
**Platyceras**, 396  
**Platystrophia**, 393; *elginensis*, 393  
**Plectambonites**, 338, 340, 344; *precosis*, 393; *recedens*, 393; *saxeus*, 393  
**Plectorthis (Austinella) whitfieldi**, 392  
**Plethospira semele**, 394  
**Pleurocystites**, 326; *beckeri*, 391; *clermontensis*, 391  
**Pleurotomaria**, 373; (*Lophospira*) *depauperata*, 347, 366, 382-384, 394  
**Porocrinus**, 326; *fayettensis*, 391  
 Postville, exposures near, 332, 382; fossils from, 403, 420  
**Prasopora elginensis**, 391  
 Pratt, W. H., cited, 414  
 Preston, exposures near, 353; fossil from, 420; structure of beds near, 360  
 Preston inlier, 318, 328, 361, 411  
**Primitia cincinnatiensis**, 384, 395; *gibbera*, 395; *tumidula*, 395  
**Priscochiton**, 384, 393; *elongatus*, 347, 383, 384, 393  
**Proboscina auloporoides**, 391; *frondosa*, 391  
**Pterinea iowensis**, 393  
**Pterygometopus fredricki**, 395  
**Ptilodictya**, 392  
 Pulaski shales of New York, position, 322
- Q**
- Queenston beds, age, 357
- R**
- Rafinesquina altidorsata**, 393; *kingi*, 393; *subquadrata*, 393  
 Rapid river, Mich., Maquoketa shale on, 362  
 Raymond, P. E., cited, 335, 414  
**Receptaculites** zone, 346  
 Relief of Maquoketa area, 313  
**Rhinidictya**, 384, 392  
**Rhombotrypa quadrata**, 392; *subquadrata*, 392  
**Rhynchotrema anticostiense**, 393; *capax*, 404; *capax altirostratum*, 393; descr., 403; distr., 405; illustr., 420; *neenah*, 393; *perlamellosum*, 404  
 Richmond age of Dubuque beds, 345  
 Richmond basin, connected with Mississippi valley, 325  
 Richmond beds, age, 309, 357, 358; fauna, 357, 390; of Michigan, 327; age, 310; relation to Maquoketa, 362; of Mississippi valley, 406; of Ohio valley, relations, 368; of Wyoming, fossils in, 409; unconformity, 407  
 Richmond fauna, origin, 327  
 Richmond submergence, extent, 357; importance, 325  
 River valleys, abandoned, 317  
 Rockville, exposure at, 351  
 Rominger, Carl, cited, 414; study of Maquoketa shale, 324, 363  
 Ross, C. S., cited, 348, 356, 415  
 Rowley, R. R., cited, 414  
 Ruedemann, Rudolph, cited, 414
- S**
- St. Donatus, exposure at, 379  
**Sactoceras maquoketense**, 394  
**Saffordia sulcodorsata**, 393; *ventralis*, 393  
**Salpingostoma imbricatum**, 394  
 Sardeson, F. W., cited, 318, 324, 358, 374, 386, 413, 414; study of Maquoketa shale, 325, 345  
 Savage, T. E., cited, 312, 318, 348, 349, 350, 353, 356, 360, 368, 383, 398, 415; study of Maquoketa shale, 327, 332, 334; study of rocks near Hudson Bay, 326  
 Savanna, Ill., exposure at, 345, 350; structure of rocks at, 360  
**Sceptropora facula**, 369, 392  
**Schizotreta minutula**, 392  
 Schuchert, Charles, cited, 357, 415-417; study of Maquoketa shale, 325  
 Scofield, W. H., cited, 416  
 Seaman, A. E., cited, 414  
 Sea water, composition, effect on life, 408  
 Selenite crystals from Brainard shale, 337; illustr., 436  
**Serpulites**, 384, 391  
 Shammattawa limestone, position, 326  
 Shaw, E. W., cited, 346, 355, 374, 380, 383, 415

- Shaw, James, cited, 415; study of Maquoketa shale, 324
- Shideler, W. H., acknowledgments, 313; cited, 368, 370, 390; study of bryozoa, 311, 390
- Shipton, T. D., fossils from, 380
- Silurian system, relation to Maquoketa, 318
- Sinuities, 346; concinna, 394
- Slocum, A. W., cited, 415; study of Maquoketa shale, 326, 333
- Sny Magill anticline, 360
- Soil, residual, under Maquoketa shale, 349
- Soper, E. K., cited, 413
- Southeast area of Maquoketa shale, 309, 339; deposition in, 409; exposures in, 330, 339; faunal zones in, 370 ff
- Sphaerocoryphe maquoketensis*, 395
- Spatiopora iowensis*, 342, 384, 391
- Spirifer lynx*, 363
- Springer, Frank, cited, 416
- Spring Valley, Minn., fossils from, 406, 420
- Spyroceras calvini*, 394; *clermontense*, 394; cf. *perroti*, 394
- State University of Iowa, fossils at, 397 ff
- Stigmatella incerta*, 392
- Stockton, Ill., exposures at, 344
- Stomatopora arachnoidea*, 391
- Stony Mountain limestone, position, 326
- Strata, uplift of, 411
- Stratigraphy of Maquoketa shale, 318
- Streptelasma*, 391; *angulatum*, 397; *haysii*, 310, 391, 409; *deser.*, 396; *distr.*, 397; *illustr.*, 418; *latusculum* var. *trilobatum*, 397; *trilobatum*, 397
- Strong, Moses, cited, 415
- Strophomena*, 393; *abscissa*, 393; *acuta*, 393; *fluctuosa occidentalis*, 393; *plano-dorsata*, 393
- Structure of Maquoketa shale, 360
- Sygcaulocrinus typus*, 391
- Sylvan fauna, resemblance to Utica fauna, 325
- Sylvan shale of Oklahoma, 311, 325, 407
- T**
- Tennessee, strata in, 369
- Tetradella quadrilirata*, 370, 395; *simplex*, 370, 395
- Tetradium ontario*, 384, 391
- Thomas, A. O., acknowledgments, 313; cited, 341, 389, 415; fossils from, 398; photo by, 314, 385, 388
- Thwaites, F. T., cited, 415
- Topography of Driftless area, 313; of Galena area, 315; of Iowan drift area, 316; of Loess-Kansan area, 316; of Maquoketa area, 315; of Niagaran area, 315
- “Transition beds” above Maquoketa shales, 351
- Trematis*, 392
- Trematopora granulata*, 392
- Trenton faunas, 407
- “Trenton Group” in New York, 320
- Triplecia* bed, 345
- Triplecia (California) ulrichi*, 393
- Trochonema (Eunema) minnesotensis*, 394
- Trowbridge, A. C., cited, 346, 355, 374, 380, 383, 415
- Tully pyrite, dwarf fauna of, 407
- Turgite in Maquoketa beds, 377, 378
- Turkey river, drainage by, 317
- Tysor, Homer J., acknowledgments, 313; fossils from, 398
- U**
- Udden, J. A., cited, 312, 415
- Ulrich, E. O., acknowledgments, 313; cited, 345, 346, 351, 357, 358, 368, 370, 374, 375, 383, 405-407, 415, 417; study of Maquoketa shale, 319, 321, 324, 325, 327
- Ulrichia bivertex*, 384, 395
- Unconformities, evidence of, 345
- Unconformity below Maquoketa, 346, 349
- U. S. National Museum, specimens in, 396 ff
- Uplift of strata, 411
- Upper Elgin beds in the Maquoketa, 371; exposures, 335; fossils from, 387, 401, 420
- Upper Iowa river in northeastern Iowa, 317
- Utah, Fish Haven dolomite in, 326
- Utica fauna, in Mississippi valley, 407; resemblance to Maquoketa, 325
- Utica shales of New York, position, 322
- V**
- Valleys, abandoned, 317
- Van Tuyl, F. M., cited, 415; study of rocks near Hudson Bay, 326
- Vanuxemia bristolensis*, 393
- Vogdesia* beds in the Maquoketa, 371; exposures, 335; fossils from, 387; *illustr.*, 428; origin, 387
- Vogdesia vigilans*, 335, 387, 394
- W**
- Wachsmuth, Charles, cited, 416
- Walcott, C. D., cited, 416
- Walter, Otto, cited, 416; study of Maquoketa shale, 327
- Wapsipinicon formation, relation to Maquoketa, 318
- Wapsipinicon river, drainage by, 317
- Waucoma, limestone at, 350, 352

- Waucoma limestone, character, 350  
 Waynesville beds, age, 368; relations, 370  
 Weiser, Miss Frances, acknowledgments, 313  
 Weller, Stuart, cited, 349, 383, 416  
 White, C. A., cited, 416; named Maquoketa shale, 322, 329  
 Whitefish river, Mich., Maquoketa on, 362  
**Whitella minnesotensis**, 393; descr., 405; distr., 406; illustr., 420; obliquata, 405; **sterlingensis**, 393  
 Whitewater beds, relations, 368-370  
 Whitfield, R. P., cited, 416; study of Maquoketa shale, 324  
 Whitney, J. D., cited, 383, 413, 416; study of Maquoketa shale, 320, 321, 322  
 Whittlesey, Charles, cited, 417  
 Williams, I. A., cited, 412  
 Wilson, A. G., cited, 417  
 Winchell, N. H., cited, 358, 383, 417; study of Maquoketa shale, 319, 321, 324  
 Winneshiek county, Depauperate zone in, 375; exposures in, 334-338, 359; fossils from, 397, 399, 401, 405, 418  
 Winston, Ill., exposure at, 349  
 Winston limestone, character, 349, 350  
 Wisconsin, beds in, 319, 322; Dubuque beds in, 345  
 Worthen, A. H., cited, 414, 417; study of Maquoketa shale, 322  
 "Wykoff Beds" of Sardeson, position, 358; relations, 368  
 Wyoming, Big Horn dolomite in, 326; Richmond fossils in, 409
- Z**
- Zaphrentis haysii**, 396  
**Zygospira**, 384, 393; **modesta**, 369, 383